

Location of work—
 Agency by which work is executed—
 Date of measurement—
 No. and date of agreement.
 (These four lines should be repeated at the commencement of the measurements relating to each work.)

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Record Entry					
Name of work—To to Ganga					Total
under m m G S Y (SC)					
Agency—Shamsher Engincom					
Agreement No—25500/18-19					
Date of starting—9.3.19					
Date of completion—8/3/20					

① Setting of pillars					
① Bench Mark—3 No.					
② Reference pillar—11 No.					
② clearing & grubbing of wad land					
$2 \times 20 \times 30 \text{ m} \times 3.50 = 4200 \text{ m}^2$					
$2 \times 20 \times 30 \text{ m} \times 3.50 = 4200 \text{ m}^2$					
$2 \times 20 \times 30 \text{ m} \times 3.50 = 4200 \text{ m}^2$					
$2 \times 20 \times 30 \text{ m} \times 3.40 = 4080 \text{ m}^2$					
$2 \times 15 \times 30 \text{ m} \times 3.0 = 900 \text{ m}^2$					
④ constn of embankment					
material obtained from borrow pit					

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(19) Constn of subankment material obtained from borrow pit vide Ref-32=					
Crustalhy =					14299.98m ³
Subgrade =					3661.221
G.S.M. =					1417.923m ³
G.S.M. =					715.413m ³
C.C. Pavement =					518.941m ³
Boxcutting =					92.40m ³
Levee =					7955.111m ³
Levee =					7893.889m ³
Levee =					7322.85m ³
Deedlet P.M.C. (1) =					127.333m ³
Deedlet P.M.C. (2) =					7195.517m ³
Lead 1000m =					3813.634m ³
(21) Lead 1000m =					3381.833m ³
(22) Lead 1000m =					3381.833m ³
(23) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(24) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(25) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(26) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(27) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(28) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(29) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(30) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(31) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(32) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(33) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(34) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(35) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(36) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(37) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(38) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(39) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(40) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(41) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(42) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(43) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(44) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(45) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(46) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(47) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(48) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(49) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(50) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(51) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(52) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(53) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(54) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(55) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(56) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(57) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(58) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(59) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(60) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(61) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(62) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(63) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(64) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(65) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(66) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(67) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(68) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(69) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(70) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(71) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(72) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(73) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(74) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(75) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(76) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(77) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(78) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(79) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(80) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(81) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(82) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(83) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(84) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(85) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(86) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(87) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(88) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(89) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(90) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(91) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(92) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(93) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(94) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(95) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(96) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(97) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(98) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(99) f/v 4mm G.S. Board =					2100
Naftan Board =					3100
(100) f/v 4mm G.S. Board =					2100
Naftan Board =					3100

Continuation

2. PK
25/10/20
AG