## FIELD INSPECTION REPORT

Toronation : A	Dist	rict: East chan	pasan
Inspection . 6		gth (km): 2-80 km	
of the Road:	alibor deliaurao	lano Phip Road	d to Lak
/Programme:	MAINTENANCE		
e No.:			1
of the Project:	Ongoing/Completed/Unde	dation/ Maintenance	'mld
a case of:	The state of the s	TO SECULO TO THE SECULO THE SECULO TO THE SECULO THE SECULO TO THE SECULO TO THE SECULO TO THE SECULO THE SECULO THE SECULO TO THE SECULO THE SECULO THE SECULO TO THE SECULO THE S	Remarks
	Parameters to be ch	ескео	
Pavement			1.87U
Road Junction condition			18/0
Road Junction condition  Condition of Surfacing			S/U
			S/U/
			₩.V
Whether free	from defects such as	visible cracks, expos	sed Yes/No
		avement)	Yes/No
Contraction Joints provided or not (CC Pavement)  Compaction of flank/slope & raincuts if any			Yes/No
Cross Drains	ge		
Condition of head walls in Hume pipe culverts including its painting			ing S/SRI/U
Condition of Abutment & Wing walls, Slab in RCC culverts			ιS/ŚRI/U
Condition of railings/slab/approach for Bridges			S/SRI/U
Road Furnit	ire	1	
Whether sign boards/informatory/cautionary Board/km & 200m stones/Pavement road markings are provided and maintained			.Yes/No
Compliance	History		
Status of ATF	t's & any others		NIA
	f the Road: Morprogramme: No.: If the Project: In case of:  Pavement Road Junction Condition of S Riding Quality Road Camber Whether free aggregates in Contraction of S Compaction of S Condition of S C	Inspection: 63 15 (70 according to the Road: Mobilean Chalacus according to the Project: Ongoing/Completed/Under a case of: New Connectivity/Up grass Parameters to be chalacus according to the Project: Ongoing/Completed/Under a case of: New Connectivity/Up grass Parameters to be chalacus according to the Project: Ongoing/Completed/Under a case of: New Connectivity/Up grass Parameters to be chalacus according to the Pavement accord	Inspection: 85/13/10   Length (km): 7.80km  If the Road: Mobiliary chilague clare Phil D. Road    Programme: MAINTENANCE   Road Id No.:

Overall Rating

Satisfactory (S)	-
Satisfactory but requires Improvement (SRI)	-
Unsatisfactory (U)	U

(Signature)

NAME: Afran Ahmad
DESIGNATION: A-G.