

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल- बक्सर

पत्रांक- 2126 /बक्सर

दिनांक- 03/12/2020

प्रेषक,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल- बक्सर

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव
बिहार ग्रामीण पथ विकास अभिकरण (BRRDA)
बुद्ध मार्ग, पटना।

विषय- शीर्ष 3054 मरम्मत (बिहार ग्रामीण पथ अनुरक्षण नीति- 2018) योजना अंतर्गत राशि की अधियाचना के सम्बन्ध में।

महाशय,

उपर्युक्त विषय के सम्बन्ध में कहना है कि योजना शीर्ष 3054 मरम्मत (बिहार ग्रामीण पथ अनुरक्षण नीति- 2018) अंतर्गत कराये गए कार्यों के भुगतान हेतु राशि की आवश्यकता है जिसे अधियाचना प्रपत्र के साथ सलग्न कर भेजा जा रहा है।

अतः श्रीमान से अनुरोध है कि सलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने की कृपा की जाए ताकि संवेदकों द्वारा कराये गए कार्य का भुगतान किया जा सके।

अनु०- यथोक्त

विश्वासभाजन



कार्यपालक अभियंता
ग्रा०का०वि०, कार्य प्रमंडल- बक्सर

Requisition Format for Scheme Head- MR (3054) under Bihar Rural Road Maintenance Policy- 2018 (Initial Rectification and Surface Renewal)

Name of Works Division- RWD, Works Division- Buxar

Sl No	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (In Lakh)		Agreement No. & Date	Date Of Completion as per Agreement	Value of IRI (In mm/km)	Thickness of Bitumen Layer (In mm)	Value of Bitumen Content in percentage	Previous Total Allocated Amount (In Lakh)	up-to-date expenditure as per MIS (In Lakh)	Requisition against work done (In Lakh)	Remarks
					Length (In KM)	Amount (In Lakh)	Initial Rectification With Surface Renewal (In Lakh)	5 Years Routine Maintenance (In Lakh)									
1	MR-N/19-20 BUXAR/19	Buxar Sasaram Road to Sonpa (Jalilpur)	14191032878	Lt. No.- 6458, Dt.- 13/12/2019	1.592	62.853	50.52476	15.17679	27MBD/ 2020-21 & 08/09/2020	07-08-2021	3107	25 mm	5.01%	0	0	50.51885	
2	MR-N/19-20 BUXAR/19	Chausa Ramgrah Road to Jalilpur Panchayat Master House via Kamakhya Maa Mandir	10402001005	Lt. No.- 6458, Dt.- 13/12/2019	2.700	102.009	78.61853	25.85845	27MBD/ 2020-21 & 08/09/2020	07-08-2021	2941	25 mm	5.00%	0	0	78.61254	
3	MR-N/19-20 BUXAR/19	Chausa Mohaniya Road to Dehri Via Rohitban	14191032879	Lt. No.- 6458, Dt.- 13/12/2019	2.000	64.78	46.02257	21.22605	27MBD/ 2020-21 & 08/09/2020	07-08-2021	3344	25 mm	5.01%	0	0	46.01775	
4	MR-N/19-20 BUXAR/19	Chusa Station Road to Krisnapuri Const of P.C.C and Drain	10402001007	Lt. No.- 6458, Dt.- 13/12/2019	1.400	41.166	34.52698	8.98486	27MBD/ 2020-21 & 08/09/2020	07-08-2021	3351	25 mm	5.01%	0	0	34.51995	
5	MR-N/19-20 BUXAR/19	CHAUSA RAMGARH ROAD DHARAMPUR	10402002027	Lt. No.- 6458, Dt.- 13/12/2019	1.527	52.10	38.46651	16.25677	27MBD/ 2020-21 & 08/09/2020	07-08-2021	3107	25 mm	5.00%	0	0	38.45896	
6	MR-N/19-20 BUXAR/24	BASAHI SINGHHI - RASAN KHURD	10402002006	Lt. No.- 5492, Dt.- 18/10/2019	2.042	83.658	48.89530	18.33462	25MBD/ 2020-21 & 08/09/2020	07-06-2021	3322	25 mm	5.00%	0	0	48.88762	
7	MR-N/19-20 BUXAR/24	BASAHI SINGHI - PARSIA	10402002007	Lt. No.- 5492, Dt.- 18/10/2019	2.060	65.492	44.49516	21.72719	25MBD/ 2020-21 & 08/09/2020	07-06-2021	2872	25 mm	5.01%	0	0	44.48845	
8	MR-N/19-20 BUXAR/24	BASAHI SINGHHI - KAUHARR	10402002009	Lt. No.- 5492, Dt.- 18/10/2019	1.490	71.4095	41.86593	15.72750	25MBD/ 2020-21 & 08/09/2020	07-06-2021	3324	25 mm	5.00%	0	0	41.85842	
9	MR-N/19-20 BUXAR/24	Dadara Chausa Nahar Pul to Chandpur	14191032890	Lt. No.- 5492, Dt.- 18/10/2019	2.300	127.921	103.81127	23.50282	25MBD/ 2020-21 & 08/09/2020	07-06-2021	2498	25 mm	5.00%	0	0	103.80982	
10	MR-N/19-20 BUXAR/24	DHANSOI SIGHI ROAD - KARMA	10402002032	Lt. No.- 5492, Dt.- 18/10/2019	2.850	147.797	76.51924	29.43263	25MBD/ 2020-21 & 08/09/2020	07-06-2021	2074	25 mm	5.01%	0	0	76.51273	
11	MR-N/19-20 BUXAR/23	Sarenja Narayanpur to Devashapur	14191021687	Lt. No.- 5492, Dt.- 18/10/2019	4.000	147.683	92.35118	33.70396	24MBD/ 2020-21 & 29/08/2020	28-07-2021	3320	25 mm	5.00%	0	0	92.13548	

Requisition Format for Scheme Head- MR (305.4) under Bihar Rural Road Maintenance Policy- 2018 (Initial Rectification and Surface Renewal)																	
Name of Works Division- RWD, Works Division- Buxar																	
Sl No	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (In Lakh)		Agreement No. & Date	Date Of Completion as per Agreement	Value of IRI (In mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in percentage	Previous Total Allocated Amount (In Lakh)	up-to-date expenditure as per MIS (In Lakh)	Requisition against work done (In Lakh)	Remarks
					Length (In KM)	Amount (In Lakh)	Initial Rectification With Surface Renewal (In Lakh)	5 Years Routine Maintenance (In Lakh)									
1	2																
12	MR-N/19-20 BUXAR/23	Tipukha Road - Bhakhwan Lakh Via - Gangapur	NEA220001287	Lt. No.- 5492, Dt.- 18/10/2019	2.700	84.11	46.50155	21.39295	24MBD/ 2020-21 & 29/08/2020	28-07-2021	3148	25 mm	5.01%	0	0	46.49251	
13	MR-N/19-20 BUXAR/20	Ahirauli to Gadani Via Sheerpur	14191032869	Lt. No.- 5492, Dt.- 18/10/2019	4.600	148.08	96.72405	42.28799	28MBD/ 2020-21 & 08/09/2020	07-06-2021	3343	25 mm	5.01%	0	0	96.71843	
14	MR-N/19-20 BUXAR/20	NH84 to Ahirauli	14191032872	Lt. No.- 5492, Dt.- 18/10/2019	1.150	39.53	26.17160	10.88347	28MBD/ 2020-21 & 08/09/2020	07-06-2021	3345	25 mm	5.00%	0	0	26.17005	
15	MR-N/19-20 BUXAR/20	NH84 to Katkauli	14191032871	Lt. No.- 5492, Dt.- 18/10/2019	0.930	32.31	21.74285	8.79198	28MBD/ 2020-21 & 08/09/2020	07-06-2021	3364	25 mm	5.00%	0	0	21.73875	
16	MR-N/19-20 BUXAR/20	Ramchauriya to Majhariya	14191032874	Lt. No.- 5492, Dt.- 18/10/2019	0.800	27.897	19.58063	6.63511	28MBD/ 2020-21 & 08/09/2020	07-06-2021	3340	26 mm	5.00%	0	0	19.57154	

1. Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed
2. Up-to-date Physical Progress has been uploaded in MIS


 Executive Engineer
 RWD (W), Div.- Buxar

Name of Customer:	Manoj Kumar Rai		
Name of Work/ Road:	Tripurwa Path Bhaikhwa		
Lab Job number:			
Date:	08-Nov-20		
Section No.	108		

Test Date:	08-Nov-20	Road Name:	Tripurwa Path Bhaikhwa Lakh		
Machine No:		Road Type:	(R) RURAL ROAD		
Start S No:		Side:	Boor	Interval	
Start E No:		UV Range:	1215	To	5000
Weather:					1000 mm/km
Start Location:	Tripurwa	Dist Range:	0	To	0.784
End Location:	Bhaikhwa Lak	Equation:	$Y = 0.0002 + 1.0000 \times X + 415.2$		


Print

Generate Report and Graph

Redraw Graph

Map View

Name of Customer : Manoj Kumar Rai. Name of Work/ Road: Tripurwa Path Bhaikhwa Lakh Via Gangapur



Signature

08/11/20

Name of Road:- Tripurwa Path to Bhaikhwa Lakh Via Gangapur, Contractor Name- Manoj Kumar Rai

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY	Latitude	Longitude	Event
8/11/20	9: 21: 45	108	0.1	350	0	3500	3915	G	25.727925	83.87143	Normal
8/11/20	9: 22: 0	108	0.1	280	20.2	2800	3215	G	25.72705	83.871295	Normal
8/11/20	9: 22: 21	108	0.1	240	20.2	2400	2815	G	25.726102	83.871143	Normal
8/11/20	9: 22: 21	108	0.1	200	30.3	2000	2415	G	25.72522	83.87101	Normal
8/11/20	9: 22: 21	108	0.1	220	30.3	2200	2615	G	25.72431	83.870858	Normal
8/11/20	9: 22: 21	108	0.1	240	30.3	2400	2815	G	25.72431	83.870858	Normal
8/11/20	9: 22: 56	108	0.1	180	30.3	1800	2215	G	25.723357	83.870757	Normal
8/11/20	9: 23: 0	108	0.1	330	10.1	3300	3715	G	25.722445	83.87074	Normal
8/11/20	9: 23: 31	108	0.1	260	10.1	2600	3015	G	25.722248	83.87	Curve
8/11/20	9: 23: 31	108	0.1	290	20.2	2900	3315	G	25.721347	83.869763	Curve
8/11/20	9: 24: 6	108	0.1	320	10.1	3200	3615	G	25.720887	83.869057	Normal
8/11/20	9: 24: 6	108	0.1	350	10.1	3500	3915	G	25.71997	83.868855	Curve
8/11/20	9: 24: 42	108	0.1	310	20.2	3100	3515	G	25.720002	83.867895	Normal
8/11/20	9: 25: 0	108	0.1	290	20.2	2900	3315	G	25.72013	83.866885	Normal
8/11/20	9: 25: 0	108	0.1	180	30.3	1800	2215	G	25.72028	83.865875	Normal
8/11/20	9: 25: 17	108	0.1	200	30.3	2000	2415	G	25.720543	83.864982	Curve
8/11/20	9: 25: 17	108	0.1	300	20.2	3000	3415	G	25.720715	83.863905	Normal
8/11/20	9: 25: 17	108	0.1	190	30.3	1900	2315	G	25.72091	83.862978	Normal
8/11/20	9: 26: 0	108	0.1	300	20.2	3000	3415	G	25.720975	83.861985	Curve
8/11/20	9: 26: 0	108	0.1	350	20.2	3500	3915	G	25.720678	83.861228	Normal
8/11/20	9: 26: 0	108	0.1	280	30.3	2800	3215	G	25.721125	83.860318	Curve
8/11/20	9: 26: 28	108	0.1	280	20.2	2800	3215	G	25.721335	83.859308	Curve
8/11/20	9: 26: 28	108	0.1	300	20.2	3000	3415	G	25.721998	83.859393	Normal
8/11/20	9: 26: 28	108	0.1	280	20.2	2800	3215	G	25.721998	83.859393	Normal
8/11/20	9: 27: 2	108	0.1	320	20.2	3200	3615	G	25.722885	83.859865	Normal
8/11/20	9: 27: 2	108	0.1	340	30.3	3400	3815	G	25.723427	83.860572	Curve
8/11/20	9: 27: 2	108	0.1	200	20.2	2000	2415	G	25.723762	83.86143	Normal

Y = 0 * X ^ 2 + 1.000 *
X = 1900
Y = 2315

(R) RURAL ROAD
Good Average
<4000 4001-5000

by 21/11/20