FIELD INSPECTION REPORT

Vork is a case of: New Connectivity	Road Id No.: 2070350101 ed/Under Maintenance	San Santal	Tols
cheme/Programme: MAINTENANCE cackage No.: RM/BH/BAN/19/00/00 tatus of the Project: Ongoing/Complet Vork is a case of: New Connectivity	Road Id No.: 2070350101 ed/Under Maintenance	San Santal	Tula
cheme/Programme: MAINTENANCE ackage No.: RM/BH/BH/19/00/0 tatus of the Project: Ongoing/Complet Vork is a case of: New Connectivity	Road Id No.: 2070350101 ed/Under Maintenance	San Santal	
tatus of the Project: Ongoing/Complet Vork is a case of: New Connectivity	Road Id No.: 2070350101 ed/Under Maintenance //Up gradation/ Maintenance		
tatus of the Project: Ongoing/Complet Vork is a case of: New Connectivity	ed/Under Maintenance //Up gradation/ Maintenance		
Vork is a case of: New Connectivity	/Up gradation/ Maintenance		
The second of th	50766 (1975年)	GD5-2005-48-26-48-26-12-12-12-1	
SLINO: Parameters	to be checked	Remarks	
Pavement			
a) Road Junction condition		S/U	ongoi
Condition of Surfacing		S/U	ongoin
c) Riding Quality	Riding Quality		ongoing ongoing ongoin
d) Road Camber	Road Camber		ongoin
Whether free from defects such as visible cracks, exposed aggregates in case of CC Pavement.		Yes/No	MA
Contraction Joints provided or not (CC Pavement)		Yes/No	NA
Compaction of flank/slope & raincuts if any		Yes/No	ongoi
g) Compaction of flank/slope & rain Cross Drainage	ing the state of the second		(Oliverone)
a) Condition of head walls in Hume	Condition of head walls in Hume pipe culverts including its painting		ongoi
b) Condition of Abutment & Wing v	Condition of Abutment & Wing walls, Slab in RCC culverts		ongoi ongoi
c) Condition of railings/slab/approac	Condition of railings/slab/approach for Bridges		ongoi
3. Road Furniture		And the second s	A St. Contrage
a) Whether sign boards/informator stones/Pavement road markings a	ry/cautionary Board/km & 200m re provided and maintained	Yes/No	ongo
4: Compliance History			
a) Status of ATR's & any others			
everall Rating :		111	

Overall Rating

Satisfactory (S)	
Satisfactory but requires Improvement (SRI)	SRI
Unsatisfactory (U)	* *

03-12-20 (Signature)

NAME: DHARMVEER KUMAR

DESIGNATION: JE