

कार्यपालक अभियंता का कार्यालय

ग्रामीण कार्य विभाग, कार्य प्रमंडल, जमुई

पत्रांक - 2782311/जमुई, दिनांक - 15.12.2020

प्रेषक :- कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, जमुई।

सेवा में,
नोडल पदाधिकारी,
"नई अनुरक्षण नीति 2018"(3054-MR)
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय :- 3054 (MR) नई अनुरक्षण नीति 2018 के अन्तर्गत निर्माण कराये गये योजनाओं के विरुद्ध में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में सूचित करना है कि 3054 (MR) नई अनुरक्षण नीति 2018 के अंतर्गत संलग्न सूची में अंकित पथों में कालीकरण का कार्य पूर्ण हो चुका है। प्रमंडल के द्वारा कराये गये कार्य के भुगतान हेतु कुल 474.91 (चार करोड़ चौत्तर लाख इक्यानवे हजार) रुपये आवंटन की अधियाचना विहित प्रपत्र में भर कर समर्पित की जाती है।

अतः अनुरोध है कि शीघ्र आवंटन उपलब्ध कराने की कृपा की जाय।

अनु०: यथोक्त।

विश्वासभाजन

पमंडल

कार्यपालक अभियंता
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
जमुई

RWD Works Division, Jamui

Requisition Form for Scheme Head- MR (3054) Under Bihar Rural Road " New Maintenance Policy 2018" (Initial Rectification and Surface Renewal)

Name of Division:-Jamui


S.N	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (A.A) Letter No. & Date	Administrative Approval (A.A)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI in MM/KM	Thickness of Bitumen Layer (in MM)	Value of Bitumen Content (in %)	Previous Total Allotted Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (K.M)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20 Jamui/10	Bharaiti to Mallikpur road.	28411032597	5127, 24.09.19	2.830	100.462	61.15996	26.59912	19 MBD/ 2019-20	11.11.20	—	3176	25	5.010	0	0	61.15	BT Completed
2	MR-N/19-20 Jamui/10	Construction of Road from Arha Chamartolee Chowk on Nawada-Sikandra PWD Road to Mathalwa village.	28411032593	5127, 24.09.19	2.343	83.589	50.38030	22.25588	19 MBD/ 2019-20	11.11.20	—	3015	25	5.020	0	0	50.38	BT Completed
3	MR-N/19-20 Jamui/10	Construction of PCC road in Mirzaganj village	20804104017	5127, 24.09.19	0.841	45.207	22.30639	5.61419	19 MBD/ 2019-20	11.11.20	—	3166	25	5.011	0	0	22.30	BT Completed
4	MR-N/19-20 Jamui/10	Dharampur to Jhanjheri Road	20804101047	5127, 24.09.19	0.718	40.864	20.66855	5.46139	19 MBD/ 2019-20	11.11.20	—	3215	25	5.020	0	0	20.66	BT Completed
5	MR-N/19-20 Jamui/10	Manpur-Pursanda Road to Sunder Bandh via Manpur Bathani Mushari	20804101061	5127, 24.09.19	3.725	145.366	91.76810	34.91718	19 MBD/ 2019-20	11.11.20	—	3064	25	5.001	0	0	91.76	BT Completed
6	MR-N/19-20 Jamui/10	Radha-Nagar-Gahloor Rd to Lemi Nagar-Birjunagar	20804101020	5127, 24.09.19	3.750	135.109	88.53472	34.84498	19 MBD/ 2019-20	11.11.20	—	3091	25	5.020	0	0	88.53	BT Completed
7	MR-N/19-20 Jamui/10	Sikandra-Newada PWD road to Palsa Buzurg road	20804104031	5127, 24.09.19	2.355	81.234	52.24182	21.80864	19 MBD/ 2019-20	11.11.20	—	3199	25	5.002	0	0	52.24	BT Completed

S.N	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (A.A) Letter No. & Date	Administrative Approval (A.A)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI in MM/KM	Thickness of Bitumen Layer (in MM)	Value of Bitumen Content (in %)	Previous Total Allotted Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (KM)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*	MR-N/19-20 Jamui/10	P.W.D Road to Dhanpur Road	20804101040	5127, 24.09.19	2.600	100.78	59.24688	23.90723	19 MBD/ 2019-20	11.11.20	—	3108	25	5.010	0	0	59.24	BT Completed
*	MR-N/19-20 Jamui/19	Karande village to Sheikhpur district border road.	28411032598	6055, 06.11.19	1.250	51.574	28.65178	11.76073	04 MBD/ 2020-21	07.02.20	—	3149	25	5.002	0	0	28.65	BT Completed
																	474.91	

Lmk
 15/12/20
 Executive Engineer
 RWD Works Division, Jamui
 15/12/20

**Name of Road- Bharaiti to Mallikpur road.
Sec No.-85**

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
13/12/20	17:42:30	85	0.1	350	0	3500	3239	G	24.975895	85.97513	Normal
13/12/20	17:43:5	85	0.1	380	10.1	3800	3487	G	24.976802	85.974898	Normal
13/12/20	17:43:40	85	0.1	310	10.1	3100	2908	G	24.977663	85.97507	Normal
13/12/20	17:44:0	85	0.1	390	10.1	3900	3570	G	24.978558	85.974965	Normal
13/12/20	17:44:15	85	0.1	380	10.1	3800	3487	G	24.97882	85.973988	Normal
13/12/20	17:44:50	85	0.1	360	20.2	3600	3322	G	24.979643	85.973518	Normal
13/12/20	17:45:0	85	0.1	320	20.2	3200	2991	G	24.980473	85.973282	Normal
13/12/20	17:45:0	85	0.1	300	20.2	3000	2825	G	24.981425	85.973198	Normal
13/12/20	17:45:25	85	0.1	380	20.2	3800	3487	G	24.982298	85.973147	Normal
13/12/20	17:45:25	85	0.1	370	20.2	3700	3405	G	24.983248	85.973232	Normal
13/12/20	17:46:1	85	0.1	380	20.2	3800	3487	G	24.984142	85.973332	Normal
13/12/20	17:46:1	85	0.1	320	20.2	3200	2991	G	24.984952	85.973298	Normal
13/12/20	17:46:36	85	0.1	280	20.2	2800	2659	G	24.985863	85.97348	Speed Breaker
13/12/20	17:46:36	85	0.1	250	20.2	2500	2411	G	24.986753	85.973652	Normal
13/12/20	17:46:36	85	0.1	350	20.2	3500	3239	G	24.986753	85.973652	Normal
13/12/20	17:47:0	85	0.1	380	20.2	3800	3487	G	24.987682	85.973803	Normal
13/12/20	17:47:11	85	0.1	350	20.2	3500	3239	G	24.9886	85.973938	Normal
13/12/20	17:47:11	85	0.1	350	20.2	3500	3239	G	24.989273	85.974612	Normal
13/12/20	17:47:46	85	0.1	360	20.2	3600	3322	G	24.98949	85.975555	Normal
13/12/20	17:48:0	85	0.1	350	20.2	3500	3239	G	24.98957	85.976548	Normal
13/12/20	17:48:0	85	0.1	340	20.2	3400	3156	G	24.990428	85.977	Normal
13/12/20	17:48:22	85	0.1	360	20.2	3600	3322	G	24.991382	85.976885	Normal
13/12/20	17:51:0	85	0.1	280	20.2	2800	2659	G	24.99181	85.977003	Normal
13/12/20	17:51:18	85	0.1	290	10.1	2900	2742	G	24.99094	85.97677	Normal
13/12/20	17:51:18	85	0.1	280	10.1	2800	2659	G	24.990048	85.976598	Normal
13/12/20	17:52:0	85	0.1	350	10.1	3500	3239	G	24.98943	85.976127	Normal
13/12/20	17:52:0	85	0.1	390	20.2	3900	3570	G	24.989458	85.97505	Normal
13/12/20	17:52:29	85	0.1	390	20.2	3900	3570	G	24.988962	85.974242	Normal


Executive Engineer
RWD Works Division, Jamul

Name of Customer : RAJEEV KUMAR
 Name of Work/ Road : Bharali to Mallikpur road
 Lab Job number :
 Date : 13-12-2020
 Section No. : 85


Test Date : 13-12-2020 Road Name : Bharali to Mallikpur road
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 85 Side :
 Start E No : Interval
 Weather : UV Range : 1411 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 2.9 0.1 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print

Generate Report and Graph

Redraw Graph

Map View




15/12/20
 Executive Engineer
 RWD Works Division, Jamui

Name of Road- Construction of Road from Arha Chamartolee Chowk on Nawada-Sikandra PWD Road to Mathalwa village.

Sec No.-66


Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
13/ 12/ 20	11: 21: 9	66	0.1	300	0	3000	2825	G	24.93869	85.839057	Normal
13/ 12/ 20	11: 21: 9	66	0.1	360	10.1	3600	3322	G	24.938438	85.84002	Normal
13/ 12/ 20	11: 22: 0	66	0.1	310	10.1	3100	2908	G	24.938102	85.840942	Normal
13/ 12/ 20	11: 22: 20	66	0.1	390	10.1	3900	3570	G	24.937457	85.841632	Normal
13/ 12/ 20	11: 22: 20	66	0.1	370	10.1	3700	3405	G	24.93659	85.841902	Normal
13/ 12/ 20	11: 23: 0	66	0.1	360	10.1	3600	3322	G	24.935737	85.842272	Normal
13/ 12/ 20	11: 23: 0	66	0.1	350	20.2	3500	3239	G	24.93487	85.842592	Normal
13/ 12/ 20	11: 23: 31	66	0.1	330	10.1	3300	3073	G	24.934053	85.842272	Normal
13/ 12/ 20	11: 24: 0	66	0.1	320	20.2	3200	2991	G	24.933397	85.841532	Normal
13/ 12/ 20	11: 24: 6	66	0.1	240	20.2	2400	2328	G	24.93256	85.84106	Normal
13/ 12/ 20	11: 24: 6	66	0.1	290	20.2	2900	2742	G	24.931653	85.841027	Normal
13/ 12/ 20	11: 24: 41	66	0.1	260	20.2	2600	2494	G	24.930755	85.840992	Normal
13/ 12/ 20	11: 25: 0	66	0.1	340	10.1	3400	3156	G	24.929908	85.84111	Normal
13/ 12/ 20	11: 25: 16	66	0.1	300	20.2	3000	2825	G	24.92987	85.84212	Normal
13/ 12/ 20	11: 25: 16	66	0.1	390	20.2	3900	3570	G	24.929715	85.843147	Normal
13/ 12/ 20	11: 26: 0	66	0.1	310	20.2	3100	2908	G	24.928838	85.843047	Normal
13/ 12/ 20	11: 26: 0	66	0.1	200	20.2	2000	1997	G	24.927977	85.842793	Normal
13/ 12/ 20	11: 26: 27	66	0.1	260	20.2	2600	2494	G	24.927093	85.84239	Culvert
13/ 12/ 20	11: 26: 27	66	0.1	290	20.2	2900	2742	G	24.926212	85.84207	Normal
13/ 12/ 20	11: 27: 2	66	0.1	370	10.1	3700	3405	G	24.925308	85.84202	Normal
13/ 12/ 20	11: 28: 13	66	0.1	360	20.2	3600	3322	G	24.92438	85.841985	Normal
13/ 12/ 20	11: 29: 0	66	0.1	350	10.1	3500	3239	G	24.923518	85.84182	Normal
13/ 12/ 20	11: 29: 23	66	0.1	380	10.1	3800	3487	G	24.923705	85.840858	Normal
			2.3								


Executive Engineer
RWD Works Division, Jamui

Name of Customer : RAJEEV KUMAR
 Name of Work/ Road : Construction of Road from Arha
 Lab Job number :
 Date : 13-12-2020
 Section No. : 66

Test Date : 13-12-2020 Road Name : RWD Road to Mathawa village
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 66 Side :
 Start E No : Interval
 Weather : UV Range : 997 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 2.4 0.1 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print Generate Report and Graph Redraw Graph Map View



13/12/20
 Executive Engineer
 RWD Works Division, Jamui

Name of Road- Cunstruction of PCC road in Mirzaganj village
Sec No.-83

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
13/ 12/ 20	17: 1: 19	83	0.1	390	0	3900	3570	G	24.935495	85.96436	Normal
13/ 12/ 20	17: 3: 40	83	0.1	350	10.1	3500	3239	G	24.935493	85.965337	Normal
13/ 12/ 20	17: 9: 4	83	0.1	380	20.2	3800	3487	G	24.93669	85.96638	Normal
13/ 12/ 20	17: 10: 14	83	0.1	360	10.1	3600	3322	G	24.93773	85.96677	Normal
13/ 12/ 20	17: 13: 11	83	0.1	320	10.1	3200	2991	G	24.938457	85.967305	Normal
13/ 12/ 20	17: 13: 11	83	0.1	290	10.1	2900	2742	G	24.938457	85.967305	Normal
13/ 12/ 20	17: 14: 21	83	0.1	350	10.1	3500	3239	G	24.93938	85.967322	Normal
13/ 12/ 20	17: 14: 21	83	0.1	290	10.1	2900	2742	G	24.939588	85.968265	Normal
			0.8								

15/12/20
Executive Engineer
RWD Works Division, Jamul

Name of Customer: RAJEEV KUMAR
Name of Work/ Road: of PCC road in Mirzaganj village
Lab Job number:
Date: 13-12-2020
Section No. 83

Test Date: 13-12-2020 Road Name: PCC road in Mirzaganj village
Machine No: 399 Road Type: (R) RURAL ROAD
Start S No: 83 Side:
Start E No: Interval
Weather: UIV Range: 1742 To 5000 1000 mm/km
Start Location: Dist Range: 0 To 0.9 0.1 = 1000 m
End Location: Equation: $Y = 0 \cdot X^2 + 0.828 \cdot X + 341.6$

Print


Generate Report and Graph

Redraw Graph

Map View

File :D:\My Office\Maintenance Policy 18\Requisition\Graph and Chart\12.12.20\13.12.20\Mirzaganj Village


Name of Customer :RAJEEV KUMAR, Name of Work/ Road :Construction of PCC road in Mirzaganj village, Lab Job



15/12/20
Executive Engineer
RWD Works Division, Jamul

Name of Road- Dharampur to Jhanjhri Road
Sec No.-72


Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
13/ 12/ 20	12: 49: 36	72	0.1	340	0	3400	3156	G	24.937447	85.895975	Normal
13/ 12/ 20	12: 50: 0	72	0.1	310	20.2	3100	2908	G	24.93751	85.894998	Normal
13/ 12/ 20	12: 50: 14	72	0.1	380	20.2	3800	3487	G	24.937193	85.894123	Normal
13/ 12/ 20	12: 50: 14	72	0.1	320	20.2	3200	2991	G	24.937443	85.89313	Normal
13/ 12/ 20	12: 52: 35	72	0.1	370	20.2	3700	3405	G	24.937797	85.892305	Normal
13/ 12/ 20	12: 52: 35	72	0.1	370	20.2	3700	3405	G	24.937797	85.892305	Normal
13/ 12/ 20	12: 53: 10	72	0.1	340	10.1	3400	3156	G	24.938687	85.892625	Normal
			0.7								


Executive Engineer
RWD Works Division, Jamul

Name of Customer : RAJEEV KUMAR
Name of Work/ Road : Dharampur to Jhanjhi Road
Lab Job number :
Date : 13-12-2020
Section No. : 72

Test Date : 13-12-2020 Road Name : Dharampur to Jhanjhi Road
Machine No : 399 Road Type : (R) RURAL ROAD
Start S No : 72 Side :
Start E No :
Weather :
UIV Range : 1908 To 4000 Interval 1000 mm/km
Dist Range : 0 To 0.8 0.1 * 1000 m
Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print Generate Report and Graph Redraw Graph Map View




4mb
15/12/20
Executive Engineer
RWD Works Division, Jamul

Name of Road-Manpur-Pursanda Road to Sundar Bandh via Manpur Bathan Mushari
Sec No.-77

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
13/ 12/ 20	15: 13: 18	77	0.1	300	0	3000	2825	G	24.91563	85.925807	Normal
13/ 12/ 20	15: 14: 0	77	0.1	240	20.2	2400	2328	G	24.91578	85.924865	Normal
13/ 12/ 20	15: 14: 0	77	0.1	310	20.2	3100	2908	G	24.915973	85.923838	Normal
13/ 12/ 20	15: 14: 28	77	0.1	300	20.2	3000	2825	G	24.916245	85.922895	Normal
13/ 12/ 20	15: 14: 28	77	0.1	370	20.2	3700	3405	G	24.915528	85.92239	Normal
13/ 12/ 20	15: 15: 3	77	0.1	260	20.2	2600	2494	G	24.914662	85.92202	Normal
13/ 12/ 20	15: 15: 3	77	0.1	320	20.2	3200	2991	G	24.91384	85.921648	Normal
13/ 12/ 20	15: 15: 3	77	0.1	340	20.2	3400	3156	G	24.912962	85.921347	Normal
13/ 12/ 20	15: 20: 0	77	0.1	390	20.2	3900	3570	G	24.916865	85.922642	Normal
13/ 12/ 20	15: 20: 21	77	0.1	280	10.1	2800	2659	G	24.917763	85.922845	Normal
13/ 12/ 20	15: 21: 0	77	0.1	320	10.1	3200	2991	G	24.918548	85.92335	Normal
13/ 12/ 20	15: 21: 0	77	0.1	320	20.2	3200	2991	G	24.91941	85.923552	Normal
13/ 12/ 20	15: 21: 31	77	0.1	360	10.1	3600	3322	G	24.920372	85.92372	Normal
13/ 12/ 20	15: 22: 6	77	0.1	380	20.2	3800	3487	G	24.921243	85.923938	Normal
13/ 12/ 20	15: 23: 52	77	0.1	290	30.3	2900	2742	G	24.92212	85.923938	Normal
13/ 12/ 20	15: 24: 0	77	0.1	380	10.1	3800	3487	G	24.923037	85.924057	Normal
13/ 12/ 20	15: 24: 28	77	0.1	390	20.2	3900	3570	G	24.923875	85.924225	Normal
13/ 12/ 20	15: 24: 28	77	0.1	240	20.2	2400	2328	G	24.924843	85.924393	Normal
13/ 12/ 20	15: 25: 3	77	0.1	310	10.1	3100	2908	G	24.925735	85.924512	Normal
13/ 12/ 20	15: 25: 38	77	0.1	300	10.1	3000	2825	G	24.926635	85.92468	Normal

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
13/ 12/ 20	15: 26: 0	77	0.1	350	10.1	3500	3239	G	24.927203	85.924157	Normal
13/ 12/ 20	15: 26: 13	77	0.1	330	10.1	3300	3073	G	24.92629	85.923855	Normal
13/ 12/ 20	15: 26: 13	77	0.1	380	10.1	3800	3487	G	24.925428	85.92367	Normal
13/ 12/ 20	15: 26: 49	77	0.1	250	30.3	2500	2411	G	24.924553	85.923602	Normal
13/ 12/ 20	15: 27: 0	77	0.1	350	30.3	3500	3239	G	24.923652	85.92343	Normal
13/ 12/ 20	15: 27: 24	77	0.1	390	20.2	3900	3570	G	24.92274	85.923113	Normal
13/ 12/ 20	15: 27: 24	77	0.1	320	10.1	3200	2991	G	24.921873	85.922978	Normal
13/ 12/ 20	15: 28: 0	77	0.1	270	20.2	2700	2577	G	24.921045	85.922508	Normal
13/ 12/ 20	15: 28: 0	77	0.1	350	20.2	3500	3239	G	24.920273	85.921885	Normal
13/ 12/ 20	15: 28: 34	77	0.1	380	10.1	3800	3487	G	24.919475	85.921532	Normal
13/ 12/ 20	15: 29: 0	77	0.1	300	20.2	3000	2825	G	24.91878	85.920958	Normal
13/ 12/ 20	15: 29: 10	77	0.1	350	10.1	3500	3239	G	24.919222	85.92015	Normal
13/ 12/ 20	15: 31: 0	77	0.1	380	20.2	3800	3487	G	24.919193	85.920285	Normal
13/ 12/ 20	15: 31: 31	77	0.1	360	10.1	3600	3322	G	24.918792	85.921027	Normal
13/ 12/ 20	15: 32: 0	77	0.1	320	20.2	3200	2991	G	24.919555	85.921582	Normal
13/ 12/ 20	15: 32: 6	77	0.1	300	10.1	3000	2825	G	24.920407	85.921968	Normal
13/ 12/ 20	15: 32: 41	77	0.1	390	20.2	3900	3570	G	24.921115	85.922575	Normal
			3.7								


Executive Engineer
RWD Works Division, Jamul

Name of Customer : RAJEEV KUMAR

Name of Work/ Road : Manpur-Pursanda Road to Sun

Lab Job number :

Date : 13-12-2020

Section No. : 77

Test Date : 13-12-2020

Machine No : 399

Start S No : 77

Start E No :

Weather :

Start Location :

End Location :

Road Name : idh via Manpur Bathan Mushari

Road Type : (R) RURAL ROAD

Side :

Interval :


UTV Range : 1328 To 5000 1000 mm/km

Dist Range : 0 To 38 0.1 * 1000 m

Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print Generate Report and Graph

Redraw Graph Map View



md
15/12/20

Executive Engineer
RWD Works Division, Jamul

Name of Road- Radha-Nagar-Gahlour Rd to Lemi Nagar-Birjunagar
Sec No.-79

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
13/ 12/ 20	16: 7: 23	79	0.1	370	0	3700	3405	G	24.910637	85.945858	Normal
13/ 12/ 20	16: 10: 0	79	0.1	310	0	3100	2908	G	24.910335	85.94675	Normal
13/ 12/ 20	16: 10: 19	79	0.1	250	10.1	2500	2411	G	24.910932	85.947305	Normal
13/ 12/ 20	16: 11: 0	79	0.1	360	10.1	3600	3322	G	24.911135	85.948282	Normal
13/ 12/ 20	16: 11: 0	79	0.1	360	10.1	3600	3322	G	24.911135	85.948282	Normal
13/ 12/ 20	16: 11: 30	79	0.1	380	10.1	3800	3487	G	24.910987	85.949275	Normal
13/ 12/ 20	16: 11: 30	79	0.1	320	10.1	3200	2991	G	24.910987	85.949275	Normal
13/ 12/ 20	16: 11: 30	79	0.1	280	10.1	2800	2659	G	24.910558	85.95012	Normal
13/ 12/ 20	16: 12: 5	79	0.1	300	10.1	3000	2825	G	24.910072	85.950942	Normal
13/ 12/ 20	16: 12: 5	79	0.1	370	20.2	3700	3405	G	24.909427	85.951615	Normal
13/ 12/ 20	16: 12: 40	79	0.1	320	10.1	3200	2991	G	24.908757	85.951985	Normal
13/ 12/ 20	16: 13: 0	79	0.1	390	10.1	3900	3570	G	24.908485	85.952727	Normal
13/ 12/ 20	16: 13: 16	79	0.1	340	20.2	3400	3156	G	24.908518	85.953703	Normal
13/ 12/ 20	16: 14: 0	79	0.1	280	10.1	2800	2659	G	24.908192	85.954443	Normal
13/ 12/ 20	16: 14: 0	79	0.1	280	10.1	2800	2659	G	24.908192	85.954443	Normal
13/ 12/ 20	16: 14: 0	79	0.1	250	10.1	2500	2411	G	24.90726	85.954377	Normal
13/ 12/ 20	16: 14: 26	79	0.1	390	20.2	3900	3570	G	24.906355	85.954275	Normal
13/ 12/ 20	16: 14: 26	79	0.1	390	20.2	3900	3570	G	24.906355	85.954275	Normal
13/ 12/ 20	16: 15: 2	79	0.1	350	10.1	3500	3239	G	24.905442	85.954275	Normal
13/ 12/ 20	16: 15: 2	79	0.1	340	20.2	3400	3156	G	24.905442	85.954275	Normal
13/ 12/ 20	16: 15: 2	79	0.1	340	10.1	3400	3156	G	24.904618	85.954595	Normal
13/ 12/ 20	16: 15: 37	79	0.1	290	30.3	2900	2742	G	24.90443	85.955622	Normal
13/ 12/ 20	16: 16: 12	79	0.1	320	10.1	3200	2991	G	24.904297	85.956615	Normal
13/ 12/ 20	16: 16: 12	79	0.1	380	10.1	3800	3487	G	24.903457	85.956565	Normal
13/ 12/ 20	16: 17: 0	79	0.1	260	10.1	2600	2494	G	24.90256	85.956295	Normal
13/ 12/ 20	16: 17: 23	79	0.1	380	10.1	3800	3487	G	24.901663	85.956178	Normal
13/ 12/ 20	16: 17: 23	79	0.1	350	10.1	3500	3239	G	24.900807	85.955858	Normal

Name of Road- Radha-Nagar-Gahlour Rd to Lemi Nagar-Birjunagar
Sec No.-79


Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
13/ 12/ 20	16: 17: 23	79	0.1	250	10.1	2500	2411	G	24.900807	85.955858	Normal
13/ 12/ 20	16: 18: 0	79	0.1	320	20.2	3200	2991	G	24.899952	85.955505	Normal
13/ 12/ 20	16: 18: 33	79	0.1	390	10.1	3900	3570	G	24.89907	85.955522	Normal
13/ 12/ 20	16: 19: 0	79	0.1	390	10.1	3900	3570	G	24.898407	85.955958	Normal
13/ 12/ 20	16: 19: 0	79	0.1	290	10.1	2900	2742	G	24.898407	85.955958	Normal
13/ 12/ 20	16: 19: 9	79	0.1	280	10.1	2800	2659	G	24.897648	85.95616	Normal
13/ 12/ 20	16: 19: 9	79	0.1	350	10.1	3500	3239	G	24.897648	85.95616	Normal
13/ 12/ 20	16: 20: 19	79	0.1	390	10.1	3900	3570	G	24.896905	85.956043	Normal
13/ 12/ 20	16: 22: 5	79	0.1	290	10.1	2900	2742	G	24.89698	85.955892	Normal
13/ 12/ 20	16: 23: 16	79	0.1	390	10.1	3900	3570	G	24.8978	85.956212	Normal
			3.7								


Executive Engineer
RWD Works Division, Jamul

Name of Customer : RAJEEV KUMAR
Name of Work/ Road : Radha-Nagar-Gahloor Rd to Lemi Nagar-Birjunagar
Lab Job number :
Date : 13-12-2020
Section No. : 79

Test Date : 13-12-2020 Road Name : ur Rd to Lemi Nagar-Birjunagar
Machine No : 399 Road Type : (R) RURAL ROAD
Start S No : 79 Side :
Start E No : Interval
Weather : UV Range : 1411 To 5000 1000 mm/km
Start Location : Dist Range : 0 To 3.8 0.1 * 1000 m
End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.5$

Print Generate Report and Graph Redraw Graph Map View




Und 15/12/20

Executive Engineer
RWD Works Division, Jamul

Name of Road- Sikandra-Nawada PWD road to Palsa Buzurg road
Sec No.-68

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
13/ 12/ 20	12: 9: 2	68	0.1	370	0	3700	3405	G	24.924115	85.829057	Normal
13/ 12/ 20	12: 10: 0	68	0.1	300	10.1	3000	2825	G	24.925035	85.829157	Normal
13/ 12/ 20	12: 10: 12	68	0.1	320	10.1	3200	2991	G	24.92594	85.829258	Normal
13/ 12/ 20	12: 10: 12	68	0.1	390	10.1	3900	3570	G	24.92586	85.829259	Normal
13/ 12/ 20	12: 11: 0	68	0.1	270	10.1	2700	2577	G	24.9268	85.829343	Normal
13/ 12/ 20	12: 11: 23	68	0.1	360	10.1	3600	3322	G	24.927728	85.829477	Normal
13/ 12/ 20	12: 12: 0	68	0.1	380	20.2	3800	3487	G	24.928637	85.829595	Normal
13/ 12/ 20	12: 13: 8	68	0.1	390	20.2	3900	3570	G	24.929555	85.82973	Normal
13/ 12/ 20	12: 13: 43	68	0.1	390	10.1	3900	3570	G	24.93039	85.83007	Normal
13/ 12/ 20	12: 14: 0	68	0.1	370	20.2	3700	3405	G	24.931255	85.830403	Normal
13/ 12/ 20	12: 14: 0	68	0.1	300	20.2	3000	2825	G	24.93212	85.830655	Culvert
13/ 12/ 20	12: 14: 18	68	0.1	330	20.2	3300	3073	G	24.932987	85.830403	Normal
13/ 12/ 20	12: 14: 18	68	0.1	390	20.2	3900	3570	G	24.933942	85.830572	Normal
13/ 12/ 20	12: 15: 0	68	0.1	260	20.2	2600	2494	G	24.934665	85.83116	Normal
13/ 12/ 20	12: 15: 0	68	0.1	340	10.1	3400	3156	G	24.935442	85.831598	Normal
13/ 12/ 20	12: 15: 0	68	0.1	340	10.1	3400	3156	G	24.935402	85.831512	Normal
13/ 12/ 20	12: 15: 29	68	0.1	300	20.2	3000	2825	G	24.936357	85.831598	Normal
13/ 12/ 20	12: 15: 29	68	0.1	340	20.2	3400	3156	G	24.937208	85.83175	Normal
13/ 12/ 20	12: 16: 4	68	0.1	350	20.2	3500	3239	G	24.938085	85.831532	Normal
13/ 12/ 20	12: 16: 4	68	0.1	350	20.2	3500	3239	G	24.93802	85.831535	Normal
13/ 12/ 20	12: 16: 4	68	0.1	330	20.2	3300	3073	G	24.938228	85.830588	Normal
13/ 12/ 20	12: 16: 39	68	0.1	380	20.2	3800	3487	G	24.9392	85.830622	Normal
13/ 12/ 20	12: 16: 39	68	0.1	390	20.2	3900	3570	G	24.940108	85.830588	Normal
			2.3								


Executive Engineer
RWD Works Division, Jamul

Name of Customer : RAJEEV KUMAR
 Name of Work/ Road : Sikandra-Nawada PWD road to
 Lab Job number :
 Date : 13-12-2020
 Section No. : 68

Test Date : 13-12-2020 Road Name : WD road to Palse Buzurg road
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 68 Side :
 Start E No : Interval
 Weather : UIV Range : 1494 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 2.4 0.1 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$


Print

Generate Report and Graph

Redraw Graph

Map View

File : D:\My Office\Maintenance Policy 18\Requisition\Graph and Chart\12.12.20\13.12.20\palse bujurg\13121217.xls.
 Name of Customer : RAJEEV KUMAR, Name of Work/ Road : Sikandra-Nawada PWD road to Palse Buzurg road.



15/12/20
 Executive Engineer
 RWD Works Division, Jamul

Name of Road- P.W.D Road to Dharmpur Road
Sec No.-70

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
13/ 12/ 20	12: 28: 29	70	0.1	350	0	3500	3239	G	24.943607	85.897053	Curve
13/ 12/ 20	12: 29: 0	70	0.1	390	20.2	3900	3570	G	24.943055	85.897793	Normal
13/ 12/ 20	12: 29: 0	70	0.1	320	20.2	3200	2991	G	24.942288	85.898265	Normal
13/ 12/ 20	12: 29: 35	70	0.1	280	20.2	2800	2659	G	24.941647	85.898787	Normal
13/ 12/ 20	12: 29: 35	70	0.1	310	30.3	3100	2908	G	24.940857	85.898502	Normal
13/ 12/ 20	12: 30: 0	70	0.1	270	20.2	2700	2577	G	24.940013	85.898198	Normal
13/ 12/ 20	12: 30: 16	70	0.1	380	20.2	3800	3487	G	24.9392	85.897945	Normal
13/ 12/ 20	12: 30: 16	70	0.1	360	20.2	3600	3322	G	24.938395	85.897357	Normal
13/ 12/ 20	12: 30: 51	70	0.1	350	20.2	3500	3239	G	24.937542	85.897205	Normal
13/ 12/ 20	12: 31: 0	70	0.1	390	20.2	3900	3570	G	24.93677	85.89673	Normal
13/ 12/ 20	12: 31: 0	70	0.1	320	30.3	3200	2991	G	24.935858	85.896868	Normal
13/ 12/ 20	12: 31: 26	70	0.1	300	30.3	3000	2825	G	24.935	85.89672	Normal
13/ 12/ 20	12: 31: 26	70	0.1	370	20.2	3700	3405	G	24.934585	85.895908	Curve
13/ 12/ 20	12: 31: 26	70	0.1	280	20.2	2800	2659	G	24.933853	85.895318	Normal
13/ 12/ 20	12: 32: 1	70	0.1	330	30.3	3300	3073	G	24.932913	85.895505	Normal
13/ 12/ 20	12: 32: 1	70	0.1	330	30.3	3300	3073	G	24.932913	85.895505	Normal
13/ 12/ 20	12: 32: 1	70	0.1	320	30.3	3200	2991	G	24.932058	85.89542	Normal
13/ 12/ 20	12: 32: 1	70	0.1	300	30.3	3000	2825	G	24.931197	85.895218	Normal
13/ 12/ 20	12: 32: 36	70	0.1	330	30.3	3300	3073	G	24.93023	85.894948	Normal
13/ 12/ 20	12: 32: 36	70	0.1	310	20.2	3100	2908	G	24.930103	85.894123	Normal
13/ 12/ 20	12: 33: 11	70	0.1	370	20.2	3700	3405	G	24.929802	85.893315	Normal
13/ 12/ 20	12: 33: 11	70	0.1	330	20.2	3300	3073	G	24.928882	85.893198	Normal
13/ 12/ 20	12: 34: 0	70	0.1	320	10.1	3200	2991	G	24.927972	85.893063	Normal
13/ 12/ 20	12: 35: 0	70	0.1	370	10.1	3700	3405	G	24.92727	85.892677	Normal
13/ 12/ 20	12: 36: 8	70	0.1	320	10.1	3200	2991	G	24.926588	85.892255	Normal
13/ 12/ 20	12: 36: 43	70	0.1	390	10.1	3900	3570	G	24.926727	85.891245	Normal
			2.6								

15/12/20
Executive Engineer
RWD Works Division, Jamul


Analyst

Name of Customer : RAJEEV KUMAR
 Name of Work/ Road : P.W.D Road to Dhampur Road
 Lab Job number :
 Date : 13-12-2020
 Section No. : 70

Test Date : 13-12-2020 Road Name : P.W.D Road to Dhampur Road
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 70 Side :
 Start E No :
 Weather :
 UV Range : 1577 To 5000 Interval 1000 mm/km
 Start Location : Dist Range : 0 To 2.7 0.1 = 1000 m
 End Location : Equation : $Y = 0 \cdot X^2 + 0.828 \cdot X + 341.5$

Print Generate Report and Graph

Redraw Graph Map View



15/12/20
 Executive Engineer
 RWD Works Division, Jamui

Name of Road- Karande village to Sheikhpur district border road.

Sec No.-74


Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
13/12/20	14:22:0	74	0.1	390	0	3900	3570	G	25.14425	85.935202	Normal
13/12/20	14:22:0	74	0.1	330	10.1	3300	3073	G	25.1355	85.934998	Normal
13/12/20	14:22:0	74	0.1	320	20.2	3200	2991	G	25.12635	85.934932	Normal
13/12/20	14:23:0	74	0.1	340	10.1	3400	3156	G	25.11763	85.934797	Normal
13/12/20	14:23:30	74	0.1	380	20.2	3800	3487	G	25.10898	85.934882	Normal
13/12/20	14:23:30	74	0.1	380	20.2	3800	3487	G	25.10898	85.934882	Normal
13/12/20	14:24:30	74	0.1	380	20.2	3800	3487	G	25.10898	85.934882	Normal
13/12/20	14:24:30	74	0.1	300	20.2	3000	2825	G	25.1002	85.93468	Normal
13/12/20	14:24:30	74	0.1	340	20.2	3400	3156	G	25.906	85.934512	Normal
13/12/20	14:25:5	74	0.1	270	20.2	2700	2577	G	25.8197	85.934325	Normal
13/12/20	14:25:5	74	0.1	270	20.2	2700	2577	G	25.8197	85.934325	Normal
13/12/20	14:25:5	74	0.1	370	20.2	3700	3405	G	25.7225	85.934123	Normal
			1.2								

13/12/20
Executive Engineer
RWD Works Division, Jamul

Name of Customer : RAJEEV KUMAR
Name of Work/ Road : Karande village to Sheikhpur d
Lab Job number :
Date : 13-12-2020
Section No. : 74

Test Date : 13-12-2020 Road Name : Sheikhpur district border road
Machine No : 399 Road Type : (R) RURAL ROAD
Start S No : 74 Side :
Start E No : Interval
Weather : UV Range : 1577 To 5000 1000 mm/km
Start Location : Dist Range : 0 To 1.3 0.1 = 1000 m
End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print Generate Report and Graph Redraw Graph Map View



15/12/20
Executive Engineer
RWD Works Division, Jamul