

कार्यपालक अभियंता का कार्यालय

ग्रामीण कार्य विभाग, कार्य प्रमंडल, जमुई

पत्रांक - 2790/जमुई, दिनांक - 16.12.2020

प्रेषक :- कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, जमुई।

सेवा में,
नोडल पदाधिकारी,
"नई अनुरक्षण नीति 2018"(3054-MR)
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय :- 3054 (MR) नई अनुरक्षण नीति 2018 के अन्तर्गत निर्माण कराये गये योजनाओं के विरुद्ध में आवंटन उपलब्ध कराने के संबंध में।


महाशय,

उपरोक्त विषय के संबंध में सूचित करना है कि 3054 (MR) नई अनुरक्षण नीति 2018 के अंतर्गत संलग्न सूची में अंकित पथों में कालीकरण का कार्य पूर्ण हो चुका है। प्रमंडल के द्वारा कराये गये कार्य के भुगतान हेतु कुल 819.37 (आठ करोड़ उन्नीस लाख सैंतीस हजार) रुपये आवंटन की अधियाचना विहित प्रपत्र में भर कर समर्पित की जाती है।

अतः अनुरोध है कि शीघ्र आवंटन उपलब्ध कराने की कृपा की जाय।

अनु०: यथोक्त।

विश्वासभाजन



कार्यपालक अभियंता
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
जमुई


RWD Works Division, Jamui

Requisition Format for Scheme Head- MR (3054) Under Bihar Rural Road " New Maintenance Policy 2018" (Initial Rectification and Surface Renewal)

Name of Division:-Jamui

S.N	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (A.A) Letter No. & Date	Administrative Approval (A.A)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI in MM/KM	Thickness of Bitumen Layer (in MM)	Value of Bitumen Content (in %)	Previous Total Allocated Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (KM)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20 Jamui/12	Jamui Sikandra Main road to Baruetta road	20804108148	5127, 24.09.19	1.929	85.196	46.05449	16.86002	15 MBD/ 2019-20	11.11.20	—	3204	25	5.020	0	0	46.05	BT Completed
2	MR-N/19-20 Jamui/12	Jamui Sikandra Road to Padmawat	28411032559	5127, 24.09.19	3.248	105.311	68.31103	29.44766	15 MBD/ 2019-20	11.11.20	—	2946	25	5.003	0	0	68.31	BT Completed
3	MR-N/19-20 Jamui/04	Sikandra Nawadah PWD Road to Gahlaur	28411031805	3232, 29.07.19	3.330	135.721	75.72559	26.62114	14 MBD/ 2019-20	23.10.20	—	3070	25	5.010	0	0	75.72	BT Completed
4	MR-N/19-20 Jamui/04	Sikandra-Nawada PWD Road to Baladih	28411032491	3232, 29.07.19	7.000	251.458	139.64785	56.99866	14 MBD/ 2019-20	23.10.20	—	3215	25	5.012	0	0	139.64	BT Completed
5	MR-N/19-20 Jamui/02	Sewe Kolhana REO road with maina Chhatar link rd to Chhatiyani	28411031804	3232, 29.07.19	3.700	143.982	79.24004	29.64432	13 MBD/ 2019-20	24.10.20	—	3194	25	5.002	0	0	79.24	BT Completed
6	MR-N/19-20 Jamui/02	Navi Nagar to sahpur via Hathiya Road.	20804101016	3232, 29.07.19	3.250	125.368	68.25281	26.19257	13 MBD/ 2019-20	24.10.20	—	3169	25	5.010	0	0	68.25	BT Completed
7	MR-N/19-20 Jamui/16	Kharagpur PWD Road - Bharkawa	NEA22000767	5127, 24.09.19	2.575	123.683	88.58853	24.53867	10 MBD/ 2019-20	11.11.20	—	3060	25	5.001	0	0	88.58	BT Completed
8	MR-N/19-20 Jamui/32	Construction of Road from Sijhauri Road to Kheusar village.	28411032644	471, 28.01.20	1.200	45.844	29.94239	13.58383	12 MBD/ 2020-21	04.06.21	—	3370	25	5.020	0	0	29.94	BT Completed

S.N	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (A.A) Letter No. & Date	Administrative Approval (A.A)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI in MM/KM	Thickness of Bitumen Layer (in MM)	Value of Bitumen Content (in %)	Previous Total Allotted Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (KM)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
9	MR-N/19-20 Jamui/32	Jajal road to Canal via Basbutti in Sikandra block.	20804101069	471, 28.01.20	1.700	64.72	43.01692	18.24551	12 MBD/ 2020-21	04.06.21	—	3161	25	5.030	0	0	43.01	BT Completed
10	MR-N/19-20 Jamui/32	Noni REO Road - Mahatpur	20804102103	471, 28.01.20	1.050	38.691	25.16810	10.69975	12 MBD/ 2020-21	04.06.21	—	3263	25	5.010	0	0	25.16	BT Completed
11	MR-N/19-20 Jamui/17	Kneuhat More to Anandpur Road	20804101033	5127, 24.09.19	3.500	125.317	82.00277	32.54983	07 MBD/ 2019-20	11.11.20	—	3113	25	5.020	0	0	82.00	BT Completed
12	MR-N/19-20 Jamui/22	Mahadeo Simaria to Renhan	28411032629	6055, 06.11.19	3.1	112.023	73.47701	28.67218	06 MBD/ 2020-21	22.02.21	—	3268	25	5.003	0	0	73.47	BT Completed
																	819.37	


 Executive Engineer
 RWD Works Division, Jamui

Name of Road- Jamui Sikandra Main road to Baruatta road
Sec No.-62

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
13/ 12/ 20	8: 42: 0	62	0.1	360	0	3600	3322	G	24.921845	86.176178	Normal
13/ 12/ 20	8: 42: 35	62	0.1	350	20.2	3500	3239	G	24.920947	86.175842	Normal
13/ 12/ 20	8: 43: 0	62	0.1	380	20.2	3800	3487	G	24.920152	86.175437	Normal
13/ 12/ 20	8: 43: 0	62	0.1	380	20.2	3800	3487	G	24.919362	86.175	Normal
13/ 12/ 20	8: 43: 25	62	0.1	370	20.2	3700	3405	G	24.918418	86.17473	Normal
13/ 12/ 20	8: 43: 25	62	0.1	390	20.2	3900	3570	G	24.917525	86.174562	Normal
13/ 12/ 20	8: 44: 0	62	0.1	360	20.2	3600	3322	G	24.92	86.174175	Normal
13/ 12/ 20	8: 44: 0	62	0.1	290	30.3	2900	2742	G	24.916035	86.17347	Normal
13/ 12/ 20	8: 44: 36	62	0.1	350	20.2	3500	3239	G	24.91574	86.172575	Normal
13/ 12/ 20	8: 44: 36	62	0.1	360	20.2	3600	3322	G	24.915608	86.17148	Speed Breaker
13/ 12/ 20	8: 45: 0	62	0.1	380	20.2	3800	3487	G	24.915697	86.170522	Normal
13/ 12/ 20	8: 45: 11	62	0.1	290	20.2	2900	2742	G	24.915888	86.169562	Normal
13/ 12/ 20	8: 45: 11	62	0.1	390	20.2	3900	3570	G	24.91531	86.16882	Normal
13/ 12/ 20	8: 46: 0	62	0.1	340	20.2	3400	3156	G	24.914425	86.168872	Normal
13/ 12/ 20	8: 46: 22	62	0.1	380	10.1	3800	3487	G	24.91352	86.168753	Normal
13/ 12/ 20	8: 49: 18	62	0.1	250	20.2	2500	2411	G	24.912638	86.16848	Normal
13/ 12/ 20	8: 50: 0	62	0.1	300	20.2	3000	2825	G	24.91179	86.168282	Normal
13/ 12/ 20	8: 50: 0	62	0.1	330	20.2	3300	3073	G	24.910878	86.167945	Normal
13/ 12/ 20	8: 51: 4	62	0.1	320	10.1	3200	2991	G	24.90996	86.167625	Normal
			1.9								

amb
16/12/20
Executive Engineer
RWD Works Division, Jamui


Name of Customer : JITENDRA KUMAR SINGH
 Name of Work/ Road : Jamui Sikandra Main road to Baranatti road
 Lab Job number :
 Date : 13-12-2020
 Section No. : 62

Test Date : 13-12-2020 Road Name : Jamui Main road to Baranatti road
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 62 Side :
 Start E No :
 Weather :
 UV Range : 1411 To 5000 Interval 1000 mm/km
 Dist Range : 0 To 2 0.1 = 1000 m
 Equation : $Y = 0 \cdot X^2 + 0.828 \cdot X + 341.6$

Print Generate Report and Graph

Redraw Graph

Map View



Amr 16/12/20
 Executive Engineer
 RWD Works Division, Jamui

Name of Road- Jamui Sikandara Road to Padmawat
Sec No.-64

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
13/ 12/ 20	9: 5: 11	64	0.1	380	0	3800	3487	G	24.918812	86.144393	Normal
13/ 12/ 20	9: 5: 11	64	0.1	270	30.3	2700	2577	G	24.919703	86.144797	Normal
13/ 12/ 20	9: 5: 46	64	0.1	310	40.4	3100	2908	G	24.920527	86.144982	Normal
13/ 12/ 20	9: 6: 0	64	0.1	310	40.4	3100	2908	G	24.921448	86.145235	Normal
13/ 12/ 20	9: 6: 0	64	0.1	320	40.4	3200	2991	G	24.92236	86.145505	Normal
13/ 12/ 20	9: 6: 0	64	0.1	320	40.4	3200	2991	G	24.923287	86.145823	Normal
13/ 12/ 20	9: 6: 21	64	0.1	250	30.3	2500	2411	G	24.924122	86.146178	Normal
13/ 12/ 20	9: 6: 21	64	0.1	300	30.3	3000	2825	G	24.924925	86.146598	Normal
13/ 12/ 20	9: 6: 21	64	0.1	290	20.2	2900	2742	G	24.925857	86.146632	Normal
13/ 12/ 20	9: 7: 0	64	0.1	260	30.3	2600	2494	G	24.92678	86.146515	Normal
13/ 12/ 20	9: 7: 0	64	0.1	270	20.2	2700	2577	G	24.927695	86.1467	Normal
13/ 12/ 20	9: 7: 31	64	0.1	350	20.2	3500	3239	G	24.92855	86.1468	Normal
13/ 12/ 20	9: 8: 0	64	0.1	310	10.1	3100	2908	G	24.928712	86.145807	Normal
13/ 12/ 20	9: 8: 6	64	0.1	320	10.1	3200	2991	G	24.92884	86.144813	Normal
13/ 12/ 20	9: 8: 6	64	0.1	340	20.2	3400	3156	G	24.928862	86.143803	Normal
13/ 12/ 20	9: 8: 42	64	0.1	360	20.2	3600	3322	G	24.928552	86.142862	Normal
13/ 12/ 20	9: 9: 0	64	0.1	260	20.2	2600	2494	G	24.928935	86.141985	Normal
13/ 12/ 20	9: 9: 17	64	0.1	290	20.2	2900	2742	G	24.929303	86.14111	Curve
13/ 12/ 20	9: 9: 17	64	0.1	280	20.2	2800	2659	G	24.929598	86.140185	Normal
13/ 12/ 20	9: 9: 17	64	0.1	270	30.3	2700	2577	G	24.929773	86.139208	Normal
13/ 12/ 20	9: 10: 0	64	0.1	340	20.2	3400	3156	G	24.930222	86.1384	Normal
13/ 12/ 20	9: 10: 0	64	0.1	270	20.2	2700	2577	G	24.93049	86.137423	Normal
13/ 12/ 20	9: 19: 17	64	0.1	380	20.2	3800	3487	G	24.928513	86.147153	Normal
13/ 12/ 20	9: 20: 0	64	0.1	320	20.2	3200	2991	G	24.928328	86.148163	Normal

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
13/12/20	9:20:0	64	0.1	230	20.2	2300	2245	G	24.928235	86.149107	Normal
13/12/20	9:20:27	64	0.1	380	10.1	3800	3487	G	24.92823	86.150168	Normal
13/12/20	9:21:3	64	0.1	390	10.1	3900	3570	G	24.928148	86.151143	Normal
13/12/20	9:21:3	64	0.1	350	10.1	3500	3239	G	24.92806	86.152172	Normal
13/12/20	9:21:38	64	0.1	340	10.1	3400	3156	G	24.927925	86.153147	Normal
13/12/20	9:22:13	64	0.1	360	10.1	3600	3322	G	24.92855	86.15348	Normal
13/12/20	9:23:0	64	0.1	340	10.1	3400	3156	G	24.929508	86.153635	Normal
13/12/20	9:24:34	64	0.1	310	10.1	3100	2908	G	24.930412	86.153737	Normal
			3.2								

amb 16/12/20
Executive Engineer
RWD Works Division, Jamul

Name of Customer : JITENDRA KUMAR SINGH
 Name of Work/ Road : Jamui Sikandara Road to Padmawat
 Lab Job number :
 Date : 13-12-2020
 Section No. : 64

Test Date : 13-12-2020 Road Name : Sikandara Road to Padmawat
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 64 Side :
 Start E No : Interval
 Weather : UV Range : 1245 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 3.3 0.1 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$


Print

Generate Report and Graph

Redraw Graph

Map View

File : D:\My Office\Maintenance Policy 18\Requisition\Graph and Chart\12.12.20\13.12.20\Padmawat\13120925.xls
 Name of Customer : JITENDRA KUMAR SINGH, Name of Work/ Road : Jamui Sikandara Road to Padmawat, Lab




and 16/12/20
 Executive Engineer
 RWD Works Division, Jamui

Name of Road- Sikandra Nawadah PWD Road to Gahlaur

Sec No.-81

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
13/ 12/ 20	16: 43: 2	81	0.1	330	0	3300	3073	G	24.920138	85.955773	Normal
13/ 12/ 20	16: 43: 2	81	0.1	380	10.1	3800	3487	G	24.92086	85.95616	Normal
13/ 12/ 20	16: 44: 0	81	0.1	360	20.2	3600	3322	G	24.920943	85.957153	Normal
13/ 12/ 20	16: 44: 13	81	0.1	300	20.2	3000	2825	G	24.92071	85.958113	Normal
13/ 12/ 20	16: 44: 13	81	0.1	300	20.2	3000	2825	G	24.92071	85.958113	Normal
13/ 12/ 20	16: 44: 48	81	0.1	280	10.1	2800	2659	G	24.920677	85.959023	Normal
13/ 12/ 20	16: 45: 0	81	0.1	390	20.2	3900	3570	G	24.921573	85.959123	Normal
13/ 12/ 20	16: 45: 0	81	0.1	360	10.1	3600	3322	G	24.922487	85.95909	Culvert
13/ 12/ 20	16: 45: 23	81	0.1	240	10.1	2400	2328	G	24.92334	85.95946	Normal
13/ 12/ 20	16: 45: 23	81	0.1	370	20.2	3700	3405	G	24.924212	85.95978	Normal
13/ 12/ 20	16: 46: 0	81	0.1	320	20.2	3200	2991	G	24.925143	85.959797	Culvert
13/ 12/ 20	16: 46: 0	81	0.1	380	30.3	3800	3487	G	24.926048	85.959612	Normal
13/ 12/ 20	16: 46: 0	81	0.1	380	30.3	3800	3487	G	24.926048	85.959612	Normal
13/ 12/ 20	16: 46: 34	81	0.1	350	20.2	3500	3239	G	24.926888	85.959713	Normal
13/ 12/ 20	16: 46: 34	81	0.1	350	20.2	3500	3239	G	24.927668	85.96012	Curve
13/ 12/ 20	16: 46: 34	81	0.1	350	20.2	3500	3239	G	24.927668	85.96012	Normal
13/ 12/ 20	16: 47: 0	81	0.1	360	20.2	3600	3322	G	24.927762	85.961027	Normal
13/ 12/ 20	16: 47: 9	81	0.1	330	30.3	3300	3073	G	24.927682	85.96202	Normal
13/ 12/ 20	16: 47: 9	81	0.1	280	30.3	2800	2659	G	24.927552	85.963047	Normal

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
13/ 12/ 20	16: 47: 9	81	0.1	250	30.3	2500	2411	G	24.927348	85.96404	Normal
13/ 12/ 20	16: 47: 45	81	0.1	210	20.2	2100	2080	G	24.92732	85.96503	Normal
13/ 12/ 20	16: 48: 0	81	0.1	310	20.2	3100	2908	G	24.928238	85.96507	Normal
13/ 12/ 20	16: 48: 20	81	0.1	270	20.2	2700	2577	G	24.929172	85.965185	Normal
13/ 12/ 20	16: 49: 0	81	0.1	230	10.1	2300	2245	G	24.93003	85.965168	Normal
13/ 12/ 20	16: 49: 30	81	0.1	350	20.2	3500	3239	G	24.930923	85.96505	Normal
13/ 12/ 20	16: 49: 30	81	0.1	350	20.2	3500	3239	G	24.931608	85.96441	Normal
13/ 12/ 20	16: 50: 6	81	0.1	350	20.2	3500	3239	G	24.93218	85.96367	Normal
13/ 12/ 20	16: 50: 6	81	0.1	320	20.2	3200	2991	G	24.932993	85.96348	Normal
13/ 12/ 20	16: 50: 41	81	0.1	380	10.1	3800	3487	G	24.933938	85.96345	Normal
13/ 12/ 20	16: 50: 41	81	0.1	380	10.1	3800	3487	G	24.933938	85.96345	Normal
13/ 12/ 20	16: 51: 0	81	0.1	310	10.1	3100	2908	G	24.93475	85.963855	Normal
13/ 12/ 20	16: 58: 19	81	0.1	390	10.1	3900	3570	G	24.935495	85.96436	Normal
13/ 12/ 20	17: 0: 40	81	0.1	370	10.1	3700	3405	G	24.935493	85.965337	Normal


Executive Engineer
RWD Works Division, Jamui


Name of Customer : JITENDRA KUMAR SINGH
 Name of Work/ Road : Sikandra Nawadah PWD Road
 Lab Job number :
 Date : 13-12-2020
 Section No. : 81

Test Date : 13-12-2020 Road Name : Nawadah PWD Road to Gehlaur
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 81 Side :
 Start E No : Interval
 Weather : UV Range : 1080 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 3.4 0.1 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print Generate Report and Graph

Redraw Graph

Map View




Unk-12/12/20
 Executive Engineer
 RWD Works Division, Jamui

Name of Road-Sikandra-Nawada PWD Road to Baladih
Sec No.-87

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
14/12/20	8:4:8	87	0.1	310	0	3100	2908	G	24.930505	85.929948	Normal
14/12/20	8:4:43	87	0.1	320	20.2	3200	2991	G	24.930235	85.930858	Normal
14/12/20	8:5:0	87	0.1	370	20.2	3700	3405	G	24.929887	85.9318	Normal
14/12/20	8:5:21	87	0.1	350	10.1	3500	3239	G	24.929478	85.932642	Normal
14/12/20	8:5:56	87	0.1	380	20.2	3800	3487	G	24.928577	85.932542	Normal
14/12/20	8:6:31	87	0.1	370	10.1	3700	3405	G	24.92771	85.932457	Normal
14/12/20	8:7:6	87	0.1	390	20.2	3900	3570	G	24.926903	85.932658	Normal
14/12/20	8:8:16	87	0.1	300	20.2	3000	2825	G	24.926837	85.93367	Normal
14/12/20	8:9:0	87	0.1	390	20.2	3900	3570	G	24.926248	85.9334	Culvert
14/12/20	8:9:27	87	0.1	350	10.1	3500	3239	G	24.92543	85.933097	Normal
14/12/20	8:10:2	87	0.1	370	10.1	3700	3405	G	24.924535	85.932895	Normal
14/12/20	8:11:0	87	0.1	270	20.2	2700	2577	G	24.923827	85.932642	Normal
14/12/20	8:11:13	87	0.1	380	10.1	3800	3487	G	24.923387	85.931868	Normal
14/12/20	8:11:48	87	0.1	390	10.1	3900	3570	G	24.922545	85.931565	Normal
14/12/20	8:12:0	87	0.1	280	10.1	2800	2659	G	24.921637	85.931363	Normal
14/12/20	8:12:23	87	0.1	230	10.1	2300	2245	G	24.920662	85.931312	Normal
14/12/20	8:13:0	87	0.1	290	10.1	2900	2742	G	24.919832	85.93101	Normal
14/12/20	8:13:34	87	0.1	320	20.2	3200	2991	G	24.919068	85.930588	Normal
14/12/20	8:13:34	87	0.1	380	20.2	3800	3487	G	24.918143	85.930487	Normal
14/12/20	8:14:0	87	0.1	350	20.2	3500	3239	G	24.917162	85.930318	Normal
14/12/20	8:14:9	87	0.1	360	10.1	3600	3322	G	24.916573	85.930655	Normal
14/12/20	8:14:44	87	0.1	390	20.2	3900	3570	G	24.916708	85.931632	Normal
14/12/20	8:15:0	87	0.1	370	10.1	3700	3405	G	24.916753	85.932642	Normal
14/12/20	8:15:19	87	0.1	300	20.2	3000	2825	G	24.916603	85.933635	Normal
14/12/20	8:15:19	87	0.1	310	30.3	3100	2908	G	24.916485	85.934612	Normal
14/12/20	8:15:19	87	0.1	360	30.3	3600	3322	G	24.916382	85.935605	Normal
14/12/20	8:15:19	87	0.1	390	30.3	3900	3570	G	24.916298	85.936648	Normal
14/12/20	8:15:55	87	0.1	380	20.2	3800	3487	G	24.916362	85.937592	Normal
14/12/20	8:16:30	87	0.1	270	30.3	2700	2577	G	24.916408	85.938568	Normal
14/12/20	8:17:5	87	0.1	370	20.2	3700	3405	G	24.916123	85.939377	Normal
14/12/20	8:17:5	87	0.1	370	20.2	3700	3405	G	24.916123	85.939377	Normal

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
14/12/20	8:17:5	87	0.1	320	20.2	3200	2991	G	24.915245	85.93914	Normal
14/12/20	8:17:41	87	0.1	380	20.2	3800	3487	G	24.914278	85.939242	Normal
14/12/20	8:18:0	87	0.1	350	20.2	3500	3239	G	24.913387	85.939343	Normal
14/12/20	8:18:16	87	0.1	390	10.1	3900	3570	G	24.91307	85.939697	Normal
14/12/20	8:18:51	87	0.1	380	20.2	3800	3487	G	24.913118	85.940588	Normal
14/12/20	8:19:0	87	0.1	370	20.2	3700	3405	G	24.913635	85.941178	Normal
14/12/20	8:19:26	87	0.1	320	20.2	3200	2991	G	24.913945	85.94182	Normal
14/12/20	8:19:26	87	0.1	380	20.2	3800	3487	G	24.913863	85.942827	Normal
14/12/20	8:20:0	87	0.1	350	20.2	3500	3239	G	24.913882	85.943872	Normal
14/12/20	8:20:2	87	0.1	390	20.2	3900	3570	G	24.913458	85.944595	Normal
14/12/20	8:20:2	87	0.1	390	20.2	3900	3570	G	24.912513	85.944865	Normal
14/12/20	8:20:2	87	0.1	300	20.2	3000	2825	G	24.912513	85.944865	Normal
14/12/20	8:20:37	87	0.1	390	20.2	3900	3570	G	24.911628	85.94507	Normal
14/12/20	8:21:0	87	0.1	380	10.1	3800	3487	G	24.911788	85.94579	Normal
14/12/20	8:21:12	87	0.1	350	20.2	3500	3239	G	24.912675	85.945908	Normal
14/12/20	8:21:12	87	0.1	390	20.2	3900	3570	G	24.913622	85.94606	Normal
14/12/20	8:21:48	87	0.1	320	30.3	3200	2991	G	24.91448	85.946228	Normal
14/12/20	8:22:0	87	0.1	390	20.2	3900	3570	G	24.91543	85.94648	Normal
14/12/20	8:22:0	87	0.1	320	20.2	3200	2991	G	24.916348	85.946582	Normal
14/12/20	8:22:23	87	0.1	370	10.1	3700	3405	G	24.917247	85.94673	Normal
14/12/20	8:23:0	87	0.1	390	20.2	3900	3570	G	24.918142	85.946885	Normal
14/12/20	8:23:33	87	0.1	380	10.1	3800	3487	G	24.91897	85.947238	Normal
14/12/20	8:24:9	87	0.1	320	20.2	3200	2991	G	24.919865	85.947558	Normal
14/12/20	8:25:0	87	0.1	210	10.1	2100	2080	G	24.920747	85.94776	Normal
14/12/20	8:25:19	87	0.1	380	10.1	3800	3487	G	24.922	85.947928	Normal
14/12/20	8:26:30	87	0.1	280	20.2	2800	2659	G	24.92257	85.94813	Normal
14/12/20	8:27:5	87	0.1	290	20.2	2900	2742	G	24.922705	85.948938	Normal
14/12/20	8:27:5	87	0.1	350	10.1	3500	3239	G	24.923193	85.949612	Normal
14/12/20	8:27:40	87	0.1	370	20.2	3700	3405	G	24.923005	85.950588	Normal
14/12/20	8:28:0	87	0.1	390	20.2	3900	3570	G	24.922315	85.950958	Normal
14/12/20	8:28:16	87	0.1	340	20.2	3400	3156	G	24.92211	85.951835	Normal
14/12/20	8:28:16	87	0.1	310	20.2	3100	2908	G	24.922052	85.952862	Normal
14/12/20	8:28:16	87	0.1	380	20.2	3800	3487	G	24.922052	85.952862	Normal
14/12/20	8:29:0	87	0.1	310	20.2	3100	2908	G	24.921897	85.953838	Normal
14/12/20	8:29:0	87	0.1	320	20.2	3200	2991	G	24.921743	85.954865	Normal
14/12/20	8:29:26	87	0.1	350	20.2	3500	3239	G	24.921008	85.95503	Normal

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
14/12/20	8:29:26	87	0.1	300	20.2	3000	2825	G	24.920073	85.954932	Normal
14/12/20	8:30:33	89	0.1	340	20.2	3400	3156	G	24.919437	85.955622	Normal
14/12/20	8:30:33	89	0.1	390	20.2	3900	3570	G	24.920335	85.955823	Normal
14/12/20	8:31:0	89	0.1	380	10.1	3800	3487	G	24.920955	85.956565	Normal
			7								


Executive Engineer
RWD Works Division, Jamui

Name of Customer : JITENDRA KUMAR SINGH
 Name of Work/ Road : SIKANDRA NAWADA PWD R
 Lab Job number :
 Date : 14-12-2020
 Section No. : 87

Test Date : 14-12-2020 Road Name : NAWADA PWD ROAD TO BLADH
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 87 Side :
 Start E No : Interval
 Weather : UIV Range : 1080 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 6.8 0.1 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$


Print

Generate Report and Graph

Redraw Graph

Map View

File :D:\My Office\Maintenance Policy 18\Requisition\Graph and Chart\12.12.20\14.12.20\Sikandara Nawada to
 Name of Customer :JITENDRA KUMAR SINGH, Name of Work/ Road :SIKANDRA NAWADA PWD ROAD TO



15/12/20

Executive Engineer
 RWD Works Division, Jamul

Name of Road-Sewe Kolhana REO road with maina Chhatar link rd to Chhatiyani
Sec No.-91

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
14/12/20	9:2:0	91	0.1	340	0	3400	3156	G	24.96378	85.870673	Normal
14/12/20	9:2:0	91	0.1	370	30.3	3700	3405	G	24.963457	85.871548	Normal
14/12/20	9:2:0	91	0.1	390	30.3	3900	3570	G	24.963456	85.871532	Normal
14/12/20	9:2:18	91	0.1	330	30.3	3300	3073	G	24.963452	85.872558	Normal
14/12/20	9:2:18	91	0.1	320	40.4	3200	2991	G	24.963611	85.874525	Normal
14/12/20	9:2:18	91	0.1	320	40.4	3200	2991	G	24.963645	85.87457	Normal
14/12/20	9:2:18	91	0.1	380	30.3	3800	3487	G	24.96347	85.875572	Normal
14/12/20	9:2:18	91	0.1	380	30.3	3800	3487	G	24.96318	85.875532	Normal
14/12/20	9:2:53	91	0.1	300	20.2	3000	2825	G	24.962913	85.876228	Curve
14/12/20	9:3:28	91	0.1	350	10.1	3500	3239	G	24.962807	85.87712	Normal
14/12/20	9:3:28	91	0.1	350	10.1	3500	3239	G	24.962851	85.87711	Normal
14/12/20	9:4:3	91	0.1	350	10.1	3500	3239	G	24.96277	85.878163	Normal
14/12/20	9:20:0	91	0.1	350	40.4	3500	3239	G	24.997468	85.89803	Normal
14/12/20	9:20:0	91	0.1	350	40.4	3500	3239	G	24.997412	85.89801	Normal
14/12/20	9:20:0	91	0.1	340	30.3	3400	3156	G	24.996513	85.898013	Normal
14/12/20	9:20:31	91	0.1	290	30.3	2900	2742	G	24.995605	85.897995	Normal
14/12/20	9:20:31	91	0.1	370	30.3	3700	3405	G	24.994743	85.897862	Normal
14/12/20	9:20:31	91	0.1	320	30.3	3200	2991	G	24.99384	85.897727	Normal
14/12/20	9:20:31	91	0.1	320	30.3	3200	2991	G	24.99382	85.897714	Normal
14/12/20	9:21:6	91	0.1	390	40.4	3900	3570	G	24.992873	85.897608	Normal
14/12/20	9:21:6	91	0.1	270	40.4	2700	2577	G	24.99204	85.897373	Normal
14/12/20	9:21:6	91	0.1	320	40.4	3200	2991	G	24.991135	85.897238	Normal
14/12/20	9:21:6	91	0.1	360	20.2	3600	3322	G	24.990528	85.897743	Normal
14/12/20	9:21:6	91	0.1	360	20.2	3600	3322	G	24.99052	85.89774	Normal
14/12/20	9:21:41	91	0.1	360	30.3	3600	3322	G	24.990337	85.898753	Normal
14/12/20	9:21:41	91	0.1	360	30.3	3600	3322	G	24.99033	85.89875	Normal
14/12/20	9:22:0	91	0.1	380	30.3	3800	3487	G	24.990062	85.89973	Normal
14/12/20	9:22:0	91	0.1	350	30.3	3500	3239	G	24.989878	85.900673	Normal

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
14/12/20	9:22:0	91	0.1	350	30.3	3500	3239	G	24.98987	85.90067	Normal
14/12/20	9:22:17	91	0.1	330	40.4	3300	3073	G	24.989628	85.90168	Normal
14/12/20	9:22:17	91	0.1	330	40.4	3300	3073	G	24.989622	85.90161	Normal
14/12/20	9:22:17	91	0.1	260	20.2	2600	2494	G	24.98945	85.902727	Normal
14/12/20	9:23:0	91	0.1	390	10.1	3900	3570	G	24.989212	85.903652	Normal
14/12/20	9:23:0	91	0.1	380	10.1	3800	3487	G	24.989211	85.90365	Normal
14/12/20	9:23:27	91	0.1	300	10.1	3000	2825	G	24.989277	85.904562	Normal
14/12/20	9:23:27	91	0.1	390	10.1	3900	3570	G	24.989272	85.904561	Normal
14/12/20	9:23:27	91	0.1	350	10.1	3500	3239	G	24.988688	85.90473	Normal
			3.7								

and 12/12/20
 Executive Engineer
 RND Works Division, Jamui

Name of Customer : JITENDRA KUMAR SINGH
 Name of Work/ Road : Sewe Kohana REO road with n
 Lab Job number :
 Date : 14-12-2020
 Section No. : 91


Test Date : 14-12-2020 Road Name : Jna Chhatar link rd to Chhatyari
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 91 Side : Interval
 Start E No :
 Weather :
 UV Range : 1494 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 3.8 0.1 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print

Generate Report and Graph

Redraw Graph

Map View



amb 14/12/20
 Executive Engineer
 BWD Works Division, Jamul

Name of Road- Navi Nagar to sahpur via Hathiya Road.

Sec No.-93

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
14/ 12/ 20	9: 27: 6	93	0.1	370	0	3700	3405	G	24.987593	85.90678	Normal
14/ 12/ 20	9: 27: 6	93	0.1	360	30.3	3600	3322	G	24.987348	85.90771	Normal
14/ 12/ 20	9: 28: 6	93	0.1	340	30.3	3400	3156	G	24.987037	85.90872	Normal
14/ 12/ 20	9: 28: 6	93	0.1	300	10.1	3000	2825	G	24.986628	85.909545	Normal
14/ 12/ 20	9: 29: 0	93	0.1	390	10.1	3900	3570	G	24.986402	85.910453	Normal
14/ 12/ 20	9: 29: 17	93	0.1	370	10.1	3700	3405	G	24.986443	85.91148	Normal
14/ 12/ 20	9: 29: 17	93	0.1	390	20.2	3900	3570	G	24.986727	85.912423	Normal
14/ 12/ 20	9: 29: 52	93	0.1	340	30.3	3400	3156	G	24.98673	85.91342	Normal
14/ 12/ 20	9: 30: 0	93	0.1	370	30.3	3700	3405	G	24.986892	85.91446	Normal
14/ 12/ 20	9: 30: 0	93	0.1	360	30.3	3600	3322	G	24.986988	85.91547	Normal
14/ 12/ 20	9: 30: 0	93	0.1	310	30.3	3100	2908	G	24.986902	85.916463	Normal
14/ 12/ 20	9: 31: 0	93	0.1	380	10.1	3800	3487	G	24.986712	85.917423	Normal
14/ 12/ 20	9: 31: 38	93	0.1	300	10.1	3000	2825	G	24.986572	85.91843	Normal
14/ 12/ 20	9: 32: 13	93	0.1	390	10.1	3900	3570	G	24.986672	85.919292	Normal
14/ 12/ 20	9: 32: 13	93	0.1	370	10.1	3700	3405	G	24.986537	85.920302	Normal
14/ 12/ 20	9: 32: 48	93	0.1	300	30.3	3000	2825	G	24.986378	85.921228	Normal
14/ 12/ 20	9: 33: 0	93	0.1	330	30.3	3300	3073	G	24.986203	85.922305	Normal
14/ 12/ 20	9: 33: 0	93	0.1	280	20.2	2800	2659	G	24.9857	85.922962	Normal
14/ 12/ 20	9: 33: 24	93	0.1	360	30.3	3600	3322	G	24.984807	85.923163	Normal
14/ 12/ 20	9: 33: 24	93	0.1	380	30.3	3800	3487	G	24.983915	85.92338	Normal
14/ 12/ 20	9: 33: 24	93	0.1	290	30.3	2900	2742	G	24.98328	85.92276	Normal

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
14/ 12/ 20	9: 33: 24	93	0.1	330	40.4	3300	3073	G	24.982547	85.922003	Normal
14/ 12/ 20	9: 34: 0	93	0.1	320	20.2	3200	2991	G	24.982113	85.922288	Normal
14/ 12/ 20	9: 34: 0	93	0.1	360	30.3	3600	3322	G	24.982187	85.923232	Normal
14/ 12/ 20	9: 34: 34	93	0.1	320	40.4	3200	2991	G	24.981907	85.924258	Normal
14/ 12/ 20	9: 34: 34	93	0.1	340	40.4	3400	3156	G	24.981758	85.925185	Normal
14/ 12/ 20	9: 34: 34	93	0.1	360	40.4	3600	3322	G	24.981622	85.926262	Normal
14/ 12/ 20	9: 35: 0	93	0.1	300	40.4	3000	2825	G	24.981465	85.927255	Normal
14/ 12/ 20	9: 35: 0	93	0.1	290	50.5	2900	2742	G	24.981265	85.928147	Normal
14/ 12/ 20	9: 35: 9	93	0.1	340	40.4	3400	3156	G	24.98102	85.929123	Normal
14/ 12/ 20	9: 35: 9	93	0.1	310	40.4	3100	2908	G	24.980845	85.93012	Normal
14/ 12/ 20	9: 35: 9	93	0.1	380	40.4	3800	3487	G	24.980672	85.931178	Normal
			3.2								

Sub
 15/12/20
Executive Engineer
RWD Works Division, Jamui

Name of Customer : JITENDRA KUMAR SINGH
 Name of Work/ Road : Navi Nagar to sehpur via Hathiya Road
 Lab Job number :
 Date : 14-12-2020
 Section No. : 93


Test Date : 14-12-2020
 Machine No : 399
 Start S No : 33
 Start E No :
 Weather :
 Start Location :
 End Location :
 Road Name : per to sehpur via Hathiya Road
 Road Type : (R) RURAL ROAD
 Side :
 Interval :
 UIV Range : 1659 To 5000 1000 mm/km
 Dist Range : 0 To 3.3 0.1 * 1000 m
 Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print

Generate Report and Graph

Redraw Graph


Map View



14/12/20
 Executive Engineer
 RWD Works Division, Jamui

Name of Road-Kharagpur PWD Road - Bharkawa
Sec No.-57

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
12/12/20	15:36:0	57	0.1	380	0	3800	3487	G	24.971362	86.275892	Normal
12/12/20	15:36:33	57	0.1	380	10.1	3800	3487	G	24.972252	86.276127	Normal
12/12/20	15:37:8	57	0.1	350	10.1	3500	3239	G	24.973092	86.276565	Normal
12/12/20	15:37:8	57	0.1	390	10.1	3900	3570	G	24.9739	86.276985	Normal
12/12/20	15:38:0	57	0.1	310	10.1	3100	2908	G	24.974845	86.277188	Normal
12/12/20	15:39:0	57	0.1	310	20.2	3100	2908	G	24.975727	86.27739	Normal
12/12/20	15:39:31	57	0.1	360	10.1	3600	3322	G	24.976645	86.277423	Normal
12/12/20	15:40:0	57	0.1	350	10.1	3500	3239	G	24.977525	86.277558	Normal
12/12/20	15:40:5	57	0.1	320	10.1	3200	2991	G	24.978443	86.27776	Normal
12/12/20	15:41:0	57	0.1	240	10.1	2400	2328	G	24.979328	86.278047	Normal
12/12/20	15:41:15	57	0.1	320	10.1	3200	2991	G	24.98024	86.278198	Normal
12/12/20	15:41:51	57	0.1	360	10.1	3600	3322	G	24.981122	86.278215	Normal
12/12/20	15:42:0	57	0.1	340	10.1	3400	3156	G	24.982043	86.278265	Normal
12/12/20	15:42:0	57	0.1	290	10.1	2900	2742	G	24.98296	86.2784	Normal
12/12/20	15:43:2	57	0.1	370	10.1	3700	3405	G	24.98378	86.278872	Normal
12/12/20	15:48:0	57	0.1	380	20.2	3800	3487	G	24.99253	86.283063	Normal
12/12/20	15:48:20	57	0.1	360	20.2	3600	3322	G	24.99244	86.28207	Normal
12/12/20	15:49:0	57	0.1	320	20.2	3200	2991	G	24.992228	86.281127	Normal
12/12/20	15:52:0	57	0.1	310	20.2	3100	2908	G	24.992358	86.283855	Normal
12/12/20	15:52:27	57	0.1	320	10.1	3200	2991	G	24.992287	86.284915	Normal
12/12/20	15:53:2	57	0.1	340	10.1	3400	3156	G	24.992195	86.285875	Normal
12/12/20	15:53:37	57	0.1	240	10.1	2400	2328	G	24.99188	86.286835	Normal
12/12/20	15:54:13	57	0.1	250	10.1	2500	2411	G	24.99186	86.287845	Normal
12/12/20	15:54:48	57	0.1	330	20.2	3300	3073	G	24.992022	86.288803	Normal
12/12/20	15:55:23	57	0.1	290	20.2	2900	2742	G	24.992353	86.289578	Normal
			2.5								


Executive Engineer
RWD Works Division, Jamul

Name of Customer : ASHOK AND CO. NWAS PVT
 Name of Work/ Road : Kheragpur PWD Road - Bharkawa
 Lab Job number :
 Date : 12-12-2020
 Section No. : 57


Test Date : 12-12-2020 Road Name : Kheragpur PWD Road - Bharkawa
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 57 Side :
 Start E No :
 Weather :
 Start Location :
 End Location :
 Interval :
 UIV Range : 1328 To 5000 1000 mm/km
 Dist Range : 0 To 2.6 0.1 * 1000 m
 Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print

Generate Report and Graph

Redraw Graph

Map View




amb
 Executive Engineer
 RWD Works Division, Jamul

Name of Road- Construction of Road from Sijhauri Road to Kheusar village.

Sec No.-09

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
14/ 12/ 20	12: 32: 25	9	0.1	320	0	3200	2991	G	24.959488	86.7244	Normal
14/ 12/ 20	12: 33: 0	9	0.1	390	10.1	3900	3570	G	24.960032	86.7303	Normal
14/ 12/ 20	12: 33: 0	9	0.1	380	10.1	3800	3487	G	24.960332	86.73652	Normal
14/ 12/ 20	12: 33: 35	9	0.1	320	20.2	3200	2991	G	24.961222	86.73502	Normal
14/ 12/ 20	12: 34: 0	9	0.1	390	20.2	3900	3570	G	24.962128	86.73518	Normal
14/ 12/ 20	12: 34: 10	9	0.1	360	20.2	3600	3322	G	24.963055	86.73585	Normal
14/ 12/ 20	12: 34: 10	9	0.1	340	10.1	3400	3156	G	24.963405	86.74157	Normal
14/ 12/ 20	12: 34: 10	9	0.1	380	10.1	3800	3487	G	24.963405	86.74157	Normal
14/ 12/ 20	12: 34: 45	9	0.1	390	20.2	3900	3570	G	24.963202	86.7512	Normal
14/ 12/ 20	12: 35: 0	9	0.1	380	20.2	3800	3487	G	24.962977	86.7611	Normal
14/ 12/ 20	12: 35: 0	9	0.1	380	20.2	3800	3487	G	24.962977	86.7611	Normal
14/ 12/ 20	12: 35: 21	9	0.1	360	10.1	3600	3322	G	24.962475	86.76952	Normal
			1.2								


Executive Engineer
RWD Works Division, Jamul

Name of Customer : NITESH KUMAR SINGH
 Name of Work/ Road : Construction of Road from Sihauri
 Lab Job number :
 Date : 14-12-2020
 Section No. : 9


Test Date : 14-12-2020 Road Name : Sihauri Road to Kheuser village
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 9 Side :
 Start E No :
 Weather :
 UV Range : 1991 To 5000 Interval 1000 mm/km
 Start Location : Dist Range : 0 To 1.3 0.1 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.028 * X + 341.5$

Print

Generate Report and Graph

Redraw Graph

Map View




undated paper
 Executive Engineer
 RWD Works Division, Jamul

Name of Road- Jajal road to Canal via Basbutti in Sikandra block.

Sec No.-11

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
14/ 12/ 20	13: 18: 22	11	0.1	360	0	3600	3322	G	24.9047	86.54443	Normal
14/ 12/ 20	13: 19: 0	11	0.1	250	20.2	2500	2411	G	24.90482	86.5343	Normal
14/ 12/ 20	13: 19: 0	11	0.1	300	20.2	3000	2825	G	24.904703	86.52508	Normal
14/ 12/ 20	13: 19: 32	11	0.1	220	20.2	2200	2163	G	24.904055	86.51968	Normal
14/ 12/ 20	13: 19: 32	11	0.1	300	20.2	3000	2825	G	24.903173	86.51968	Normal
14/ 12/ 20	13: 20: 7	11	0.1	350	10.1	3500	3239	G	24.902397	86.5207	Normal
14/ 12/ 20	13: 20: 7	11	0.1	350	10.1	3500	3239	G	24.902397	86.5207	Normal
14/ 12/ 20	13: 22: 0	11	0.1	390	10.1	3900	3570	G	24.901758	86.52172	Normal
14/ 12/ 20	13: 22: 27	11	0.1	390	20.2	3900	3570	G	24.90093	86.52153	Normal
14/ 12/ 20	13: 23: 1	11	0.1	340	10.1	3400	3156	G	24.900515	86.52995	Normal
14/ 12/ 20	13: 23: 1	11	0.1	390	20.2	3900	3570	G	24.899595	86.52895	Normal
14/ 12/ 20	13: 23: 37	11	0.1	360	20.2	3600	3322	G	24.898713	86.52895	Normal
14/ 12/ 20	13: 24: 0	11	0.1	380	20.2	3800	3487	G	24.897822	86.5281	Normal
14/ 12/ 20	13: 24: 14	11	0.1	380	20.2	3800	3487	G	24.897025	86.52272	Normal
14/ 12/ 20	13: 24: 14	11	0.1	290	20.2	2900	2742	G	24.896215	86.5175	Normal
14/ 12/ 20	13: 24: 49	11	0.1	360	20.2	3600	3322	G	24.895312	86.51565	Normal
14/ 12/ 20	13: 26: 35	11	0.1	380	20.2	3800	3487	G	24.894565	86.5178	Normal
			1.7								


Executive Engineer
RWD Works Division, Jamui


Name of Customer : NITESH KUMAR SINGH
 Name of Work/ Road : Jajal road to Canal via Basbuti
 Lab Job number :
 Date : 14-12-2020
 Section No. : 11

Test Date : 14-12-2020 Road Name : J via Basbuti in Sikandra block
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 11 Side :
 Start E No : Interval
 Weather : UV Range : 1163 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 1.8 0.1 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print Generate Report and Graph

Redraw Graph

Map View



Amk
 16/12/20
 Executive Engineer
 RWD Works Division, Jamui

Name of Road- Noni REO Road - Mahatpur
Sec No.-11

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
14/12/20	11:14:0	7	0.1	380	0	3800	3487	G	24.959325	85.850842	Normal
14/12/20	11:14:13	7	0.1	380	10.1	3800	3487	G	24.959613	85.85182	Normal
14/12/20	11:14:13	7	0.1	390	10.1	3900	3570	G	24.959482	85.852827	Normal
14/12/20	11:15:0	7	0.1	250	20.2	2500	2411	G	24.959365	85.853803	Normal
14/12/20	11:15:24	7	0.1	320	10.1	3200	2991	G	24.959392	85.85483	Normal
14/12/20	11:15:24	7	0.1	340	10.1	3400	3156	G	24.95863	85.85505	Normal
14/12/20	11:16:0	7	0.1	320	10.1	3200	2991	G	24.957905	85.855555	Normal
14/12/20	11:16:0	7	0.1	380	10.1	3800	3487	G	24.957757	85.856548	Normal
14/12/20	11:16:34	7	0.1	390	10.1	3900	3570	G	24.957663	85.857592	Normal
14/12/20	11:17:10	7	0.1	380	10.1	3800	3487	G	24.957485	85.858535	Normal
			1								

mb
12/12/20
Executive Engineer
RWD Works Division, Jamul

Name of Customer : NITESH KUMAR SINGH
 Name of Work/ Road : Noni REO Road - Mahapur
 Lab Job number :
 Date : 14-12-2020
 Section No. : 7


Test Date : 14-12-2020 Road Name : Noni REO Road - Mahapur
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 7 Side :
 Start E No : Interval
 Weather : UV Range : 1411 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 1.1 0.1 = 1000 m
 End Location : Equation : $Y = 0 \cdot X^2 + 0.828 \cdot X + 341.6$

Print

Generate Report and Graph

Redraw Graph

Map View




Signature
 Executive Engineer
 RWD Works Division, Jamul

Name of Road- Kenuhat More to Anandpur Road

Sec No.-15

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
14/ 12/ 20	15: 8: 35	15	0.1	380	0	3800	3487	G	24.99134	86.371852	Normal
14/ 12/ 20	15: 9: 0	15	0.1	360	10.1	3600	3322	G	24.992265	86.3718	Normal
14/ 12/ 20	15: 9: 26	15	0.1	350	10.1	3500	3239	G	24.993172	86.372003	Normal
14/ 12/ 20	15: 9: 26	15	0.1	210	20.2	2100	2080	G	24.994077	86.372053	Normal
14/ 12/ 20	15: 10: 1	15	0.1	310	20.2	3100	2908	G	24.994872	86.372592	Normal
14/ 12/ 20	15: 10: 1	15	0.1	240	30.3	2400	2328	G	24.99569	86.373097	Normal
14/ 12/ 20	15: 10: 1	15	0.1	280	20.2	2800	2659	G	24.99652	86.373502	Normal
14/ 12/ 20	15: 10: 37	15	0.1	390	20.2	3900	3570	G	24.997375	86.373753	Normal
14/ 12/ 20	15: 11: 0	15	0.1	270	20.2	2700	2577	G	24.998277	86.373972	Normal
14/ 12/ 20	15: 11: 12	15	0.1	390	10.1	3900	3570	G	24.99919	86.374073	Normal
14/ 12/ 20	15: 11: 47	15	0.1	380	10.1	3800	3487	G	25.1	86.374123	Normal
14/ 12/ 20	15: 12: 0	15	0.1	260	10.1	2600	2494	G	25.102	86.374023	Normal
14/ 12/ 20	15: 12: 21	15	0.1	250	20.2	2500	2411	G	25.1865	86.373618	Normal
14/ 12/ 20	15: 12: 57	15	0.1	330	10.1	3300	3073	G	25.2713	86.373	Normal
14/ 12/ 20	15: 13: 0	15	0.1	380	10.1	3800	3487	G	25.363	86.373182	Normal
14/ 12/ 20	15: 13: 32	15	0.1	360	10.1	3600	3322	G	25.4502	86.372878	Normal
14/ 12/ 20	15: 14: 7	15	0.1	350	10.1	3500	3239	G	25.5437	86.372912	Normal
14/ 12/ 20	15: 14: 43	15	0.1	370	10.1	3700	3405	G	25.6318	86.37308	Normal
14/ 12/ 20	15: 15: 0	15	0.1	280	20.2	2800	2659	G	25.7213	86.373097	Normal
14/ 12/ 20	15: 15: 18	15	0.1	370	10.1	3700	3405	G	25.8178	86.373215	Normal
14/ 12/ 20	15: 15: 53	15	0.1	380	10.1	3800	3487	G	25.8812	86.372542	Normal
14/ 12/ 20	15: 16: 28	15	0.1	320	10.1	3200	2991	G	25.9397	86.37178	Normal
14/ 12/ 20	15: 16: 28	15	0.1	300	10.1	3000	2825	G	25.10058	86.37111	Normal


Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
14/ 12/ 20	15: 17: 4	15	0.1	340	10.1	3400	3156	G	25.10922	86.370842	Normal
14/ 12/ 20	15: 17: 39	15	0.1	390	10.1	3900	3570	G	25.11832	86.370707	Normal
14/ 12/ 20	15: 18: 14	15	0.1	380	10.1	3800	3487	G	25.12755	86.37079	Normal
14/ 12/ 20	15: 18: 50	15	0.1	380	10.1	3800	3487	G	25.1362	86.370555	Normal
14/ 12/ 20	15: 19: 0	15	0.1	320	10.1	3200	2991	G	25.14547	86.37037	Normal
14/ 12/ 20	15: 19: 25	15	0.1	320	10.1	3200	2991	G	25.15415	86.370403	Normal
14/ 12/ 20	15: 19: 25	15	0.1	350	20.2	3500	3239	G	25.16345	86.370572	Normal
14/ 12/ 20	15: 20: 0	15	0.1	360	20.2	3600	3322	G	25.17272	86.370673	Normal
14/ 12/ 20	15: 20: 35	15	0.1	370	10.1	3700	3405	G	25.1817	86.37074	Normal
14/ 12/ 20	15: 21: 0	15	0.1	380	10.1	3800	3487	G	25.1909	86.37079	Normal
14/ 12/ 20	15: 22: 21	15	0.1	320	20.2	3200	2991	G	25.19455	86.370858	Normal
14/ 12/ 20	15: 22: 21	15	0.1	300	10.1	3000	2825	G	25.18527	86.370773	Normal
			3.5								


Executive Engineer
RWD Works Division, Jamui

Name of Customer : NITESH KUMAR SINGH
 Name of Work/ Road : Keshuhat More to Anandpur Road
 Lab Job number :
 Date : 14-12-2020
 Section No. : 15

Test Date : 14-12-2020 Road Name : Keshuhat More to Anandpur Road
 Machine No : 389 Road Type : (R) RURAL ROAD
 Start S No : 15 Side :
 Start E No : Interval
 Weather : UV Range : 1000 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 3.6 0.1 = 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print Generate Report and Graph Redraw Graph Map View



14/12/20
 Executive Engineer
 RWD Works Division, Jamui

Name of Road- Mahadeo Simaria to Ranhan
Sec No.-13

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
14/ 12/ 20	13: 48: 0	13	0.1	350	0	3500	3239	G	24.920175	86.98922	Normal
14/ 12/ 20	13: 48: 0	13	0.1	370	10.1	3700	3405	G	24.919598	86.98282	Normal
14/ 12/ 20	13: 48: 0	13	0.1	390	10.1	3900	3570	G	24.918938	86.97658	Normal
14/ 12/ 20	13: 49: 6	13	0.1	340	10.1	3400	3156	G	24.918257	86.97153	Normal
14/ 12/ 20	13: 49: 41	13	0.1	370	10.1	3700	3405	G	24.917738	86.96548	Normal
14/ 12/ 20	13: 50: 16	13	0.1	380	10.1	3800	3487	G	24.916847	86.96312	Normal
14/ 12/ 20	13: 50: 16	13	0.1	370	10.1	3700	3405	G	24.916847	86.96312	Normal
14/ 12/ 20	13: 51: 0	13	0.1	360	10.1	3600	3322	G	24.915965	86.96077	Normal
14/ 12/ 20	13: 52: 1	13	0.1	390	20.2	3900	3570	G	24.915052	86.9601	Normal
14/ 12/ 20	13: 52: 1	13	0.1	350	10.1	3500	3239	G	24.914162	86.9616	Normal
14/ 12/ 20	13: 53: 0	13	0.1	300	10.1	3000	2825	G	24.91324	86.96027	Normal
14/ 12/ 20	13: 53: 47	13	0.1	250	20.2	2500	2411	G	24.912353	86.95773	Normal
14/ 12/ 20	13: 54: 22	13	0.1	380	10.1	3800	3487	G	24.911448	86.95673	Normal
14/ 12/ 20	13: 54: 22	13	0.1	380	10.1	3800	3487	G	24.910547	86.95655	Normal
14/ 12/ 20	13: 55: 0	13	0.1	320	10.1	3200	2991	G	24.90969	86.95908	Normal
14/ 12/ 20	13: 56: 0	13	0.1	380	20.2	3800	3487	G	24.909385	86.96835	Normal
14/ 12/ 20	13: 56: 8	13	0.1	370	10.1	3700	3405	G	24.908965	86.97693	Normal
14/ 12/ 20	13: 56: 44	13	0.1	350	20.2	3500	3239	G	24.908647	86.98652	Normal
14/ 12/ 20	13: 56: 44	13	0.1	360	20.2	3600	3322	G	24.908647	86.98652	Normal
14/ 12/ 20	13: 57: 0	13	0.1	390	20.2	3900	3570	G	24.90778	86.98803	Normal
14/ 12/ 20	13: 57: 0	13	0.1	380	20.2	3800	3487	G	24.90687	86.98855	Normal
14/ 12/ 20	13: 57: 19	13	0.1	370	20.2	3700	3405	G	24.90597	86.98922	Normal
14/ 12/ 20	13: 57: 19	13	0.1	380	20.2	3800	3487	G	24.90561	86.99763	Normal
14/ 12/ 20	13: 58: 0	13	0.1	290	10.1	2900	2742	G	24.90472	86.99848	Normal
14/ 12/ 20	13: 58: 29	13	0.1	250	20.2	2500	2411	G	24.903832	86.1	Normal
14/ 12/ 20	13: 58: 29	13	0.1	350	10.1	3500	3239	G	24.90297	86.100387	Normal
14/ 12/ 20	13: 58: 29	13	0.1	340	10.1	3400	3156	G	24.90297	86.100387	Normal
14/ 12/ 20	13: 59: 5	13	0.1	380	20.2	3800	3487	G	24.902228	86.100908	Normal
14/ 12/ 20	13: 59: 5	13	0.1	320	20.2	3200	2991	G	24.901375	86.101312	Normal
14/ 12/ 20	13: 59: 40	13	0.1	360	20.2	3600	3322	G	24.90048	86.101515	Normal
14/ 12/ 20	13: 59: 40	13	0.1	390	10.1	3900	3570	G	24.899578	86.101648	Normal
			3.1								

16/12/20
Executive Engineer
RWD Works Division, Jamui

Name of Customer : RANA RANBIR SINGH
 Name of Work/ Road : Mahadeo Simaria to Ranhan
 Lab Job number :
 Date : 14-12-2020
 Section No. : 13


Test Date : 14-12-2020 Road Name : Mahadeo Simaria to Ranhan
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 13 Side :
 Start E No : Interval
 Weather : UIV Range : 1411 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 3.2 0.1 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print

Generate Report and Graph

Redraw Graph

Map View



14/12/20
 Executive Engineer
 RWD Works Division, Jamui