

**दक्षिण पूर्वांचल विकास निगम  
ग्रामीण विकास विभाग एवं 1**

---

ईमेल आईडी @ 1631

फाइल

16/12/2020

प्रेशक,

कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग,  
कार्य प्रमंडल बाँका - 1

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव  
बिहार ग्रामीण पथ विकास अभिकरण पटना।

विशय : -गैर योजना मद भीर्ष 3054 एम0आर0 योजना अन्तर्गत आवंटन के संबंध में।


महाशय,

उपर्युक्त विषयक से संबंधित एम0आर0 योजना अन्तर्गत संवेदक द्वारा कराए गये कार्यों के भुगतान हेतु विहित प्रपत्र में अधियाचित राशि रूपया 276.256@&लाख का आवंटन उपलब्ध कराने की कृपा की जाय। ताकि संवेदक को भुगतान किया जा सके।

अनु0:-

1. अधियाचनाप्रपत्र
2. IRI Report

विश्वासभाजन



कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग,  
कार्य प्रमंडल बाँका-1

**दक्षिण पूर्वी क्षेत्र के विकास  
के लिए ग्रामीण कार्य विभाग, बिहार**

संख्या: 1631

दिनांक: 16/12/2020

प्रेशक,

कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग,  
कार्य प्रमंडल बाँका - 1

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव  
बिहार ग्रामीण पथ विकास अभिकरण पटना।

विशय : -गैर योजना मद भीर्ष 3054 एम0आर0 योजना अन्तर्गत आवंटन के संबंध में।


महाशय,

उपर्युक्त विषयक से संबंधित एम0आर0 योजना अन्तर्गत संवेदक द्वारा कराए गये कार्यों के भुगतान हेतु विहित प्रपत्र में अधियाचित राशि रूपया 276.256@&लाख का आवंटन उपलब्ध कराने की कृपा की जाय। ताकि संवेदक को भुगतान किया जा सके।

अनु0:-

1. अधियाचनाप्रपत्र
2. IRI Report


विश्वासभाजन



कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग,  
कार्य प्रमंडल बाँका-1

ज्ञापांक- /बाँका, 1631 दिनांक- 16/12/2020

प्रतिलिपि-मुख्य अभियंता-4, ग्रामीण कार्य विभाग, बिहार पटना को सूचनार्थ एवं आव यक कार्रवाई हेतु समर्पित।




कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग,  
कार्य प्रमंडल बाँका-1

**Requisition format for Scheme Head - MR 3054 Under Bihar Rural Road Maintenance Policy 2018 ( In Rectification and Surface Renewal)**

**Name of Division : Banka-I**

| Sl.No. | Package No.           | Name of Road                                          | Project ID as per MIS | Administrative Approval (AA) Letter No. & Date | Administrative Approval (AA) |                 | Agreement Amount (In Lac)                              |                                      | Agreement No. & Date | Date of Completion as per Agreement | Actual of Completion Date | Value of IRI (In Km) | Thickness of Bitumen Layer (In mm) | Value of Bitumen Content in % | Previous Total Allotted Amount (In Lac) | Up to date expenditure as per MIS (In Lac) | Requisition Against work done (In Lac) | Remarks   |
|--------|-----------------------|-------------------------------------------------------|-----------------------|------------------------------------------------|------------------------------|-----------------|--------------------------------------------------------|--------------------------------------|----------------------|-------------------------------------|---------------------------|----------------------|------------------------------------|-------------------------------|-----------------------------------------|--------------------------------------------|----------------------------------------|-----------|
|        |                       |                                                       |                       |                                                | Length (In Km.)              | Amount (In Lac) | Initial Rectification on with Surface Renewal (in Lac) | 5 Years Routine Maintenance (in Lac) |                      |                                     |                           |                      |                                    |                               |                                         |                                            |                                        |           |
| 1      | MR-N/20-21 BANKA-1/17 | Banka Belhar PWD Road (Beldiha More) to Bishanpur     | 27351036034           | 6274 & 02.12.2019                              | 4.620                        | 167.028         | 110.198                                                | 45.810                               | 6 MBD / 2020-21      | 03-05-2021                          | 10-03-2021                | 3.75                 | 25                                 | 5                             | 0                                       | 0                                          | 110.198                                | Completed |
|        |                       | Belhar Sahebganj RCD Road (Pachrukhi more ) to Pasia. | 20703501006           | 6274 & 02.12.2019                              | 9.050                        | 393.658         | 276.256                                                | 89.776                               | 6 MBD / 2020-21      | 03-05-2021                          | 06-12-2020                | 3.53                 | 25                                 | 5                             | 0                                       | 0                                          | 276.256                                | Completed |



**Executive Engineer  
Rural Works Department  
Works Division, Banka-I**

Name of Customer : Anil Kumar Singh

Name of Work/ Road : Belhar Sahebganj RCD Road (Pachrukhi more ) to Pasia

| Date       | Time       | Section | Length | Bumps | Speed | OR    |      | CATEGORY | IRI  | Latitude | Longitude | Event         |
|------------|------------|---------|--------|-------|-------|-------|------|----------|------|----------|-----------|---------------|
|            |            | No.     | in km  | in mm | Rate  | mm/km | UIV  | ROAD     |      |          |           |               |
| 14-12-2020 | 17: 0: 0   | 32      | 0.1    | 320   | 20.2  | 3200  | 3141 | G        | 3.09 | 28.66604 | 77.18153  | Normal        |
| 14-12-2020 | 17: 0: 0   | 32      | 0.2    | 330   | 20.2  | 3300  | 3226 | G        | 3.38 | 28.66680 | 77.18190  | Normal        |
| 14-12-2020 | 17: 0: 18  | 32      | 0.3    | 330   | 30.3  | 3300  | 3220 | G        | 3.39 | 28.66770 | 77.18229  | Normal        |
| 14-12-2020 | 17: 0: 18  | 32      | 0.4    | 340   | 20.2  | 3400  | 3320 | G        | 3.39 | 28.66848 | 77.18268  | Normal        |
| 14-12-2020 | 17: 1: 0   | 32      | 0.5    | 340   | 20.2  | 3400  | 3394 | G        | 3.79 | 28.66941 | 77.18311  | Normal        |
| 14-12-2020 | 17: 1: 28  | 32      | 0.6    | 340   | 20.2  | 3400  | 3383 | G        | 3.73 | 28.67001 | 77.18370  | Normal        |
| 14-12-2020 | 17: 1: 28  | 32      | 0.7    | 370   | 30.3  | 3700  | 3641 | G        | 3.09 | 28.66995 | 77.18468  | Normal        |
| 14-12-2020 | 17: 2: 0   | 32      | 0.8    | 370   | 30.3  | 3700  | 3614 | G        | 3.09 | 28.66991 | 77.18563  | Normal        |
| 14-12-2020 | 17: 3: 35  | 32      | 0.9    | 320   | 30.3  | 3200  | 3147 | G        | 3.37 | 28.66991 | 77.18573  | Normal        |
| 14-12-2020 | 17: 3: 35  | 32      | 1      | 390   | 30.3  | 3900  | 3899 | G        | 3.3  | 28.66991 | 77.18563  | Normal        |
| 14-12-2020 | 17: 4: 10  | 32      | 1.1    | 300   | 20.2  | 3000  | 2978 | G        | 3.3  | 28.66991 | 77.18562  | Normal        |
| 14-12-2020 | 17: 4: 10  | 32      | 1.2    | 340   | 10.1  | 3400  | 3394 | G        | 3.79 | 28.66991 | 77.18562  | Speed Breaker |
| 14-12-2020 | 17: 4: 45  | 32      | 1.3    | 360   | 30.3  | 3600  | 3562 | G        | 3.99 | 28.66991 | 77.18562  | Normal        |
| 14-12-2020 | 17: 4: 45  | 32      | 1.4    | 380   | 30.3  | 3800  | 3720 | G        | 3.39 | 28.66991 | 77.18562  | Normal        |
| 14-12-2020 | 17: 4: 45  | 32      | 1.5    | 320   | 30.3  | 3200  | 3147 | G        | 3.37 | 28.66991 | 77.18562  | Normal        |
| 14-12-2020 | 17: 5: 21  | 32      | 1.6    | 340   | 30.3  | 3400  | 3305 | G        | 3.78 | 28.66960 | 77.18756  | Normal        |
| 14-12-2020 | 17: 17: 6  | 32      | 1.7    | 340   | 30.3  | 3400  | 3394 | G        | 3.79 | 28.66974 | 77.18662  | Normal        |
| 14-12-2020 | 17: 17: 42 | 32      | 1.8    | 340   | 20.2  | 3400  | 3327 | G        | 3.78 | 28.66978 | 77.18566  | Normal        |
| 14-12-2020 | 17: 17: 42 | 32      | 1.9    | 330   | 10.1  | 3300  | 3226 | G        | 3.38 | 28.66984 | 77.18468  | Normal        |
| 14-12-2020 | 17: 18: 17 | 32      | 2      | 390   | 10.1  | 3900  | 3899 | G        | 3.3  | 28.66992 | 77.18355  | Speed Breaker |
| 14-12-2020 | 17: 18: 17 | 32      | 2.1    | 390   | 10.1  | 3900  | 3888 | G        | 3.38 | 28.66996 | 77.18438  | Normal        |
| 14-12-2020 | 17: 18: 17 | 32      | 2.2    | 330   | 30.3  | 3300  | 3126 | G        | 3.38 | 28.66991 | 77.18540  | Normal        |
| 14-12-2020 | 17: 19: 0  | 32      | 2.3    | 360   | 30.3  | 3600  | 3562 | G        | 3.99 | 28.66985 | 77.18636  | Normal        |
| 14-12-2020 | 17: 19: 0  | 32      | 2.4    | 320   | 10.1  | 3200  | 3147 | G        | 3.37 | 28.66972 | 77.18734  | Normal        |
| 14-12-2020 | 17: 19: 0  | 32      | 2.5    | 370   | 20.2  | 3700  | 3641 | G        | 3.09 | 28.66947 | 77.18835  | Normal        |
| 14-12-2020 | 17: 19: 0  | 32      | 2.6    | 330   | 30.3  | 3300  | 3226 | G        | 3.38 | 28.66925 | 77.18921  | Normal        |
| 14-12-2020 | 17: 19: 28 | 32      | 2.7    | 320   | 30.3  | 3200  | 3147 | G        | 3.37 | 28.66899 | 77.19019  | Normal        |
| 14-12-2020 | 17: 19: 28 | 32      | 2.8    | 380   | 30.3  | 3800  | 3720 | G        | 3.39 | 28.66869 | 77.19130  | Normal        |
| 14-12-2020 | 17: 19: 28 | 32      | 2.9    | 320   | 10.1  | 3200  | 3136 | G        | 3.3  | 28.66844 | 77.19199  | Normal        |
| 14-12-2020 | 17: 20: 3  | 32      | 3      | 390   | 20.2  | 3900  | 3869 | G        | 3.3  | 28.66869 | 77.19103  | Normal        |
| 14-12-2020 | 17: 20: 3  | 32      | 3.1    | 320   | 30.3  | 3200  | 3147 | G        | 3.37 | 28.66895 | 77.19000  | Normal        |
| 14-12-2020 | 17: 20: 3  | 32      | 3.2    | 310   | 20.2  | 3100  | 3068 | G        | 3.37 | 28.66921 | 77.18904  | Normal        |
| 14-12-2020 | 17: 20: 38 | 32      | 3.3    | 310   | 10.1  | 3100  | 3018 | G        | 3.37 | 28.66947 | 77.18808  | Speed Breaker |
| 14-12-2020 | 17: 20: 38 | 32      | 3.4    | 320   | 30.3  | 3200  | 3147 | G        | 3.37 | 28.66968 | 77.18707  | Normal        |
| 14-12-2020 | 17: 21: 0  | 32      | 3.5    | 300   | 30.3  | 3000  | 2978 | G        | 3.3  | 28.66975 | 77.18596  | Normal        |
| 14-12-2020 | 17: 24: 10 | 32      | 3.6    | 370   | 30.3  | 3700  | 3641 | G        | 3.09 | 28.66984 | 77.18500  | Normal        |
| 14-12-2020 | 17: 26: 0  | 32      | 3.7    | 370   | 30.3  | 3700  | 3641 | G        | 3.09 | 28.66989 | 77.18397  | Normal        |
| 14-12-2020 | 17: 26: 31 | 32      | 3.8    | 350   | 30.3  | 3500  | 3473 | G        | 3.89 | 28.66998 | 77.18394  | Normal        |
| 14-12-2020 | 17: 27: 6  | 32      | 3.9    | 320   | 20.2  | 3200  | 3136 | G        | 3.3  | 28.66991 | 77.18490  | Speed Breaker |
| 14-12-2020 | 17: 27: 6  | 32      | 4      | 370   | 10.1  | 3700  | 3641 | G        | 3.09 | 28.66987 | 77.18598  | Normal        |
| 14-12-2020 | 17: 27: 41 | 32      | 4.1    | 380   | 10.1  | 3800  | 3720 | G        | 3.39 | 28.66980 | 77.18697  | Normal        |
| 14-12-2020 | 17: 27: 41 | 32      | 4.2    | 370   | 10.1  | 3700  | 3641 | G        | 3.09 | 28.66961 | 77.18798  | Normal        |
| 14-12-2020 | 17: 28: 0  | 32      | 4.3    | 330   | 30.3  | 3300  | 3126 | G        | 3.38 | 28.66938 | 77.18889  | Normal        |
| 14-12-2020 | 17: 28: 17 | 32      | 4.4    | 370   | 30.3  | 3700  | 3641 | G        | 3.09 | 28.66911 | 77.18990  | Normal        |

$$Y = 0 * X^2 + 0.789 * X + 100.5$$

$$X = 6800$$

$$Y = 5465$$

(B) BITUMINOUS CONC.

Good Average Poor  
<2000 2000-3000 >3000

|            |            |    |     |     |      |      |      |   |      |          |          |               |
|------------|------------|----|-----|-----|------|------|------|---|------|----------|----------|---------------|
| 14-12-2020 | 17: 28: 17 | 32 | 4.5 | 360 | 10.1 | 3600 | 3562 | G | 3.99 | 28.66884 | 77.19088 | Speed Breaker |
| 14-12-2020 | 17: 28: 52 | 32 | 4.6 | 390 | 20.2 | 3900 | 3879 | G | 3.3  | 28.66854 | 77.19187 | Normal        |
| 14-12-2020 | 17: 29: 27 | 32 | 4.7 | 330 | 30.3 | 3300 | 3136 | G | 3.3  | 28.66856 | 77.19146 | Normal        |
| 14-12-2020 | 17: 29: 27 | 32 | 4.8 | 360 | 30.3 | 3600 | 3562 | G | 3.99 | 28.66882 | 77.19045 | Normal        |
| 14-12-2020 | 17: 30: 3  | 32 | 4.9 | 360 | 30.3 | 3600 | 3568 | G | 3.99 | 28.66906 | 77.18956 | Normal        |
| 14-12-2020 | 17: 30: 3  | 32 | 5   | 350 | 10.1 | 3500 | 3484 | G | 3.89 | 28.66933 | 77.18857 | Normal        |
| 14-12-2020 | 17: 30: 3  | 32 | 5.1 | 330 | 20.2 | 3300 | 3247 | G | 3.37 | 28.66958 | 77.18764 | Normal        |
| 14-12-2020 | 17: 30: 38 | 32 | 5.2 | 300 | 20.2 | 3000 | 2978 | G | 3.3  | 28.66972 | 77.18658 | Normal        |
| 14-12-2020 | 17: 41: 32 | 32 | 5.3 | 370 | 30.3 | 3700 | 3641 | G | 3.09 | 28.66983 | 77.18519 | Normal        |
| 14-12-2020 | 17: 42: 0  | 32 | 5.4 | 370 | 30.3 | 3700 | 3638 | G | 3.09 | 28.66989 | 77.18409 | Normal        |
| 14-12-2020 | 17: 43: 30 | 32 | 5.5 | 330 | 30.3 | 3300 | 3215 | G | 3.7  | 28.66991 | 77.18562 | Normal        |
| 14-12-2020 | 17: 43: 30 | 32 | 5.6 | 340 | 20.2 | 3400 | 3375 | G | 3.78 | 28.66991 | 77.18562 | Normal        |
| 14-12-2020 | 17: 44: 3  | 32 | 5.7 | 340 | 20.2 | 3400 | 3335 | G | 3.78 | 28.66991 | 77.18562 | Normal        |
| 14-12-2020 | 17: 44: 3  | 32 | 5.8 | 360 | 10.1 | 3600 | 3562 | G | 3.99 | 28.66962 | 77.18754 | Normal        |
| 14-12-2020 | 17: 44: 3  | 32 | 5.9 | 350 | 10.1 | 3500 | 3484 | G | 3.89 | 28.66925 | 77.18852 | Normal        |
| 14-12-2020 | 17: 44: 38 | 32 | 6   | 350 | 20.2 | 3500 | 3464 | G | 3.89 | 28.66889 | 77.18943 | Speed Breaker |
| 14-12-2020 | 17: 44: 38 | 32 | 6.1 | 350 | 20.2 | 3500 | 3482 | G | 3.89 | 28.66849 | 77.19040 | Bridge        |
| 14-12-2020 | 17: 45: 0  | 32 | 6.2 | 300 | 30.3 | 3000 | 2958 | G | 3.3  | 28.66810 | 77.19138 | Normal        |
| 14-12-2020 | 17: 54: 19 | 32 | 6.3 | 380 | 30.3 | 3800 | 3720 | G | 3.39 | 28.66982 | 77.18562 | Normal        |
| 14-12-2020 | 17: 54: 19 | 32 | 6.4 | 330 | 10.1 | 3300 | 3226 | G | 3.38 | 28.66984 | 77.18463 | Normal        |
| 14-12-2020 | 17: 55: 0  | 32 | 6.5 | 390 | 30.3 | 3900 | 3795 | G | 3.3  | 28.66977 | 77.18362 | Normal        |
| 14-12-2020 | 17: 55: 0  | 32 | 6.6 | 330 | 20.2 | 3300 | 3264 | G | 3.38 | 28.66910 | 77.18300 | Normal        |
| 14-12-2020 | 17: 55: 30 | 32 | 6.7 | 390 | 10.1 | 3900 | 3858 | G | 3.38 | 28.66833 | 77.18263 | Speed Breaker |
| 14-12-2020 | 17: 55: 30 | 32 | 6.8 | 330 | 30.3 | 3300 | 3248 | G | 3.3  | 28.66751 | 77.18227 | Normal        |
| 14-12-2020 | 17: 56: 5  | 32 | 6.9 | 300 | 20.2 | 3000 | 2951 | G | 3.3  | 28.66665 | 77.18184 | Normal        |
| 14-12-2020 | 17: 56: 5  | 32 | 7   | 380 | 10.1 | 3800 | 3773 | G | 3.39 | 28.66579 | 77.18143 | Normal        |
| 14-12-2020 | 17: 56: 5  | 32 | 7.1 | 330 | 30.3 | 3300 | 3264 | G | 3.3  | 28.66498 | 77.18104 | Normal        |
| 14-12-2020 | 17: 56: 40 | 32 | 7.2 | 390 | 30.3 | 3900 | 3847 | G | 3.38 | 28.66407 | 77.18064 | Normal        |
| 14-12-2020 | 17: 58: 25 | 32 | 7.3 | 370 | 30.3 | 3700 | 3683 | G | 3.03 | 28.66352 | 77.18013 | Normal        |
| 14-12-2020 | 17: 59: 1  | 32 | 7.4 | 350 | 30.3 | 3500 | 3464 | G | 3.89 | 28.66366 | 77.17918 | Normal        |
| 14-12-2020 | 17: 59: 36 | 32 | 7.5 | 380 | 30.3 | 3800 | 3752 | G | 3.33 | 28.66381 | 77.17810 | Normal        |
| 14-12-2020 | 18: 0: 0   | 32 | 7.6 | 380 | 10.1 | 3800 | 3738 | G | 3.33 | 28.66396 | 77.17717 | Speed Breaker |
| 14-12-2020 | 18: 0: 11  | 32 | 7.7 | 380 | 10.1 | 3800 | 3698 | G | 3.33 | 28.66426 | 77.17616 | Normal        |
| 14-12-2020 | 18: 1: 0   | 32 | 7.8 | 340 | 10.1 | 3400 | 3372 | G | 3.7  | 28.66471 | 77.17525 | Normal        |
| 14-12-2020 | 18: 2: 0   | 32 | 7.9 | 300 | 20.2 | 3000 | 2834 | G | 3.33 | 28.66515 | 77.17438 | Normal        |
| 14-12-2020 | 18: 2: 32  | 32 | 8   | 330 | 30.3 | 3300 | 3254 | G | 3.37 | 28.66562 | 77.17359 | Normal        |
| 14-12-2020 | 18: 2: 32  | 32 | 8.1 | 300 | 20.2 | 3000 | 2947 | G | 3.33 | 28.66596 | 77.17263 | Normal        |
| 14-12-2020 | 18: 3: 7   | 32 | 8.2 | 330 | 20.2 | 3300 | 3215 | G | 3.33 | 28.66608 | 77.17200 | Normal        |
| 14-12-2020 | 18: 3: 43  | 32 | 8.3 | 330 | 30.3 | 3300 | 3205 | G | 3.33 | 28.66617 | 77.17067 | Normal        |
| 14-12-2020 | 18: 4: 0   | 32 | 8.4 | 380 | 10.1 | 3800 | 3787 | G | 3.07 | 28.66651 | 77.16975 | Speed Breaker |
| 14-12-2020 | 18: 4: 18  | 32 | 8.5 | 330 | 20.2 | 3300 | 3225 | G | 3.37 | 28.66692 | 77.16879 | Normal        |
| 14-12-2020 | 18: 4: 18  | 32 | 8.6 | 300 | 20.2 | 3000 | 2956 | G | 3.33 | 28.66732 | 77.16790 | Normal        |
| 14-12-2020 | 18: 4: 18  | 32 | 8.7 | 300 | 30.3 | 3000 | 2895 | G | 3.38 | 28.66771 | 77.16697 | Normal        |
| 14-12-2020 | 18: 5: 0   | 32 | 8.8 | 300 | 20.2 | 3000 | 2967 | G | 3.38 | 28.66810 | 77.16611 | Normal        |
| 14-12-2020 | 18: 5: 0   | 32 | 8.9 | 390 | 20.2 | 3900 | 3888 | G | 3.38 | 28.66855 | 77.16515 | Normal        |
| 14-12-2020 | 18: 5: 0   | 32 | 9   | 370 | 20.2 | 3700 | 3630 | G | 3.09 | 28.66895 | 77.16426 | Normal        |
| 14-12-2020 | 18: 5: 29  | 32 | 9.1 | 300 | 20.2 | 3000 | 2967 | G | 3.38 | 28.66934 | 77.16333 | Normal        |

*Sharma*  
14.12.2020  
J-E

Junior Engineer

*Prifam*  
14.12.2020

Asstt. Engineer  
Rural Works Department  
Works Division, Banka-I

*S. S. S.*  
14.12.20

Executive Engineer  
Rural Works Department  
Works Division, Banka-I

Lab Job number :32

Date :14-12-2020

Customer :Anil Kumar Singh

Sahebganj RCD Road (Pachrukhi more ) to Paisa

| Sr.no | Location of<br>test(in km) | Corrected U.I<br>value(mm/km) | Road catagory |
|-------|----------------------------|-------------------------------|---------------|
|       |                            |                               |               |
| 1     | 0.1                        | 3141                          | G             |
| 2     | 0.2                        | 3226                          | G             |
| 3     | 0.3                        | 3220                          | G             |
| 4     | 0.4                        | 3320                          | G             |
| 5     | 0.5                        | 3394                          | G             |
| 6     | 0.6                        | 3383                          | G             |
| 7     | 0.7                        | 3641                          | G             |
| 8     | 0.8                        | 3614                          | G             |
| 9     | 0.9                        | 3147                          | G             |
| 10    | 1                          | 3899                          | G             |
| 11    | 1.1                        | 2978                          | G             |
| 12    | 1.2                        | 3394                          | G             |
| 13    | 1.3                        | 3562                          | G             |
| 14    | 1.4                        | 3720                          | G             |
| 15    | 1.5                        | 3147                          | G             |
| 16    | 1.6                        | 3305                          | G             |
| 17    | 1.7                        | 3394                          | G             |
| 18    | 1.8                        | 3327                          | G             |
| 19    | 1.9                        | 3226                          | G             |
| 20    | 2                          | 3899                          | G             |
| 21    | 2.1                        | 3888                          | G             |
| 22    | 2.2                        | 3126                          | G             |
| 23    | 2.3                        | 3562                          | G             |
| 24    | 2.4                        | 3147                          | G             |
| 25    | 2.5                        | 3641                          | G             |
| 26    | 2.6                        | 3226                          | G             |
| 27    | 2.7                        | 3147                          | G             |
| 28    | 2.8                        | 3720                          | G             |
| 29    | 2.9                        | 3136                          | G             |
| 30    | 3                          | 3869                          | G             |
| 31    | 3.1                        | 3147                          | G             |
| 32    | 3.2                        | 3068                          | G             |
| 33    | 3.3                        | 3018                          | G             |
| 34    | 3.4                        | 3147                          | G             |
| 35    | 3.5                        | 2978                          | G             |
| 36    | 3.6                        | 3641                          | G             |
| 37    | 3.7                        | 3641                          | G             |
| 38    | 3.8                        | 3473                          | G             |
| 39    | 3.9                        | 3136                          | G             |
| 40    | 4                          | 3641                          | G             |
| 41    | 4.1                        | 3720                          | G             |
| 42    | 4.2                        | 3641                          | G             |
| 43    | 4.3                        | 3126                          | G             |
| 44    | 4.4                        | 3641                          | G             |
| 45    | 4.5                        | 3562                          | G             |
| 46    | 4.6                        | 3879                          | G             |
| 47    | 4.7                        | 3136                          | G             |
| 48    | 4.8                        | 3562                          | G             |
| 49    | 4.9                        | 3568                          | G             |

|    |     |      |   |
|----|-----|------|---|
| 50 | 5   | 3484 | G |
| 51 | 5.1 | 3247 | G |
| 52 | 5.2 | 2978 | G |
| 53 | 5.3 | 3641 | G |
| 54 | 5.4 | 3638 | G |
| 55 | 5.5 | 3215 | G |
| 56 | 5.6 | 3375 | G |
| 57 | 5.7 | 3335 | G |
| 58 | 5.8 | 3562 | G |
| 59 | 5.9 | 3484 | G |
| 60 | 6   | 3464 | G |
| 61 | 6.1 | 3482 | G |
| 62 | 6.2 | 2958 | G |
| 63 | 6.3 | 3720 | G |
| 64 | 6.4 | 3226 | G |
| 65 | 6.5 | 3795 | G |
| 66 | 6.6 | 3264 | G |
| 67 | 6.7 | 3858 | G |
| 68 | 6.8 | 3248 | G |
| 69 | 6.9 | 2951 | G |
| 70 | 7   | 3773 | G |
| 71 | 7.1 | 3264 | G |
| 72 | 7.2 | 3847 | G |
| 73 | 7.3 | 3683 | G |
| 74 | 7.4 | 3464 | G |
| 75 | 7.5 | 3752 | G |
| 76 | 7.6 | 3738 | G |
| 77 | 7.7 | 3698 | G |
| 78 | 7.8 | 3372 | G |
| 79 | 7.9 | 2834 | G |
| 80 | 8   | 3254 | G |
| 81 | 8.1 | 2947 | G |
| 82 | 8.2 | 3215 | G |
| 83 | 8.3 | 3205 | G |
| 84 | 8.4 | 3787 | G |
| 85 | 8.5 | 3225 | G |
| 86 | 8.6 | 2956 | G |
| 87 | 8.7 | 2895 | G |
| 88 | 8.8 | 2967 | G |
| 89 | 8.9 | 3888 | G |
| 90 | 9   | 3630 | G |
| 91 | 9.1 | 2967 | G |

*Skumar*  
14.12.2020  
J.E.

Junior Engineer

*Prifam*  
14.12.2020

Asstt. Engineer  
Rural Works Department  
Works Division, Banka-I

*S. S. S.*  
14.12.20

Executive Engineer  
Rural Works Department  
Works Division, Banka-I

Name of Customer : Anil Kumar Singh  
 Name of Work/ Road : Belhar Sahebganj RCD Road (F  
 Lab Job number : 32  
 Date : 14-12-2020  
 Section No. : 32


Test Date : 14-12-2020 Road Name : pad (Pachrukhi more ) to Paisa  
 Machine No : 407 Road Type : (R) RURAL ROAD  
 Start S No : Side : Interval  
 Start E No :  
 Weather : UIV Range : 1834 To 5000 1000 mm/km  
 Start Location : Dist Range : 0 To 9.2 0.1 \* 1000 m  
 End Location : Equation :  $Y = 0 * X^2 + 0.789 * X + 100.5$

Print

Generate Report and Graph

Redraw Graph

Map View



Skumar  
 14.12.2020  
 J.E.

Prifam  
 14.12.2020

S. L. D. S.  
 14.12.20

Skizze  
14.12.2020  
J.E.

Prifam  
14.12.2020

Subido  
14.12.20