

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, सासाराम-1

Email ID:-ee.rwd.sasaram1@gmail.com

Mob:- 8986915310

पत्रांक.....2086..... सासाराम/दिनांक.....24-12-2020

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, सासाराम-1

सेवामें,

नोडल पदाधिकारी (MR 3054)
ग्रामीणकार्यविभाग
पटना, बिहार

विषय:-

नई अनुरक्षण नीति-2018MR (3054) योजना के अंतर्गत पथ में कराये गये कार्य के विरुद्ध आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में सूचित करना है कि नई अनुरक्षण नीति-2018 MR (3054) योजना के अंतर्गत पथ में कराये गये कार्य के लिए संवेदक को भुगतान करने हेतु अधियाचना विहित प्रपत्र में भरकर आवश्यक कार्यवाही हेतु समर्पित की जाती है।

अनु० :- यथोक्त।

विश्वासभाजन

24/12/20
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, सासाराम-1
24/12/20

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150)

Form of Utilization Certificate up to 24 Dec 2020

Sl.No	Name of Scheme	Sanction No.&Date With Amount (In lace Rs.)	Amount Received (In lace Rs.)	Particulars
1	Construction of Rural roads Under MR	New Maintenance Policy-2018 MR (3054) BRRDA PATNA Letter No.82, dt. 13.11.2020 Letter No.84, dt. 26.11.2020 Letter No.86, dt. 11.12.2020	1093.3500	Certified that out of Rs. 1093.35000 lakh of grants-in-aid sanctioned during the years 2020-21 Infavor of EE,RWD works division Sasaram-1 a sum of Rs 273.90390 lakh has been utilized for the purpose of MR (3054) Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 819.4461 lakh remaining unutilized at the end of the period under report.
	Total:		1093.3500	

- 32.** Certified that I have satisfied my self that the conditions on which the grant-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was utilized for the purpose for which it was sanctioned.


Kind of Checks exercised:-

- lxxvi. Works have been supervised by Executive Engineer/ Superintending Engineer.
- lxxvii. Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- lxxviii. Construction materials have been tested.
- lxxix. Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/ Executive Engineer.
- lxxx. All other caudal formalities have been observed.

33. Physical Progress achieved:-

- xvi. Construction of Road Works.
- ii. Construction of CD works.


Divisional Accounts Officer
R.W.D. works Division
Sasaram-1


Executive Engineer
R.W.D. works Division
Sasaram-1

OFFICE OF EXECUTIVE ENGINEER, RURAL WORKS DEPARTMENT, WORKS DIVISION, SASARAM-1

Requisition Format for Scheme Head - MR(3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division:- Sasaram-1

Sl no.	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No & Date	Administrative Approval (AA)			Agreement Amount (in Lakh)		Agreement No& Date	Date of Completion as per Agreement	Actual Date of Completion	Value of RI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in lakh)	Remarks
					Length (in km)	Amount of (in lakh)	Initial Rectification with Surface Renewal (in lakh)	5 Year Routine Maintenance (in Lakh)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
1	8	Const. of Road from kargahar kanak semri road to Mahuari	10301101003	3021 16.07.2019	5.500	176.00040	116.767	28.22176	07/MBU/2020-21 20.02.20	19.10.2020	-	1815	25.00	5.04	0.00000	0.00000	116.76700		
Total					5.500	176.00040	116.767	28.22176							0.00000	0.00000	116.76700		

24/11/20
Divisional Accounts Officer
Rural Works Department, Sasaram-1
Works Division, Sasaram-1

24/11/20
Executive Engineer, Works Division, Sasaram-1

Name of Customer: Anil Chaubey
 Name of Work: Const. of road from Kargahar Ki Road:
 Lab Job number: 14
 Date: 20/12/2020
 Section No. 14


Test Date: 20/12/2020
 Machine No: 391
 Start S. No: 6038
 Street No: 6077
 Weather: Normal
 Start Location: 25.17565, 83.91
 End Location: 25.17191, 83.95
 Road Name: Const. of road from Kargahar Ki
 Road Type: (R) RURAL ROAD
 Side: Kargahar
 UIV Range: 382 To 4000 Interval: 1000 mm/Aur
 Dist Range: 0 To 1.148 Interval: 0.028 * 10000 m
 Equation: $Y = 0 * X^2 + 1.136 * X + 132.5$

Print

Generate Report and Graph

Redraw Graph

Map View



22/12/20
 U.S. SINGH
 U.S. SINGH
 U.S. SINGH

Name of Road : Const. of road from Kargahar Kanak Semri Road to Mahuuri

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI/TEGORY ROAD	Latitude	ongitude	Event
20/12/20	9:56:30	14	0.1	210	0	2100	2515 G	25.17585	83.91648	Normal
20/12/20	9:57:5	14	0.1	200	10.1	2000	2415 G	25.17651	83.91586	Normal
20/12/20	9:57:5	14	0.1	-150	10.1	1500	1915 G	25.17661	83.91485	Normal
20/12/20	9:58:0	14	0.1	260	10.1	2600	3015 G	25.17617	83.91407	Normal
20/12/20	9:58:15	14	0.1	150	10.1	1500	1915 G	25.1757	83.91325	Normal
20/12/20	9:59:0	14	0.1	220	10.1	2200	2615 G	25.17571	83.91224	Normal
20/12/20	9:59:26	14	0.1	260	10.1	2600	3015 G	25.17618	83.91143	Normal
20/12/20	10:0:0	14	0.1	290	10.1	2900	3315 G	25.17581	83.91052	Normal
20/12/20	10:0:1	14	0.1	170	10.1	1700	2115 G	25.17561	83.90955	Normal
20/12/20	10:0:36	14	0.1	260	10.1	2600	3015 G	25.17511	83.90899	Normal
20/12/20	10:1:12	14	0.1	270	10.1	2700	3115 G	25.17421	83.90889	Normal
20/12/20	10:1:12	14	0.1	250	10.1	2500	2915 G	25.17392	83.90813	Normal
20/12/20	10:1:47	14	0.1	200	20.2	2000	2415 G	25.174	83.90714	Normal
20/12/20	10:2:0	14	0.1	140	10.1	1400	1815 G	25.17414	83.90623	Normal
20/12/20	10:2:22	14	0.1	160	10.1	1600	2015 G	25.17502	83.90599	Normal
20/12/20	10:2:37	14	0.1	140	11.2	1200	2215 G	25.17535	83.90621	Normal
20/12/20	10:3:0	14	0.1	240	10.1	2400	2815 G	25.17535	83.90524	Normal
20/12/20	10:3:33	14	0.1	230	10.1	2300	2715 G	25.17523	83.90421	Normal
20/12/20	10:3:50	14	0.1	230	12.1	2400	2516 G	25.17612	83.90524	Normal
20/12/20	10:4:0	14	0.1	220	10.1	2200	2615 G	25.17528	83.90327	Normal
20/12/20	10:4:8	14	0.1	190	10.1	1900	2315 G	25.17511	83.90226	Normal
20/12/20	10:4:43	14	0.1	220	10.1	2200	2615 G	25.17512	83.90126	Normal
20/12/20	10:5:19	14	0.1	200	0	2000	2415 G	25.17502	83.9003	Normal
20/12/20	10:5:54	14	0.1	230	10.1	2300	2715 G	25.17515	83.89934	Normal
20/12/20	10:6:0	14	0.1	180	10.1	1800	2215 G	25.17529	83.89835	Normal
20/12/20	10:6:29	14	0.1	260	20.2	2600	3015 G	25.17561	83.89744	Normal
20/12/20	10:6:29	14	0.1	250	10.1	2500	2915 G	25.17578	83.89646	Normal
20/12/20	10:7:5	14	0.1	210	10.1	2100	2515 G	25.17611	83.89547	Normal
20/12/20	10:8:0	14	0.1	270	0	2700	3115 G	25.17611	83.89451	Normal
20/12/20	10:8:15	14	0.1	150	10.1	1500	1915 G	25.17641	83.89362	Normal
20/12/20	10:9:0	14	0.1	220	10.1	2200	2615 G	25.17646	83.89264	Normal
20/12/20	10:9:26	14	0.1	250	10.1	2500	2915 G	25.17641	83.89172	Normal
20/12/20	10:9:26	14	0.1	270	20.2	2700	3115 G	25.17555	83.89145	Normal
20/12/20	10:10:1	14	0.1	200	20.2	2000	2415 G	25.17462	83.89118	Normal
20/12/20	10:10:1	14	0.1	180	10.1	1800	2215 G	25.17386	83.89067	Normal
20/12/20	10:11:0	14	0.1	230	10.1	2300	2715 G	25.17299	83.89056	Normal
20/12/20	10:11:11	14	0.1	110	20.2	1100	1515 G	25.17211	83.89051	Normal
20/12/20	10:12:0	14	0.1	290	14.2	2900	3315 G	25.17148	83.89012	Normal
20/12/20	10:12:22	14	0.1	180	20.2	1800	2215 G	25.17164	83.88906	Normal

$$Y = 0 * X^2 + 1.000 * X + 415.2$$

$$X = 1300$$

$$Y = 1715$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

Wb
24/11/20
S. P. (P) EN. Kargahar

20/12/20	10:12:22	14	0.1	290	10.1	2900	3315	G	25.17174	83.8881	Normal
20/12/20	10:13:33	14	0.1	230	12.3	2300	2715	G	25.17186	83.88707	Normal
20/12/20	10:14:8	14	0.1	130	11.2	1300	1715	G	25.17191	83.88678	Normal
Total			4.2								


19
 24112/2
 Executive Robinson
 D.I.W) Div. Manager

Test Date	20/12/2020	+	Road Name	Const. of road from Kargahar K.		
Machine No	391		Road Type	(F) RURAL ROAD		
Start S. No	6078		Stone	Kargahar	Interval	
Start E. No	6030		UTM Range	382	10	4000 1000
Weather	Normal					mm/km
Start Location	2517262.63 N		Dist. Range	10	10	1146 0.028
						*1800 m

Map View

File : E:\Office Work Rakesh\Requistion Nov 2020\16. Anil Chaubey + Nawal Kishore Singh 20.12.2020\20121959

Name of Customer :Anil Chaubey. **Name of Work/ Road :**Const of road from Kargahar Kanak Semi road to mahuar.



Q. W. D. (W) DIV. MEMPHIS

~~Not to be used in the following circumstances~~

Name of Road : Const. of road from Kargahar Kanak Semri Road to Mahuari

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	IRI CATEGORY ROAD	Latitude	Longitude	Event
20/12/20	10:26:0	15	0.1	150	0	1500	1915	G	25.17752	83.89197	Normal
20/12/20	10:26:33	15	0.1	220	10.1	2200	2615	G	25.17826	83.89152	Normal
20/12/20	10:27:9	15	0.1	120	10.1	1200	1615	G	25.17855	83.89059	Normal
20/12/20	10:27:9	15	0.1	220	10.1	2200	2615	G	25.17913	83.89008	Normal
20/12/20	10:28:0	15	0.1	110	10.1	1100	1515	G	25.17963	83.88975	Normal
20/12/20	10:28:20	15	0.1	240	10.1	2400	2815	G	25.18012	83.88934	Normal
20/12/20	10:28:20	15	0.1	250	10.1	2500	2915	G	25.1809	83.88988	Normal
20/12/20	10:29:0	15	0.1	220	10.1	2200	2615	G	25.1817	83.89005	Normal
20/12/20	10:29:30	15	0.1	260	10.1	2600	3015	G	25.18211	83.88916	Normal
20/12/20	10:30:6	15	0.1	100	10.1	1000	1415	G	25.18244	83.88822	Normal
20/12/20	10:31:0	15	0.1	240	0	2400	2815	G	25.18275	83.88729	Normal
20/12/20	10:32:27	15	0.1	280	0	2800	3215	G	25.18285	83.88633	Normal
20/12/20	10:32:27	15	0.1	140	20.2	1400	1815	G	25.18286	83.88593	Normal
Total			1.3								

$$Y = 0 * X^2 + 1.000 * X + 415.2$$

$$X = 1400$$

$$Y = 1815$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

20/12/20
M.P. (R) DIV. BHOJENDRA