

Name of Customer: SUSHIL KUMAR
 Name of Work/Road: MISHRACHAK TO PATARIYA
 Lab Job number:
 Date: 28-11-2020
 Section No: 51

Test Date: 28-11-2020 Road Name: MISHRACHAK TO PATARIYA
 Machine No: 368 Road Type: (R) RURAL ROAD
 Start S No:
 Start E No: Side: Interval
 Weather: UV Range: 1675 To 5000 1000 mm/km
 Start Location: MISHRACHAK Dist Range: 0 To 49 01 * 1000 m
 End Location: PATARIYA Equation: $Y = 0 \cdot X^2 + 0.984 \cdot X + 510.70$

Print


Generate Report and Graph

Redraw Graph

Map View

File: C:\Users\AMIT\Desktop\20112009.Xls, Section No. 51, Eqn: $Y = 0 \cdot X^2 + 0.984 \cdot X + 510.70$

Name of Customer: SUSHIL KUMAR, Name of Work/Road: MAIN ROAD MISHRACHAK TO PATARIYA, Lab Job



30/11/2020
20

30/11/2020
SF

30/11/2020

ROAD NAME - ARA CITY MAIN ROAD EMLI TREE MISHRACHAK NAWADA GRAM TO GRAM PATARIYA CONTRACTOR NAME - SUSHIL KUMAR

Date	Time	Section	Length	Bumps	Speed	OR	IRI	TEGORY	Latitude	Longitude	Event
No.			in km	in mm	Rate	mm/km	mm/km	ROAD			
28/11/20	19:47:0	51	0.1	270	0	2700	3167	G	25.28287	84.59823	Normal
28/11/20	19:47:0	51	0.1	290	30.3	2900	3364	G	25.28275	84.59914	Normal
28/11/20	19:48:7	51	0.1	280	31.2	2800	3265	G	25.28244	84.60012	Curve
28/11/20	19:48:7	51	0.1	260	30.3	2600	3069	G	25.28183	84.60086	Normal
28/11/20	19:48:7	51	0.1	230	32.5	2300	2773	G	25.28174	84.60167	Normal
28/11/20	19:48:43	51	0.1	250	31.2	2500	2970	G	25.28245	84.60219	Normal
28/11/20	19:49:0	51	0.1	220	30.3	2200	2675	G	25.28207	84.60301	Normal
28/11/20	19:49:0	51	0.1	260	30.3	2600	3069	G	25.28168	84.60391	Normal
28/11/20	19:49:18	51	0.1	280	30.3	2800	3265	G	25.28127	84.60488	Normal
28/11/20	19:49:53	51	0.1	270	31.2	2700	3167	G	25.2809	84.60579	Speed Breaker
28/11/20	19:50:0	51	0.1	250	30.3	2500	2970	G	25.28059	84.60672	Normal
28/11/20	19:51:4	51	0.1	280	31.2	2800	3265	G	25.28102	84.60736	Normal
28/11/20	19:52:0	51	0.1	290	32.5	2900	3364	G	25.28106	84.60828	Normal
28/11/20	19:52:14	51	0.1	300	30.3	3000	3462	G	25.28108	84.60916	Speed Breaker
28/11/20	19:53:0	51	0.1	310	30.3	3100	3561	G	25.281	84.60998	Curve
28/11/20	19:53:25	51	0.1	270	30.3	2700	3167	G	25.28165	84.61042	Curve
28/11/20	19:54:0	51	0.1	290	31.2	2900	3364	G	25.28155	84.61141	Normal
28/11/20	19:54:0	51	0.1	240	30.3	2400	2872	G	25.28156	84.61236	Normal
28/11/20	19:54:0	51	0.1	260	30.3	2600	3069	G	25.28139	84.6134	Normal
28/11/20	19:54:35	51	0.1	280	30.3	2800	3265	G	25.28069	84.61354	Normal
28/11/20	19:55:0	51	0.1	250	30.3	2500	2970	G	25.27979	84.61337	Curve
28/11/20	19:55:11	51	0.1	220	30.3	2200	2675	G	25.27964	84.61431	Curve
28/11/20	19:55:11	51	0.1	270	31.2	2700	3167	G	25.27935	84.61522	Normal
28/11/20	19:55:46	51	0.1	230	32.5	2300	2773	G	25.2792	84.61616	Normal
28/11/20	19:56:21	51	0.1	260	30.3	2600	3069	G	25.27847	84.61643	Curve
28/11/20	19:57:0	51	0.1	290	30.3	2900	3364	G	25.27823	84.61736	Speed Breaker
28/11/20	19:57:32	51	0.1	230	31.2	2300	2773	G	25.27795	84.61822	Normal
28/11/20	19:57:32	51	0.1	250	32.5	2500	2970	G	25.2778	84.61912	Normal
28/11/20	19:58:7	51	0.1	290	31.2	2900	3364	G	25.27755	84.62008	Normal
28/11/20	19:58:42	51	0.1	270	32.5	2700	3167	G	25.27795	84.62072	Normal
28/11/20	19:59:17	51	0.1	280	31.2	2800	3265	G	25.27885	84.62082	Normal
28/11/20	19:59:17	51	0.1	290	30.3	2900	3364	G	25.27958	84.62106	Curve
28/11/20	19:59:52	51	0.1	310	31.2	3100	3561	G	25.27927	84.62194	Normal
28/11/20	20:0:0	51	0.1	240	32.5	2400	2872	G	25.27903	84.62293	Normal
28/11/20	20:0:27	51	0.1	270	31.2	2700	3167	G	25.27885	84.62389	Normal
28/11/20	20:0:27	51	0.1	300	32.5	3000	3462	G	25.27872	84.62481	Normal
28/11/20	20:0:27	51	0.1	260	31.2	2600	3069	G	25.27851	84.62584	Normal
28/11/20	20:1:3	51	0.1	290	30.3	2900	3364	G	25.27797	84.62626	Normal
28/11/20	20:1:3	51	0.1	270	31.2	2700	3167	G	25.27702	84.62598	Normal
28/11/20	20:1:38	51	0.1	290	32.5	2900	3364	G	25.27691	84.62594	Normal

$$Y = 0 * X^2 + 0.984 * X + 510.70$$

$$X = 2800$$

$$Y = 3265$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

28/ 11/ 20 20: 5: 10
 28/ 11/ 20 20: 5: 10
 28/ 11/ 20 20: 5: 45
 28/ 11/ 20 20: 5: 45
 28/ 11/ 20 20: 6: 0
 28/ 11/ 20 20: 6: 20
 28/ 11/ 20 20: 6: 20
 28/ 11/ 20 20: 7: 0

51
 51
 51
 51
 51
 51
 51
 51

0.1
 0.1
 0.1
 0.1
 0.1
 0.1
 0.1
 0.1

250
 270
 280
 260
 280
 290
 250
 280

30.3
 30.3
 31.2
 32.5
 30.3
 30.3
 30.3
 31.2

2500
 2700
 2800
 2600
 2800
 2900
 2500
 2800

2970 G
 3167 G
 3265 G
 3069 G
 3265 G
 3364 G
 2970 G
 3265 G

25.27737 84.62606 Normal
 25.27829 84.62625 Curve
 25.27859 84.62544 Normal
 25.27879 84.62446 Normal
 25.27892 84.62348 Normal
 25.27914 84.62258 Normal
 25.2794 84.62158 Normal
 25.27955 84.62086 Normal

Am
 30/11/2020
 JE

Spore
 30/11/2020
 JF

Rep/ush
 30/11/2020

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, पीरो (भोजपुर)

पत्रांक 1064 / पीरो दिनांक 24.12.2020

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, पीरो (भोजपुर)।

सेवा में,

नोडल पदाधिकारी, एम0आर0 3054
ग्रामीण कार्य विभाग,
बिहार, पटना ।

विषय:-

बिहार अनुरक्षण निधि-2018 एम0आर0 योजनान्तर्गत आरा सहार मुख्य पथ में ईमली के पेड़ से ग्राम मिश्रीचक नवादा से ग्राम पतरिया पैकेज सं0-(MR-N/19-20 Piro/07) Tender Id-79928 के संबंध में ।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि बिहार अनुरक्षण निधि-2018 एम0आर0 योजनान्तर्गत आरा सहार मुख्य पथ में ईमली के पेड़ से ग्राम मिश्रीचक नवादा से ग्राम पतरिया पैकेज सं0-(MR-N/19-20 Piro/07) Tender Id-79928 का प्रशासनिक स्वीकृती में लंबाई-5.400 कि0मी0 है। जबकि इस पथ में कार्य कराने हेतु 4.800 कि0मी0 ही भूमि उपलब्ध है। अतः पथ की उक्त लंबाई 4.800 कि0मी0 में कार्य पूर्ण करा दिया गया है।

विश्वासभाजन

(B) 24/12/2020
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, पीरो (भोजपुर)।
24/12/20

कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, पीरो।

पत्रांक :- ...1064...

पीरो, दिनांक :- 24-12-2020

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, पीरो।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव
ग्रामीण कार्य विभाग
बिहार, पटना।

विषय :- योजना शीर्ष Bihar Maintenance Policy (2018) के अंतर्गत किये गये कार्य का आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि योजना शीर्ष Bihar Maintenance Policy (2018) के अंतर्गत कार्य किया गया है किये गये कार्य के भुगतान हेतु संलग्न विवरणी के अनुसार 85.73398 पचासी लाख तिहत्तर हजार तीन सौ अठानबे रु० की आवश्यकता है।

अतः अनुरोध है कि उक्त राशि का आवंटन उपलब्ध कराया जाय, ताकि किये गये विभागीय कार्य का भुगतान हो सके।

अनु०-यथोक्त।

विश्वासभाजन

(Bpsh)
24/12/2020

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, पीरो (भोजपुर)।

24/12/20


Requisition Format for Scheme Head - MR (3054) under Bihar Rural Road Maintenance Policy - 2018 (Initial Rectification and Surface Renewal)

Name of Work Division:- Piro

Sl. No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative		Agreement Amount (In Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (In mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allotted Amount (In Lakh)	Up-to-date expenditure as per MIS (In Lakh)	Requisition against work done (In Lakh)	Remarks
					Length (In km)	Amount (In Lakh)	Initial Rectification with Surface Renewal (In Lakh)	5 Years Routine Maintenance (In Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20/Piro/07	Ara Shar Main Road to Patariya	14181021741	402/02.07.2019	5.400	156.10000	94.87	38.89613	04/M.B.D./M/R-2019-20/27-01-2020	26-10-2020	30-11-2020	3076	25mm	5%	0.00	0.00	85.73398	Completed
Total					5.400	156.10000	94.870	38.89613							0.00	0.00	85.73398	

1. Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed.
2. Up-to date Physical Progress has been uploaded in MIS.


 23/12
 D.A-0

Executive Engineer
 Rural Works Department
 Works Division, Piro

 23-12-20

ARA - SAHAR MUKHYAPATH ME IMLI KA PED
TO GRAM MISHRICHAK NAWADA TO GRAM
PATARIYA.

Schedule XLV-Form No. 134

MIR. 3054

PIRO

DIVISION

ABSTRACT OF COST

SAHAR

SUB-DIVISION

Name of Contractor: → Sri Sushil Kumar.

Measurement Book

Agg. No.: → 04/MBD/MIR-2019-20.

No.: →
484

30/11/2020
 78
 8 of 11
 2020
 2020
 2020

① Stone Aggregates -	120.03 m ³	50384
ch 419.76 / m ³		17976
② Stone metal -	3070.4 m ³	
ch 45822 / m ³		140,692
③ Stone chips -	78.59 m ³ + 637.30 m ³	394348
ch 550.85 / m ³		43291
④ coarse sand -	51.44 m ³	
ch 150.80 / m ³		7757
⑤ Screening material -	675.4 m ³	23336
ch 345.52 / m ³		2336

Total: 616.517