

कार्यपालक अभियंता का कार्यालय

ग्रामीण कार्य विभाग, कार्य प्रमंडल, जमुई

पत्रांक - 29304/जमुई, दिनांक - 29.12.2020

प्रेषक :- कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, जमुई।

सेवा में,

नोडल पदाधिकारी,
"नई अनुरक्षण नीति 2018"(3054-MR)
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय :- 3054 (MR) नई अनुरक्षण नीति 2018 के अन्तर्गत निर्माण कराये गये योजनाओं के विरुद्ध में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में सूचित करना है कि 3054 (MR) नई अनुरक्षण नीति 2018 के अंतर्गत संलग्न सूची में अंकित पथों में कालीकरण का कार्य पूर्ण हो चुका है। प्रमंडल के द्वारा कराये गये कार्य के भुगतान हेतु कुल 334.80 (तीन करोड़ चौतीस लाख अस्सी हजार) रुपये आवंटन की अधियाचना विहित प्रपत्र में भर कर समर्पित की जाती है।

अतः अनुरोध है कि शीघ्र आवंटन उपलब्ध कराने की कृपा की जाय।

अनु०: यथोक्त।

विश्वासभाजन

mb 29/12/20

कार्यपालक अभियंता

ग्रामीण कार्य विभाग, कार्य प्रमंडल,

Nilika
29.12.20 जमुई

RWD Works Division, Jamui

Requisition Format for Scheme Head- MR (3054) Under Bihar Rural Road " New Muntenance Policy 2018" (Initial Rectification and Surface Renewal)

Name of Division:-Jamui

S.N	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (A.A) Letter No. & Date	Administrative Approval (A.A)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI in MM/KM	Thickness of Bitumen Layer (in MM)	Value of Bitumen Content (in %)	Previous Total Alloted Amount (in Lakh)	Up-to - date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (K.M)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
11	MR-N/19/20 Jamui/17	Jamui-Kharagpur PWD road to Kenuhat-Ratanpur PWD road via Darha, Tetaria Road.	28411032612	5127, 24.09.19	8.500	325.893	209.54573	78.74753	07 MBD/ 2019-20	11.11.20	---	3057	25	5.001	0	0	209.54	BT Completed
2	MR-N/19/20 Jamui/13	Jamui-lakhisarai P.W.D. Road to Nim Nawada Harnaha- Bhatchak sikandra Road	20804101031	5127, 24.09.19	5.511	229.181	125.26285	44.08543	06 MBD/ 2019.20	17.11.20	---	3193	25	5.020	0	0	125.26	BT Completed
																	334.80	

Executive Engineer

RWD Works Division, Jamui

29/12/20

Name of Road- Jamui-Kharagpur PWD road to Kenuhat-Ratanpur PWD road via Darha, Tetaria Road.
Sec No.-65

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
28/ 12/ 20	9: 59: 0	65	0.1	280	20.2	2800	2659	G	24.932198	86.315235	Normal
28/ 12/ 20	9: 59: 0	65	0.1	160	20.2	1600	1666	G	24.932603	86.31436	Normal
28/ 12/ 20	9: 59: 36	65	0.1	350	10.1	3500	3239	G	24.932887	86.31338	Normal
28/ 12/ 20	10: 0: 11	65	0.1	330	20.2	3300	3073	G	24.933135	86.312423	Normal
28/ 12/ 20	10: 0: 11	65	0.1	330	10.1	3300	3073	G	24.933355	86.311463	Normal
28/ 12/ 20	10: 0: 46	65	0.1	330	10.1	3300	3073	G	24.933668	86.310572	Normal
28/ 12/ 20	10: 1: 21	65	0.1	320	10.1	3200	2991	G	24.934113	86.30968	Normal
28/ 12/ 20	10: 1: 21	65	0.1	380	10.1	3800	3487	G	24.934492	86.308803	Normal
28/ 12/ 20	10: 2: 0	65	0.1	380	10.1	3800	3487	G	24.934728	86.307862	Normal
28/ 12/ 20	10: 3: 7	65	0.1	320	20.2	3200	2991	G	24.93497	86.306918	Normal
28/ 12/ 20	10: 3: 7	65	0.1	320	10.1	3200	2991	G	24.93537	86.306027	Normal
28/ 12/ 20	10: 3: 43	65	0.1	250	20.2	2500	2411	G	24.935705	86.30512	Normal
28/ 12/ 20	10: 3: 43	65	0.1	300	20.2	3000	2825	G	24.935377	86.304208	Normal
28/ 12/ 20	10: 4: 0	65	0.1	340	20.2	3400	3156	G	24.934997	86.303332	Normal
28/ 12/ 20	10: 4: 18	65	0.1	370	10.1	3700	3405	G	24.93501	86.302373	Normal
28/ 12/ 20	10: 5: 0	65	0.1	360	10.1	3600	3322	G	24.934938	86.30138	Normal
28/ 12/ 20	10: 5: 28	65	0.1	370	10.1	3700	3405	G	24.934892	86.300387	Normal
28/ 12/ 20	10: 5: 28	65	0.1	300	10.1	3000	2825	G	24.935048	86.29946	Normal
28/ 12/ 20	10: 6: 4	65	0.1	350	10.1	3500	3239	G	24.935223	86.29847	Normal
28/ 12/ 20	10: 7: 14	65	0.1	390	20.2	3900	3570	G	24.935385	86.29749	Normal
28/ 12/ 20	10: 7: 50	65	0.1	370	10.1	3700	3405	G	24.935607	86.296548	Normal
28/ 12/ 20	10: 8: 0	65	0.1	340	10.1	3400	3156	G	24.935635	86.295555	Normal
28/ 12/ 20	10: 8: 25	65	0.1	280	20.2	2800	2659	G	24.93571	86.294595	Normal
28/ 12/ 20	10: 8: 25	65	0.1	250	20.2	2500	2411	G	24.935913	86.293635	Curve
28/ 12/ 20	10: 9: 0	65	0.1	320	20.2	3200	2991	G	24.936658	86.293787	Normal
28/ 12/ 20	10: 9: 0	65	0.1	220	20.2	2200	2163	G	24.936953	86.294697	Normal
28/ 12/ 20	10: 9: 0	65	0.1	360	20.2	3600	3322	G	24.93779	86.29505	Normal
28/ 12/ 20	10: 9: 35	65	0.1	310	10.1	3100	2908	G	24.938455	86.294763	Normal
28/ 12/ 20	10: 10: 11	65	0.1	310	20.2	3100	2908	G	24.938515	86.293787	Normal
28/ 12/ 20	10: 10: 11	65	0.1	280	20.2	2800	2659	G	24.938912	86.292895	Normal
28/ 12/ 20	10: 10: 46	65	0.1	330	20.2	3300	3073	G	24.939295	86.292037	Normal
28/ 12/ 20	10: 11: 0	65	0.1	280	20.2	2800	2659	G	24.939908	86.291278	Normal

#	Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
			No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
	28/12/20	10:11:0	65	0.1	310	20.2	3100	2908	G	24.940497	86.290588	Normal
	28/12/20	10:11:21	65	0.1	300	20.2	3000	2825	G	24.941347	86.290842	Normal
	28/12/20	10:11:57	65	0.1	320	10.1	3200	2991	G	24.94216	86.290605	Normal
	28/12/20	10:12:0	65	0.1	250	10.1	2500	2411	G	24.942693	86.290252	Normal
	28/12/20	10:12:32	65	0.1	310	10.1	3100	2908	G	24.943223	86.290707	Normal
	28/12/20	10:13:7	65	0.1	330	10.1	3300	3073	G	24.94256	86.291347	Normal
	28/12/20	10:13:42	65	0.1	310	10.1	3100	2908	G	24.941858	86.291648	Normal
	28/12/20	10:14:18	65	0.1	380	10.1	3800	3487	G	24.941362	86.292508	Normal
	28/12/20	10:14:53	65	0.1	340	10.1	3400	3156	G	24.9412	86.29347	Normal
	28/12/20	10:15:28	65	0.1	350	10.1	3500	3239	G	24.94103	86.294443	Normal
	28/12/20	10:16:3	65	0.1	380	20.2	3800	3487	G	24.940997	86.295387	Normal
	28/12/20	10:16:39	65	0.1	370	10.1	3700	3405	G	24.941342	86.296228	Normal
	28/12/20	10:17:14	65	0.1	350	10.1	3500	3239	G	24.941503	86.297172	Normal
	28/12/20	10:17:49	65	0.1	360	10.1	3600	3322	G	24.94191	86.298097	Normal
	28/12/20	10:18:0	65	0.1	350	10.1	3500	3239	G	24.942002	86.29904	Normal
	28/12/20	10:19:0	65	0.1	380	20.2	3800	3487	G	24.94192	86.30003	Normal
	28/12/20	10:19:35	65	0.1	300	10.1	3000	2825	G	24.94163	86.300908	Normal
	28/12/20	10:20:0	65	0.1	300	10.1	3000	2825	G	24.941022	86.301665	Normal
	28/12/20	10:20:10	65	0.1	350	10.1	3500	3239	G	24.940662	86.302473	Normal
	28/12/20	10:20:10	65	0.1	320	20.2	3200	2991	G	24.940652	86.30348	Normal
	28/12/20	10:21:0	65	0.1	380	10.1	3800	3487	G	24.940677	86.304427	Normal
	28/12/20	10:21:21	65	0.1	340	20.2	3400	3156	G	24.941025	86.30508	Normal
	28/12/20	10:30:46	65	0.1	350	20.2	3500	3239	G	24.942222	86.29106	Normal
	28/12/20	10:31:21	65	0.1	320	20.2	3200	2991	G	24.943645	86.290337	Culvert
	28/12/20	10:31:21	65	0.1	390	20.2	3900	3570	G	24.944507	86.290185	Normal
	28/12/20	10:32:0	65	0.1	270	20.2	2700	2577	G	24.945403	86.290185	Normal
	28/12/20	10:32:0	65	0.1	330	20.2	3300	3073	G	24.946275	86.29	Normal
	28/12/20	10:32:0	65	0.1	300	20.2	3000	2825	G	24.947178	86.29005	Normal
	28/12/20	10:32:31	65	0.1	290	20.2	2900	2742	G	24.948058	86.290268	Normal
	28/12/20	10:32:31	65	0.1	290	20.2	2900	2742	G	24.94898	86.290505	Normal
	28/12/20	10:33:0	65	0.1	350	20.2	3500	3239	G	24.94988	86.290605	Normal
	28/12/20	10:33:7	65	0.1	320	20.2	3200	2991	G	24.95071	86.290437	Normal
	28/12/20	10:33:7	65	0.1	290	20.2	2900	2742	G	24.951465	86.290168	Normal
	28/12/20	10:33:42	65	0.1	290	20.2	2900	2742	G	24.952332	86.290522	Normal
	28/12/20	10:34:0	65	0.1	350	20.2	3500	3239	G	24.953192	86.290655	Normal
	28/12/20	10:34:17	65	0.1	230	20.2	2300	2245	G			

F4 Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
28/12/20	10:34:17	65	0.1	250	20.2	2500	2411	G	24.954142	86.290757	Normal
28/12/20	10:35:0	65	0.1	280	10.1	2800	2659	G	24.954462	86.289865	Culvert
28/12/20	10:35:0	65	0.1	320	10.1	3200	2991	G	24.955245	86.290302	Normal
28/12/20	10:35:28	65	0.1	320	10.1	3200	2991	G	24.955875	86.29101	Normal
28/12/20	10:36:3	65	0.1	290	10.1	2900	2742	G	24.956387	86.291852	Normal
28/12/20	10:36:38	65	0.1	370	10.1	3700	3405	G	24.957122	86.29234	Normal
28/12/20	10:37:14	65	0.1	360	20.2	3600	3322	G	24.957678	86.293047	Normal
28/12/20	10:37:49	65	0.1	390	10.1	3900	3570	G	24.958552	86.293147	Normal
28/12/20	10:38:24	65	0.1	360	10.1	3600	3322	G	24.959368	86.293585	Normal
28/12/20	10:38:24	65	0.1	370	10.1	3700	3405	G	24.960128	86.293938	Normal
28/12/20	10:39:0	65	0.1	380	10.1	3800	3487	G	24.960937	86.294208	Normal
28/12/20	10:39:35	65	0.1	390	10.1	3900	3570	G	24.96179	86.294443	Normal
28/12/20	10:40:10	65	0.1	380	10.1	3800	3487	G	24.96262	86.294882	Normal
28/12/20	10:40:10	65	0.1	350	10.1	3500	3239	G	24.963512	86.29507	Normal
28/12/20	10:41:0	65	0.1	350	10.1	3500	3239	G	24.96435	86.295285	Normal
28/12/20	10:41:21	65	0.1	360	10.1	3600	3322	G	24.965263	86.295522	Normal
28/12/20	10:42:0	65	0.1	360	10.1	3600	3322	G	24.965962	86.29606	Normal
28/12/20	10:42:31	65	0.1	370	10.1	3700	3405	G	24.966675	86.2967	Normal
			8.5								

મહાસરકાર
કાર્યવાહક અધિકારી
ગ્રામીણ કાર્ય વિભાગ
ગાંધી

Name of Customer : NITESH KUMAR SINGH
Name of Work/ Road : Jamui-Kharagpur PWD road to I
Lab Job number :
Date : 28-12-2020
Section No. : 65


Test Date : 28-12-2020 Road Name : road via Darha, Tataria Road
Machine No : 399 Road Type : (R) RURAL ROAD
Start S No : 65 Side :
Start E No : Interval
Weather : UIV Range : 666 To 5000 1000 mm/km
Start Location : Dist Range : 0 To 8.6 0.1 = 1000 m
End Location : Equation : $Y = 0 \cdot X^2 + 0.828 \cdot X + 341.6$

Print

Generate Report and Graph

Redraw Graph

Map View



Handwritten signature and date: 28/12/20
Official stamp:
मुख्य अभियंता
राजमहल, राँची
जमशेदपुर