

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, शेरघाटी

Email ID:-ee.rwd.sherghati@gmail.com

Mob:- 8986915324

पत्रांक.....1127..... शेरघाटी/दिनांक.....26.6.2020

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, शेरघाटी

सेवा में,

नोडल पदाधिकारी (MR 3054)
ग्रामीण कार्य विभाग
पटना, बिहार


विषय :- नई अनुरक्षण नीति-2018MR (3054) योजना के अंतर्गत पथ में कराये गये कार्य के विरुद्ध आवंटन उपलब्ध कराने के संबंध में।

महा तय,

उपरोक्त विषय के संबंध में सूचित करना है कि नई अनुरक्षण नीति-2018 MR (3054) योजना के अंतर्गत पथ में कराये गये कार्य के लिए संवेदक को भुगतान करने हेतु अधियाचना विहित प्रपत्र में भरकर आवश्यक कार्यवाही हेतु समर्पित की जाती है।

अनु :- यथोक्त।

विश्वास भाजन


कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, शेरघाटी
26/06/2020

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150)

Form of Utilization Certificate up to June 2020

Sl.No	Name of Scheme	Sanction No.&Date With Amount (In lace Rs.)	Amount Received (In lace Rs.)	Particulars
1	Construction of Rural roads Under MR	New Maintenance Policy-2018 MR (3054) BRRDA PATNA	330.60755	Certified that out of Rs.330.60755 lakh of grants-in-aid sanctioned during the years 2020-21 in favor of EE, RWD works division bhabhua a sum of Rs. NIL lakh has been utilized for the purpose of MR (3054) Schemes as given in the margin for which it was sanctioned and that the balance of Rs. NIL lakh remaining unutilized at the end of the period under report.
	Total:		330.60755	

2. Certified that I have satisfied my self that the conditions on which the grant-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was utilized for the purpose for which it was sanctioned.

Kind of Checks exercised:-

- Works have been supervised by Executive Engineer/ Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/ Executive Engineer.
- All other caudal formalities have been observed.

3. Physical Progress achieved:-

- Construction of Road Works.
- Construction of CD works.

Pankaj kr Sht 26/6/2020
Divisional Accounts Officer
R.W.D, works Division
Sherghati

[Signature] 26/6/2020
Executive Engineer
R.W.D, works Division Sherghati
26/06/2020


OFFICE OF EXECUTIVE ENGINEER, RURAL WORKS DEPARTMENT, WORKS DIVISION, SHERGHATI
Requisition Format for Scheme Head- MR(3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)
 Name of Works Division:- SHERGHATI

Sl no.	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No & Date	Administrative		Agreement Amount		Agreement No& Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allowed Amount (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in km)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20-SHERGHATI/02	LO29 - SAGHI CANAL TO UCHIANITI (VR10)	10502302162	06.07.19/2160	5.7	175.6770	96.722	51.4755	72 MBD/2019-20	19.01.21	19.01.22	3167	25.00	5.01%	0.00000	0.00000	96.722	Comp.
TOTAL																	96.722	

Tarik Singh
 Divisional Accounts Officer
 Rural Works Department, works
 Division, Sherghati

[Signature]
 Executive Engineer
 Rural Works Department
 Works Division, Sherghati
 26/06/2020

File : C:\Users\Ahmar Adil\Desktop\Bump\18061331.Xls. Section No. : 53. Eqn : $Y = 0 * X^2 + 0.984 * X + 510.7$
 Name of Customer : GITA DEVI, Name of Work/ Road : SAGAHU CANAL TO LACHNAITI, Lab Job number :



0.0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2.0 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8 2.9 3.0 3.1 3.2 3.3 3.4 3.5 3.6 3.7 3.8 3.9 4.0 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9 5.0 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 6.0 6.1 6.2 6.3 6.4 6.5 6.6 6.7

Distance * 1000 m

Chd
18/10/20
J.C

Sevite
18.06.20
me

Signature
18/10/20

ROAD NAME-SAGAH CANAL TO LACHNAITI

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
18/6/20	10:17:0	53	0.1	460	0	3400	3856	P	24.544255	84.8766	Normal
18/6/20	10:17:0	53	0.1	270	10.1	2700	3167	G	24.545157	84.87645	Normal
18/6/20	10:18:0	53	0.1	300	20.2	3000	3462	G	24.546015	84.87641	Normal
18/6/20	10:18:0	53	0.1	340	10.1	3400	3856	G	24.5469	84.87636	Normal
18/6/20	10:18:0	53	0.1	270	20.2	2700	3167	G	24.547752	84.87594	Normal
18/6/20	10:18:0	53	0.1	300	20.2	3000	3462	G	24.548363	84.87535	Normal
18/6/20	10:19:0	53	0.1	310	20.2	3100	3561	G	24.548722	84.87441	Curve
18/6/20	10:19:0	53	0.1	300	20.2	3000	3462	G	24.54943	84.87394	Normal
18/6/20	10:19:0	53	0.1	290	10.1	2900	3364	G	24.550372	84.87387	Normal
18/6/20	10:20:0	53	0.1	290	10.1	2900	3364	G	24.551208	84.87412	Normal
18/6/20	10:20:0	53	0.1	270	10.1	2700	3167	G	24.552048	84.87449	Normal
18/6/20	10:21:0	53	0.1	260	20.2	2600	3069	G	24.552955	84.87476	Speed Breaker
18/6/20	10:21:0	53	0.1	320	10.1	3200	3659	G	24.553768	84.875	Normal
18/6/20	10:21:0	53	0.1	260	10.1	2600	3069	G	24.55468	84.87515	Normal
18/6/20	10:22:0	53	0.1	270	10.1	2700	3167	G	24.555537	84.87551	Normal
18/6/20	10:22:0	53	0.1	290	10.1	2900	3364	G	24.556245	84.87547	Normal
18/6/20	10:22:0	53	0.1	260	20.2	2600	3069	G	24.556657	84.8746	Speed Breaker
18/6/20	10:23:0	53	0.1	300	10.1	3000	3462	G	24.557008	84.87374	Normal
18/6/20	10:23:0	53	0.1	280	20.2	2800	3265	G	24.55783	84.87365	Normal
18/6/20	10:23:0	53	0.1	270	10.1	2700	3167	G	24.558297	84.87316	Normal
18/6/20	10:24:0	53	0.1	340	20.2	3400	3856	G	24.55823	84.87219	Normal
18/6/20	10:24:0	53	0.1	250	20.2	2500	2970	G	24.558278	84.8712	Normal
18/6/20	10:24:0	53	0.1	290	20.2	2900	3364	G	24.558407	84.87027	Normal
18/6/20	10:24:0	53	0.1	260	20.2	2600	3069	G	24.55861	84.86928	Normal
18/6/20	10:25:0	53	0.1	300	20.2	3000	3462	G	24.559042	84.8685	Normal
18/6/20	10:25:0	53	0.1	290	20.2	2900	3364	G	24.55992	84.86872	Normal
18/6/20	10:25:0	53	0.1	320	20.2	3200	3659	G	24.560805	84.86889	Normal
18/6/20	10:25:0	53	0.1	310	20.2	3100	3561	G	24.56169	84.86875	Speed Breaker
18/6/20	10:26:0	53	0.1	330	10.1	3300	3757	G	24.56259	84.86869	Curve
18/6/20	10:26:0	53	0.1	360	10.1	3100	3561	A	24.562825	84.86795	Speed Breaker
18/6/20	10:27:0	53	0.1	300	10.1	3000	3462	G	24.56297	84.86697	Curve
18/6/20	10:27:0	53	0.1	330	10.1	3300	3757	G	24.563673	84.86736	Normal
18/6/20	10:28:0	53	0.1	270	10.1	2700	3167	G	24.56443	84.86779	Curve
18/6/20	10:28:0	53	0.1	250	20.2	2500	2970	G	24.565358	84.86778	Curve
18/6/20	10:28:0	53	0.1	310	20.2	3100	3561	G	24.566187	84.86795	Normal
18/6/20	10:28:0	53	0.1	320	20.2	3200	3659	G	24.566982	84.86768	Normal
18/6/20	10:29:0	53	0.1	360	10.1	2500	2970	A	24.56788	84.86758	Curve
18/6/20	10:29:0	53	0.1	300	20.2	3000	3462	G	24.568405	84.86684	Normal
18/6/20	10:29:0	53	0.1	330	20.2	3300	3757	G	24.56921	84.86652	Normal
18/6/20	10:30:0	53	0.1	250	20.2	2500	2970	G	24.570123	84.87	Normal
18/6/20	10:30:0	53	0.1	270	20.2	2700	3167	G	24.57103	84.86685	Normal
18/6/20	10:30:0	53	0.1	360	10.1	2500	2970	A	24.571888	84.86726	Speed Breaker

CPD
18.6.2020
J.E

20/6/20
18.06.20
AE

20/6/20
u

6/20	10:31:0	53	0.1	340	10.1	3400	3856	G	24.572065	84.868	Normal
3/6/20	10:31:0	53	0.1	360	0	2500	2970	A	24.571838	84.86891	Normal
18/6/20	10:32:0	53	0.1	280	10.1	2800	3265	G	24.571518	84.8698	Normal
18/6/20	10:33:0	53	0.1	340	0	3400	3856	G	24.571272	84.87081	Speed Breaker
18/6/20	10:33:0	53	0.1	500	0	2800	3265	P	24.571805	84.87088	Normal
18/6/20	10:34:0	53	0.1	400	0	3100	3561	A	24.572712	84.87089	Speed Breaker
18/6/20	10:34:0	53	0.1	400	10.1	3000	3462	A	24.573535	84.87109	Normal
18/6/20	10:35:0	53	0.1	380	20.2	3400	3856	A	24.574305	84.87163	Normal
18/6/20	10:35:0	53	0.1	380	20.2	3100	3561	A	24.57506	84.87222	Normal
18/6/20	10:35:0	53	0.1	320	20.2	3200	3659	G	24.57591	84.87217	Normal
18/6/20	10:36:0	53	0.1	350	20.2	3500	3954	G	24.576832	84.87215	Curve
18/6/20	10:36:0	53	0.1	350	10.1	3500	3954	G	24.577395	84.87269	Normal
18/6/20	10:36:0	53	0.025	80	20.2	3200	3659	G	24.57751	84.873	Normal
18/6/20	10:39:0	53	0.1	50	0	500	1002	G	24.577602	84.87322	Normal
18/6/20	10:39:0	53	0.1	0	20.2	0	510	G	24.577602	84.87322	Normal

CM
18-6-2020
J.E

Suppl
18.06.20
A.E.

26/6/20
EL

सहायक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य अवर प्रमंडल , शैरघाटी

पत्रांक...../

दिनांक 18.06.2020

AE/RWD/SHERGHATI/SPL

जाँच प्रतिवेदन

प्रखण्ड का नाम	योजना का नाम	पथ की लम्बाई	S.D.B.C परत की मोटाई	बिटुमिन CONTENT की मात्रा	BUMP INTEGRATOR का READING	अभियुक्ति
<u>Sherghati</u>	<u>Loag - Sagahi Canal to Lachnaiti</u>	<u>5.7 km</u>	<u>25 mm</u>	<u>5.0%</u>	<u>Reading Attached</u>	<u>Satisfactory</u>

Chd
18.6.2020
J.E

Sharma
18.06.20
सहायक अभियंता,
ग्रामीण कार्य विभाग,
कार्य अवर प्रमंडल शैरघाटी