

# ABSTRACT OF COST

27

Sch. XLV-Form No. 134

| Particulars                                                                        | Details of actual measurement |                        |    |    | Contents of area |
|------------------------------------------------------------------------------------|-------------------------------|------------------------|----|----|------------------|
|                                                                                    | No.                           | L.                     | B. | D. |                  |
| Date of Entry:-                                                                    |                               | 28.05.20               |    |    |                  |
| (1) Setting out with reference bench mark:-                                        |                               | El                     |    |    |                  |
| Qty. wide P-11 item (1) =                                                          |                               | 1.863 km               |    |    |                  |
| at 7351 = 01/km                                                                    |                               |                        | B  |    | 13695 = w        |
| (2) Constn of reference pillars                                                    |                               |                        |    |    |                  |
| Qty. wide P-11 item (2) =                                                          |                               | 1.75 km                |    |    |                  |
| at 4766 = 59/km                                                                    |                               |                        | B  |    | 8342 = w         |
| (3) Clearing & grubbing road                                                       |                               |                        |    |    |                  |
| Land - as per SJ                                                                   |                               |                        |    |    |                  |
| Qty. wide P-11 item (3) =                                                          |                               | 1.22 Hect              |    |    |                  |
| at 49809 = 13/Hect                                                                 |                               |                        | B  |    | 60767 = w        |
| (4) Construction of embankment with Soil - all complete job                        |                               |                        |    |    |                  |
| E/W by 1000 m lead.                                                                |                               |                        |    |    |                  |
| Qty. wide P-11 item (4) =                                                          |                               | 846.90 m <sup>3</sup>  |    |    |                  |
| & Qty. wide P-25 item 19 (B)(ii) =                                                 |                               | 175.22 m <sup>3</sup>  |    |    |                  |
|                                                                                    |                               | 1022.13 m <sup>3</sup> |    |    |                  |
| at 194 = 95/m <sup>3</sup>                                                         |                               |                        | B  |    | 199262 = w       |
| (5) Construction of embankment with Soil by initial lead & lift - all complete job |                               |                        |    |    |                  |
| Qty. wide P-11 item (5) =                                                          |                               | 1976.10 m <sup>3</sup> |    |    |                  |
| & Qty. wide P-25 item 19 (B)(i) =                                                  |                               | 408.84 m <sup>3</sup>  |    |    |                  |
|                                                                                    |                               | 2384.94 m <sup>3</sup> |    |    |                  |
| at 185 = 15/m <sup>3</sup>                                                         |                               |                        | B  |    | 441572 = w       |

Continuation

Rs 723638 PW

| Particulars                                                                                 | Details of actual measurement |      |    |    | Contents of area       |
|---------------------------------------------------------------------------------------------|-------------------------------|------|----|----|------------------------|
|                                                                                             | No.                           | L.   | B. | D. |                        |
|                                                                                             |                               | B.F. | —  | R  | 72362800               |
| (6/8) Construction of subgrade & should be ... etc all complete                             |                               |      |    |    |                        |
| Qty wide P-11 item (6) =                                                                    |                               |      |    |    | 3842.10 m <sup>3</sup> |
| & Qty wide P-15 item (11) =                                                                 |                               |      |    |    | 1341.56 m <sup>3</sup> |
|                                                                                             |                               |      |    |    | 5183.66 m <sup>3</sup> |
|                                                                                             |                               |      |    |    |                        |
| CB 196.83/m <sup>3</sup> —                                                                  |                               |      |    | A  | 102030000              |
| (7/9) P/V & Const <sup>n</sup> of Granular Sub base                                         |                               |      |    |    |                        |
| Qty wide P-12 item (7) =                                                                    |                               |      |    |    | 1300.86 m <sup>3</sup> |
| & Qty wide P-22 item (13) =                                                                 |                               |      |    |    | 102.98 m <sup>3</sup>  |
|                                                                                             |                               |      |    |    | 1403.84 m <sup>3</sup> |
|                                                                                             |                               |      |    |    | 2106700                |
| CB 1500.67/m <sup>3</sup> —                                                                 |                               |      |    | B  | 210575500              |
| (7/10) P/V & Const <sup>n</sup> of Approaching & Connecting stone metal Gir. II for 100m-El |                               |      |    |    |                        |
| Qty wide P-12 item (8) =                                                                    |                               |      |    |    | 421.87 m <sup>3</sup>  |
| & Qty wide P-22 item (14) =                                                                 |                               |      |    |    | 104.01 m <sup>3</sup>  |
|                                                                                             |                               |      |    |    | 525.88 m <sup>3</sup>  |
|                                                                                             |                               |      |    |    |                        |
| CB 2254.44/m <sup>3</sup> —                                                                 |                               |      |    | B  | 118556500              |
| (7/11) P/V & applying Prime Coat with RS + emulsion — EI                                    |                               |      |    |    |                        |
| Qty wide P-23 item (16) =                                                                   |                               |      |    |    | 6078.00 m <sup>2</sup> |
|                                                                                             |                               |      |    |    |                        |
| CB 54.68/m <sup>2</sup> —                                                                   |                               |      |    | B  | 33234500               |
| (10/12) P/V & applying Tack Coat with RS + emulsion — EI                                    |                               |      |    |    |                        |
| Qty wide P-23 item (17) =                                                                   |                               |      |    |    | 6078.00 m <sup>2</sup> |
|                                                                                             |                               |      |    |    |                        |
| CB 18.57/m <sup>2</sup> —                                                                   |                               |      |    | B  | 11286800               |

Continuation

Rs 548047120

548141800

| Particulars                                      | Details of actual measurement |     |    |    | Contents of area       |
|--------------------------------------------------|-------------------------------|-----|----|----|------------------------|
|                                                  | No.                           | L.  | B. | D. |                        |
|                                                  |                               | B.F |    | R  | 5480471                |
| (11/12) P/u & laying 20 mm thick                 |                               |     |    |    |                        |
| Mix sand Surfacing                               |                               |     |    |    |                        |
| Qty. vol. 23 i/c (18) =                          |                               |     |    |    | 6078.00 m <sup>2</sup> |
| @ Rs 206 = 73/m <sup>2</sup>                     |                               |     |    |    | 1256505                |
| (12/12) P/u & const <sup>n</sup> Cement Concrete |                               |     |    |    |                        |
| Pavement with M-30 mix                           |                               |     |    |    |                        |
| Qty. vol. P 23 i/c (15) =                        |                               |     |    |    | 152.95 m <sup>3</sup>  |
| @ Rs 6324 = 27/m <sup>3</sup>                    |                               |     |    |    | 967297                 |
| (13/17) P/u & fixing Km & 200 m                  |                               |     |    |    |                        |
| before Post - as per spec                        |                               |     |    |    |                        |
| Ordinary Ben Post                                |                               |     |    |    |                        |
| Qty. vol. P 25 i/c (20) (1) =                    |                               |     |    |    | 03 Nos.                |
| @ Rs 2106 = 00/each                              |                               |     |    |    | Rs 6318 =              |
| (14/19) 200 m Totone Post                        |                               |     |    |    |                        |
| Qty. vol. P 25 i/c 20 (11) =                     |                               |     |    |    | 08 Nos.                |
| @ Rs 616 = 96/each                               |                               |     |    |    | Rs 4936 =              |
| (14/19) P/u & fixing Boundary Pillar             |                               |     |    |    |                        |
| Qty. vol. P 26 i/c (22) =                        |                               |     |    |    | 32 Nos.                |
| @ Rs 513 = 94/each                               |                               |     |    |    | Rs 16446 =             |
| (15/22) Painting Two coat on new Concrete        |                               |     |    |    |                        |
| Surface - all complete job                       |                               |     |    |    |                        |
| Qty. vol. P 26 i/c (23) =                        |                               |     |    |    | 111.60 m <sup>2</sup>  |
| @ Rs 105 = 04/m <sup>2</sup>                     |                               |     |    |    | Rs 11722 =             |

Continuation

Rs 7743695.00  
7744642.00

| Particulars                                                              | Details of actual measurement |      |    |    | Contents of area        |
|--------------------------------------------------------------------------|-------------------------------|------|----|----|-------------------------|
|                                                                          | No.                           | L.   | B. | D. |                         |
|                                                                          |                               | B.F. |    |    | <del>Rs 7743695=0</del> |
| (16/21) Painting new letters & figure of any shade - E/L                 |                               |      |    |    |                         |
| Qty: wide P-26 chr(24) = 1040 Nos.                                       |                               |      |    |    |                         |
| Chs 0.52/each                                                            |                               |      |    |    | Rs 541=0                |
| (17/22) P/v & fixing MM 454 sign Board                                   |                               |      |    |    |                         |
| Qty: wide P-26 chr(21) = 03 Nos.                                         |                               |      |    |    |                         |
| Chs 10783 = 16/each                                                      |                               |      |    |    | Rs 32349=0              |
| (18/23) P/v & fixing Traffic Sign Board                                  |                               |      |    |    |                         |
| Qty: wide P-26 chr(25) (i) (ii) (iii) (iv)                               |                               |      |    |    |                         |
| (i) 04 Nos @ Rs 4923 = 27/each                                           |                               |      |    |    | Rs 19693=0              |
| (ii) 14 Nos @ Rs 3574 = 79/each                                          |                               |      |    |    | Rs 50047=0              |
| (iii) 06 Nos @ Rs 4145 = 90/each                                         |                               |      |    |    | Rs 24875=0              |
| (iv) 02 Nos @ Rs 8206 = 48/each                                          |                               |      |    |    | Rs 16413=0              |
| (19/28) P/v Road marking with thermoplastic compound on BT surface - E/L |                               |      |    |    |                         |
| Qty: wide P-26 chr 26 (i) = 321.20 m <sup>2</sup>                        |                               |      |    |    |                         |
| Chs 852=00/m <sup>2</sup>                                                |                               |      |    |    | Rs 273662=0             |
| (20/29) Road Marking with Thermoplastic Compound on PCC surface - E/L    |                               |      |    |    |                         |
| Qty: wide P-26 chr 26 (ii) = 50.60 m <sup>2</sup>                        |                               |      |    |    |                         |
| Chs 869=00/m <sup>2</sup>                                                |                               |      |    |    | Rs 43971=0              |
| (21/30) Dismantling of existing structure                                |                               |      |    |    |                         |
| Qty: wide P-12 chr(9) = 2.58 m <sup>3</sup>                              |                               |      |    |    |                         |
| Chs 479=16/m <sup>3</sup>                                                |                               |      |    |    | Rs 1236=0               |

Continuation

Rs 8206482=0

82074292

| Particulars                                                                                         | Details of actual measurement |    |                       |     | Contents of area |
|-----------------------------------------------------------------------------------------------------|-------------------------------|----|-----------------------|-----|------------------|
|                                                                                                     | No.                           | L. | B.                    | D.  |                  |
|                                                                                                     |                               |    | B.F                   | - R | 8206482=         |
| (22/32) Dismantling of existing structure of culvert                                                |                               |    |                       | ELI |                  |
| Qty. vol P-12 in (10)                                                                               |                               |    | 59.72 m <sup>3</sup>  |     |                  |
| CB 348 = 42/m <sup>3</sup>                                                                          |                               |    |                       | B   | 20703            |
|                                                                                                     |                               |    |                       |     | 20691=           |
| (23/34) Removing all types of Hume pipe - as per                                                    |                               |    |                       |     |                  |
| upto 600 mm cb                                                                                      |                               |    |                       |     |                  |
| Qty. vol P-12 in (11)                                                                               |                               |    | 10.00 m               |     |                  |
| CB 169 = 92/m                                                                                       |                               |    |                       | B   | 1700=            |
| (24/35) Removing of HP above 600 mm dia - ELI                                                       |                               |    |                       |     |                  |
| Qty. vol P-12 in (12)                                                                               |                               |    | 10.00 m               |     |                  |
| CB 229 = 84/m                                                                                       |                               |    |                       | B   | 2298=            |
| (25/36) E/W excavation in foundation trenches for Const <sup>n</sup> of culvert drain. ele - as per |                               |    |                       |     |                  |
| Qty. vol P-13 in (13)                                                                               |                               |    | 178.06 m <sup>3</sup> |     |                  |
| Qty. vol P-19 in (1)                                                                                |                               |    | 44.91 m <sup>3</sup>  |     |                  |
| 4 mlt 211:570                                                                                       |                               |    | 222.97 m <sup>3</sup> |     |                  |
| CB 285 = 71/m <sup>3</sup>                                                                          |                               |    |                       | B   | 60448=           |
| (24/37) P/v PCC M-10 in foundation                                                                  |                               |    |                       |     |                  |
| Qty. vol P-13 in (14)                                                                               |                               |    | 17.62 m <sup>3</sup>  |     |                  |
| Qty. vol P-19 in (2)                                                                                |                               |    | 2.65 m <sup>3</sup>   |     |                  |
|                                                                                                     |                               |    | 20.27 m <sup>3</sup>  |     |                  |
| CB 4499 = 14/m <sup>3</sup>                                                                         |                               |    |                       | B   | 91198=           |

Continuation

Rs 8282817=

8383746

8383776=

| Sch. XLV-Form No. 134                               |                               |    |    |    | Contents of area      |
|-----------------------------------------------------|-------------------------------|----|----|----|-----------------------|
| Particulars                                         | Details of actual measurement |    |    |    |                       |
|                                                     | No.                           | L. | B. | D. |                       |
|                                                     | B.F.                          |    |    | B  | 8582817               |
| 5/39) P/v RCC m. 20 in foundation                   |                               |    |    |    |                       |
| Qty. wide P-22 in (12) = 26.10 m <sup>3</sup>       |                               |    |    |    |                       |
| CP 5396 = 73/m <sup>3</sup>                         |                               |    |    | B  | 140855                |
| 6/40) S/F/F & placing 7 SD bar in drain work as per |                               |    |    |    |                       |
| Qty. wide P-21 in (11) = 1.159 m <sup>3</sup>       |                               |    |    |    |                       |
| CP 76871 = 83/MT                                    |                               |    |    | B  | 89094                 |
| 7/41) P/v PCC m-15 in fund                          |                               |    |    |    |                       |
| Qty. wide P-13 in (15) = 98.43 m <sup>3</sup>       |                               |    |    |    |                       |
| Qty. wide P-19 in (3) = 18.96 m <sup>3</sup>        |                               |    |    |    |                       |
|                                                     |                               |    |    |    | 117.39 m <sup>3</sup> |
| CP 4487 = 26/m <sup>3</sup>                         |                               |    |    | B  | 526759                |
| 8/42) P/v PCC m-15 in substructure                  |                               |    |    |    |                       |
| Qty. wide P-14 in (18) = 74.40 m <sup>3</sup>       |                               |    |    |    |                       |
| Qty. wide P-20 in (9) = 14.63 m <sup>3</sup>        |                               |    |    |    |                       |
|                                                     |                               |    |    |    | 89.03 m <sup>3</sup>  |
| CP 4697 = 83/m <sup>3</sup>                         |                               |    |    | B  | 418247                |
| 9/43) P/v RCC m-20 in substructure                  |                               |    |    |    |                       |
| Qty. wide P-13 in (16) = 4.46 m <sup>3</sup>        |                               |    |    |    |                       |
| CP 5654 = 17/m <sup>3</sup>                         |                               |    |    | B  | 25218                 |
| 10/44) P/v RCC m-25 in substructure                 |                               |    |    |    |                       |
| Work ... of slab column - 1/11                      |                               |    |    |    |                       |
| Qty. wide P-14 in (19) = 3.74 m <sup>3</sup>        |                               |    |    |    |                       |
| CP 6557 = 14/m <sup>3</sup>                         |                               |    |    | B  | 24524                 |
|                                                     |                               |    |    |    | 1                     |

Continuation

B 9607514

9608473

| Particulars                                                                | Details of actual measurement |      |    |                      | Comments of area |
|----------------------------------------------------------------------------|-------------------------------|------|----|----------------------|------------------|
|                                                                            | No.                           | L.   | B. | D.                   |                  |
|                                                                            |                               | R.F. |    |                      | R. 9607514=      |
| (31/14) S/P/R 2. placing 14.3D. km<br>in culvert work -- E12               |                               |      |    |                      |                  |
| Qth's wide P-14 idr (19) = 1.07 MT                                         |                               |      |    |                      |                  |
| CPs 78148 = 22/MT -- R 83619 =                                             |                               |      |    |                      |                  |
| (32/45) P/V Back filling behind Amd.                                       |                               |      |    |                      |                  |
| Qth's wide P-14 idr (20) = 32.40 m <sup>3</sup>                            |                               |      |    |                      |                  |
| CPs 893.24/m <sup>3</sup> -- R 28941 =                                     |                               |      |    |                      |                  |
| (33/46) P/V Weep holes -- E14                                              |                               |      |    |                      |                  |
| Qth's wide P-14 idr (21) = 36 Nos.                                         |                               |      |    |                      |                  |
| CPs 136211/each -- R 4900 =                                                |                               |      |    |                      |                  |
| (34/47) P/V Laying 1000 mm dia                                             |                               |      |    |                      |                  |
| N/Rs Hume pipe -- m <sup>3</sup>                                           |                               |      |    |                      |                  |
| Qth's wide P-15 idr (22) = 22.50 m                                         |                               |      |    |                      |                  |
| 2 Qth's wide P-20 idr (5) = 7.50 m                                         |                               |      |    |                      |                  |
|                                                                            |                               |      |    | 30.00 m              |                  |
| CPs 4061 = 78/m -- R 121853 =                                              |                               |      |    |                      |                  |
| (35/49) P/V Laying 300 mm dia Hume<br>pipe for agriculture purposes -- E14 |                               |      |    |                      |                  |
| Qth's wide P-21 idr (9) = 90.00 m                                          |                               |      |    |                      |                  |
| CPs 857 = 06/m -- R 77135 =                                                |                               |      |    |                      |                  |
| (36/50) Laying 1st class bedding below<br>pipe with sandy material -- E14  |                               |      |    |                      |                  |
| Qth's wide P-15 idr (23) = 11.70 m <sup>3</sup>                            |                               |      |    |                      |                  |
| 2 Qth's wide P-20 idr (6) = 3.66 m <sup>3</sup>                            |                               |      |    |                      |                  |
|                                                                            |                               |      |    | 15.36 m <sup>3</sup> |                  |
| CPs 628 = 83/m <sup>3</sup> Continuation                                   |                               |      |    |                      | R 9659 =         |
|                                                                            |                               |      |    |                      | R 943362 =       |
|                                                                            |                               |      |    |                      | 9934580 =        |

Sch. XLV-Form No. 134  
Details of act[illegible]