

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
मुजफ्फरपुर पश्चिम

पत्रांक :- 853-अभियंता/20

दिनांक :- 25.06.20

प्रेषक:- कार्यपालक अभियंता,
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
मुजफ्फरपुर पश्चिम।

सेवा में,
नोडल पदाधिकारी,
नई अनुरक्षण नीति-2018 (3054),
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय:- शीर्ष नई अनुरक्षण नीति-2018 (MR) अन्तर्गत वित्तीय वर्ष 2020-21 में व्यय हेतु आवंटन की मांग।

महाशय,

उपर्युक्त विषयक शीर्ष नई अनुरक्षण नीति-2018 (MR) अन्तर्गत वित्तीय वर्ष 2020-21 में व्यय हेतु आवंटन संलग्न विवरणी के अनुसार रु0 165.56500 (एक करोड़ पैंसठ लाख छप्पन हजार पाँच सौ) रुपये मात्र का आवंटन उपलब्ध कराने की कृपा की जाये, ताकि किये गये कार्य का भुगतान किया जा सके।

अनुलग्नक-1. विहित प्रपत्र में अधियाचना।

विश्वासभाजन


कार्यपालक अभियंता,
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
मुजफ्फरपुर पश्चिम

Requisition Format for Scheme Head - MIR (3054) Under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division :- Muzaffarpur West																		
S.N.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of Bidding (in million)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allied Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in Km)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance Maint. (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	MIR-N/19-20 Muzaffarpur West/04	Thibhan Patel Chowk To Jahangirpur Tola Hote Hoje Thibhan Bazar Tak	31507301030	06.07.2019	3.700	117.91000	70.06500	30.80340	1971MBD/2 019-20	08.10.2020	BT Completed	2001.000	25mm	5.00	0.000000	0.000000	68.56500	
2	MIR-N/19-20 Muzaffarpur West/04	Parepur Chowk To Dora Chhapra To Anil Maho Ke Char Tak	31507301028	06.07.2019	1.300	40.99010	22.25670	10.91160	1971MBD/2 019-20	08.10.2020	B.T. Completed	1549.000	25mm	5.00	0.000000	0.000000	21.00000	
3	MIR-N/19-20 Muzaffarpur West/25	Balarapur Rajanpali Mandir NH 28 to House	NEA220002049	19.07.2019	0.950	25.98700	15.77197	7.47912	214MBD/2 020-21	27.09.2020	B.T. Completed	1659.080	25mm	5.00	0.000000	0.000000	13.50000	
4	MIR-N/19-20 Muzaffarpur West/25	Dastanpala PWD road to Harmanan Mandir	31507302104	19.07.2019	1.800	52.20300	33.56420	14.14012	214MBD/2 020-21	27.09.2020	B.T. Completed	1390.900	25mm	5.00	0.000000	0.000000	31.00000	
5	MIR-N/19-20 Muzaffarpur West/25	Bagahi pich road to Hara Maho ke ghur hote hoje Thibhan Patel Chowk	315074601001	19.07.2019	1.780	51.88900	32.32499	14.10602	214MBD/2 020-21	27.09.2020	B.T. Completed	1149.000	25mm	5.00	0.000000	0.000000	31.00000	
															165.54500			
Ans ✓																		


 Executive Engineer
 RWD Works Division
 Muzaffarpur West

Name of Road :- Thikhan Patel Chowk To Jahangirpur Tola Hote Thikhan Bazar Tak										
Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR	IRI, I CATEGORY	Latitude	ongitude	Event
24/6/20	12:9:3	80	0.1	220	0	2200	2162 G	3	26.20033	85.13497 Normal
24/6/20	12:9:38	80	0.1	250	20.2	2500	2458 G	3.37	26.20002	85.13589 Normal
24/6/20	12:9:38	80	0.1	190	20.2	1900	1865 G	2.63	26.19964	85.13675 Normal
24/6/20	12:10:0	80	0.1	170	20.2	1700	1667 G	2.38	26.19958	85.13774 Normal
24/6/20	12:10:14	80	0.1	160	20.2	1600	1568 G	2.26	26.1995	85.13872 Normal
24/6/20	12:10:14	80	0.1	180	20.2	1800	1766 G	2.51	26.1995	85.13966 Normal
24/6/20	12:10:49	80	0.1	250	20.2	2500	2458 G	3.37	26.19958	85.14069 Normal
24/6/20	12:11:0	80	0.1	220	20.2	2200	2162 G	3	26.19971	85.14162 Normal
24/6/20	12:11:25	80	0.1	160	20.2	1600	1568 G	2.26	26.1995	85.14263 Normal
24/6/20	12:11:25	80	0.1	230	20.2	2300	2261 G	3.13	26.19928	85.14355 Normal
24/6/20	12:12:0	80	0.1	190	10.1	1900	1865 G	2.63	26.19915	85.14453 Normal
24/6/20	12:12:0	80	0.1	200	20.2	2000	1964 G	2.76	26.19913	85.14551 Normal
24/6/20	12:12:35	80	0.1	190	20.2	1900	1865 G	2.63	26.19905	85.1465 Normal
24/6/20	12:12:35	80	0.1	160	20.2	1600	1568 G	2.26	26.19908	85.14758 Normal
24/6/20	12:13:0	80	0.1	170	20.2	1700	1667 G	2.38	26.19899	85.14855 Normal
24/6/20	12:13:10	80	0.1	190	20.2	1900	1865 G	2.63	26.19969	85.14902 Normal
24/6/20	12:13:10	80	0.1	250	20.2	2500	2458 G	3.37	26.20052	85.1488 Normal
24/6/20	12:13:46	80	0.1	200	20.2	2000	1964 G	2.76	26.20132	85.14882 Normal
24/6/20	12:14:0	80	0.1	240	10.1	2400	2360 G	3.25	26.20206	85.14934 Normal
24/6/20	12:14:21	80	0.1	210	20.2	2100	2063 G	2.88	26.20296	85.14953 Speed Breaker
24/6/20	12:14:21	80	0.1	170	20.2	1700	1667 G	2.38	26.20381	85.14939 Normal
24/6/20	12:15:0	80	0.1	170	20.2	1700	1667 G	2.38	26.20466	85.14934 Normal
24/6/20	12:15:0	80	0.1	170	20.2	1700	1667 G	2.38	26.20515	85.1486 Normal
24/6/20	12:15:32	80	0.1	170	20.2	1700	1667 G	2.38	26.20608	85.14845 Curve
24/6/20	12:16:0	80	0.1	240	10.1	2400	2360 G	3.25	26.20607	85.14759 Normal
24/6/20	12:16:7	80	0.1	250	20.2	2500	2458 G	3.37	26.20619	85.14667 Normal
24/6/20	12:16:42	80	0.1	180	20.2	1800	1766 G	2.51	26.20627	85.14566 Normal
24/6/20	12:17:0	80	0.1	260	30.3	2600	2557 G	3.49	26.20642	85.14468 Normal
24/6/20	12:17:17	80	0.1	210	30.3	2100	2063 G	2.88	26.20664	85.14372 Normal
24/6/20	12:17:17	80	0.1	170	30.3	1700	1667 G	2.38	26.207	85.14283 Normal
24/6/20	12:17:17	80	0.1	190	30.3	1900	1865 G	2.63	26.20726	85.14185 Normal
24/6/20	12:17:17	80	0.1	200	30.3	2000	1964 G	2.76	26.20791	85.14003 Normal
24/6/20	12:18:0	80	0.1	220	20.2	2200	2162 G	3	26.20819	85.13911 Normal
24/6/20	12:18:0	80	0.1	210	20.2	2100	2063 G	2.88	26.20851	85.13825 Normal
24/6/20	12:18:28	80	0.1	300	10.1	3000	2953 G	3.97	26.20873	85.13729 Normal
24/6/20	12:19:0	80	0.074	170	10.1	2297	2258 G	3.12	26.20863	85.1367 Normal
AVG:-					2001.216					

Y = 0 * X + 2 + 0.989 * X - 13.58

X = 2297

Y = 2258

(R) RURAL ROAD

Good Average Poor

<4000 4001-5000 >5001

$$Y = 0 \cdot X^2 + 0.989 \cdot X - 13.58$$


$$X = 2297$$

$$Y = 2258$$

(R) RURAL ROAD
Good Average Poor
<4000 4001-5000 >5001

23/10

File : E:\Software\Bump Indicator Software\Reports\25.06.2020\Gaurav Const\24061219.xls, Section No.: 80, Eqn :
 Name of Customer : Gaurav Construction, Name of Work/ Road : Thikhan Patel Chowk To Jahangirpur Tola Hole



Peri
25/6

Name of Road :- Pyarepur Chowk To Dora Chhapra To Anil Mahto Ke Char Tak

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI, TEGORY	Latitude	ongitude	Event	
24/6/20	12:2:0	79	0.1	220	0	2200	2162 G	3	26.19455	85.11481	Normal
24/6/20	12:2:17	79	0.1	130	10.1	1300	1272 G	1.87	26.19424	85.11571	Normal
24/6/20	12:2:17	79	0.1	110	10.1	1100	1074 G	1.61	26.19357	85.11621	Normal
24/6/20	12:3:0	79	0.1	140	10.1	1400	1371 G	2	26.19321	85.117	Normal
24/6/20	12:3:0	79	0.1	170	20.2	1700	1667 G	2.38	26.193	85.11801	Normal
24/6/20	12:3:26	79	0.1	160	20.2	1600	1568 G	2.26	26.19313	85.11904	Normal
24/6/20	12:3:26	79	0.1	120	10.1	1200	1173 G	1.74	26.19338	85.12019	Normal
24/6/20	12:4:2	79	0.1	110	20.2	1100	1074 G	1.61	26.19369	85.12108	Normal
24/6/20	12:4:2	79	0.1	170	20.2	1700	1667 G	2.38	26.19408	85.12204	Culvert
24/6/20	12:4:37	79	0.1	250	20.2	2500	2458 G	3.37	26.19413	85.12301	Normal
AVG:-							1549				

$$Y = 0 \cdot X^3 + 2 \cdot 0.989 \cdot X - 13.58$$


$$X = 2297$$

$$Y = 2258$$

(R) RURAL ROAD
Good Average Poor
<4000 4001-5000 >5001

[Signature]

File : E:\Software\Bump Indicator Software\Reports\25.06.2020\Gaurav Const\24061219.Xls. Section No. : 79. Eqp :
Name of Customer : Gaurav Construction. Name of Work/ Road : Pyarepur Chowk To Dora Chhapra To Anil Mahto Ke



Dr. A. K. Singh

Name of Road : - Ratanpur Bajrangbali Mandir NH 28 to House

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	UV	TEGORY ROAD	IRI	Latitude	ongitude	Event
25/6/20	15:31:0	5	0.1	130	0	1300	1272	G	1.87	26.25715	85.18372	Normal
25/6/20	15:31:21	5	0.1	120	20.2	1200	1173	G	1.74	26.25625	85.18	Normal
25/6/20	15:31:21	5	0.1	160	20.2	1600	1568	G	2.26	26.25546	85.18296	Normal
25/6/20	15:32:0	5	0.1	180	10.1	1800	1766	G	2.51	26.25452	85.18276	Curve
25/6/20	15:32:0	5	0.1	240	10.1	2400	2360	G	3.25	26.25456	85.18355	Normal
25/6/20	15:40:9	5	0.1	160	0	1600	1568	G	2.26	26.25403	85.18636	Normal
25/6/20	15:41:0	5	0.1	200	10.1	2000	1964	G	2.76	26.25442	85.18545	Normal
25/6/20	15:42:0	5	0.092	150	0	1630	1598	G	2.29	26.25469	85.18449	Normal
AVG:- 1659												

$$Y = 0 * X^2 + 0.989 * X - 13.58$$


$$X = 1630$$

$$Y = 1598$$

(R) RURAL ROAD
Good Average Poor
<4000 4001-5000 >5001

[Signature]

File : E:\Software\Bump Indicator Software\Reports\25.06.2020\Anand Enterprises\25061549.Xls, Section No.: 5.
Name of Customer : ANAND ENTERPRISES, Name of Work/ Road : RATANPUR BAJRANGBALL MANDIR, Lab Job




25/6/20

Name of Road :- Dastaulia PWD road to Hanuman Mandir													
Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	UIV	ROAD CATEGORY	IRI	Latitude	Longitude	Event	
25/6/20	14:44:33	82	0.1	120	0	1200	1173	G	1.74	26.18247	85.12182	Normal	$Y = 0 * X^2 + 0.989 * X - 13.58$
25/6/20	14:45:0	82	0.1	120	10.1	1200	1173	G	1.74	26.18265	85.12084	Normal	X = 1630
25/6/20	14:45:10	82	0.1	190	10.1	1900	1865	G	2.63	26.18289	85.11988	Normal	Y = 1598
25/6/20	14:45:45	82	0.1	160	10.1	1600	1568	G	2.26	26.18352	85.11928	Normal	
25/6/20	14:46:0	82	0.1	160	20.2	1600	1568	G	2.26	26.18423	85.11865	Normal	(R) RURAL ROAD
25/6/20	14:46:0	82	0.1	140	20.2	1400	1371	G	2	26.18459	85.11776	Normal	Good
25/6/20	14:46:20	82	0.1	140	10.1	1400	1371	G	2	26.18496	85.11702	Normal	Average
25/6/20	14:46:56	82	0.1	150	20.2	1500	1469	G	2.13	26.18516	85.11599	Normal	Poor
25/6/20	14:47:0	82	0.1	160	20.2	1600	1568	G	2.26	26.18541	85.11507	Normal	
25/6/20	14:47:0	82	0.1	100	10.1	1000	975	G	1.48	26.18576	85.11409	Normal	
25/6/20	14:47:31	82	0.1	100	10.1	1000	975	G	1.48	26.18634	85.11323	Normal	
25/6/20	14:49:51	82	0.1	90	0	900	876	G	1.34	26.18689	85.11244	Normal	
25/6/20	14:51:2	82	0.1	80	0	800	777	G	1.21	26.1876	85.11197	Normal	
25/6/20	14:51:2	82	0.1	150	20.2	1500	1469	G	2.13	26.18845	85.11217	Normal	
25/6/20	14:51:2	82	0.1	180	20.2	1800	1766	G	2.51	26.18937	85.11237	Normal	
25/6/20	14:51:2	82	0.1	170	20.2	1700	1667	G	2.38	26.19024	85.11266	Normal	
25/6/20	14:51:37	82	0.1	150	20.2	1500	1469	G	2.13	26.19109	85.113	Normal	
25/6/20	14:52:0	82	0.1	150	0	1500	1469	G	2.13	26.19109	85.113	Normal	
25/6/20	14:53:0	82	0.092	180	0	1957	1921	G	2.7	26.19195	85.11301	Normal	
AVG:-							1390						

[Signature]

File : E:\Software\Bump Indicator Software\Reports\25.06.2020\Anand Enterprises\25061549.Xls. Section No. :82.
Name of Customer : ANAND ENTERPRISES. Name of Work/ Road : Dastaulia PWD road to Hanuman Mandir. Lab




Signature
25/6

Name of Road: - Bagahi pitch road to Hari Mahto ke ghar hote hue Thikhan Patel chowktak													
Date	Time	Section No.	Length in km	Bumps in mm	Rate	Speed	OR	IRI	ROAD CATEGORY	Latitude	Longitude	Event	
25/6/20	15:11:16	3	0.1	190	0		1900	1865	G	26.21661	85.13529	Normal	$Y = 0 \cdot X + 2 + 0.989 \cdot X - 13.58$
25/6/20	15:12:0	3	0.1	130	20.2		1300	1272	G	26.2175	85.13529	Normal	$X = 1630$
25/6/20	15:12:0	3	0.1	110	20.2		1100	1074	G	26.21836	85.13535	Normal	$Y = 1598$
25/6/20	15:12:28	3	0.1	140	10.1		1400	1371	G	26.21927	85.13524	Normal	
25/6/20	15:13:0	3	0.1	150	20.2		1500	1469	G	26.22012	85.13493	Normal	(R) RURAL ROAD
25/6/20	15:13:2	3	0.1	130	20.2		1300	1272	G	26.22093	85.13456	Normal	Good
25/6/20	15:13:2	3	0.1	110	20.2		1100	1074	G	26.22171	85.13411	Normal	Average
25/6/20	15:13:38	3	0.1	110	20.2		1100	1074	G	26.22252	85.13441	Normal	Poor
25/6/20	15:13:38	3	0.1	90	20.2		900	876	G	26.22311	85.13522	Normal	
25/6/20	15:14:0	3	0.1	90	30.3		900	876	G	26.22371	85.13593	Normal	
25/6/20	15:14:13	3	0.1	110	20.2		1100	1074	G	26.22429	85.1367	Normal	
25/6/20	15:14:13	3	0.1	90	20.2		900	876	G	26.22458	85.13773	Culvert	
25/6/20	15:14:48	3	0.1	140	20.2		1400	1371	G	26.22524	85.13822	Normal	
25/6/20	15:15:0	3	0.1	80	20.2		800	777	G	26.22608	85.13855	Normal	
25/6/20	15:15:0	3	0.1	110	20.2		1100	1074	G	26.22689	85.13902	Normal	
25/6/20	15:15:23	3	0.1	100	10.1		1000	975	G	26.22762	85.13951	Normal	
25/6/20	15:15:59	3	0.1	120	20.2		1200	1173	G	26.22833	85.1401	Normal	
25/6/20	15:16:0	3	0.069	80	10.1		1159	1132	G	26.22865	85.14076	Normal	
Ave:-								1149					

Handwritten signature/initials

File : E:\Software\Bump Indicator Software\Reports\25.06.2020\Anand Enterprises\25061549.Xls, Section No. : 3.
Name of Customer : ANAND ENTERPRISES, Name of Work/ Road : Bagahi pitch Road to Hari Mahito ke ghar hote



Handwritten signature