

**कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, हथुआ।**

पत्रांक- 1515

दिनांक- 11-11-2020

प्रेषक,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ।

सेवा में,

सचिव,
बिहार, ग्रामीण पथ विकास अभिरण,
बिहार, पटना।

विषय :- बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत क्रियान्वित पथ मरम्मत कार्य हेतु राशि उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषयक बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत क्रियान्वित पथ मरम्मत कार्य हेतु राशि की अधियाचना विहित प्रपत्र में की जा रही है।

अतः भवदीय से अनुरोध है कि कॉलम 18 में अंकित राशि उपलब्ध कराने की कृपा की जाय।

अनु०- यथोक्त।

विश्वासभाजन,



कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ।

on Format for Scheme Head- MR (3054) under Bihar Rural Road Maintenance Policy- 2018 (Initial Rectification and Surface Renewal)
of Works Division :- Rural Works Department, Works Division Hathua.

SI No.	Package No.	Name of Road	Project ID as Per MIS	Administrative Approval (AA) Letter No & Date.	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No & Date	Date & Completion as per Agreement.	Actual Date of Completion	Value of R/I (in MM/KM)	Thickness of Bitumen layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Amount (in Lakh)	Up-to date expenditure as per MIS (in Lakh)	Requisition against work done. (in Lakh)	Remarks
					Length (in Lakh)	Amount (in Lakh)	Initial Rectification with surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/15-20/Hathua-23	Amtha Kitem to Sabeyan via Sivamla.	314711011982	Letter No-3573 & Dt- 20.08.2019	3.800	140.802	96.56937	34.16803	01/MBO/20-21	20.05.2021	.	Good	25	5.00	0.00000	96.00000	96.00000	Surface completed.
					3.800	140.802	96.569	34.168							0.00000	96.00000	96.00000	

P. K. Singh
5/11/2020

A.E
R.W.D Works Division, Hathua.

Shree
11/11/2020
D.A.O

20/11/2020
Executive Engineer,
R.W.D Works Division, Hathua.

FORM GFR 19 - A

(See Government of India's Decision (1) below Rule - 150)

Form utilisation Certificate up to the month of Up to 31.10.2020

MR-3054 (New Maintenance Policy-2018)**RWD Works Division - HATHUA**

1	Head	Amount Received		Expenditure		Balance	
		IN A/C-	0.00	IN A/C-	0.00	IN A/C-	0.00
		By CFMS-	54709200.00	By CFMS-	51141632.00	By CFMS-	3567568.00
		Total-	54709200.00	Total-	51141632.00	Total-	3567568.00
	MR-3054 (New Maintenance Policy-2018)					Certified that sum of Rs 547.09200 Lac has been utilized for the purpose of MR-3054 (New Maintenance Policy-2018) Schemes as given in the margin for which it was sanctioned and that the balance of Rs 35.67568 Lac Lacs remaining utilized at the end of the period under.	

2. Certified that I have satisfied myself that the conditions on which the grants-in aid was sanctioned have been duly

Kind of Checks exercised :-

(i) Works have been supervised by Executive Engineer/Superintending Engineer.

(ii) Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.

(iii) Construction material have been tested.

(iv) Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.

(v) All other codal formalities have been observed.

3. Physical Progress achieved :-

(i) Construction of Road Works.

(ii) Construction of CD Works

D.A.O

Rural Works Department
Works Division Hathua

Executive Engineer

Rural Works Department
Works Division Hathua

Road Name :- Amtha khem se sabeya via siswaniya

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR	IRI CATEGORY	Latitude	ongitude	Event
31/10/20	18:57:0	16	0.1	280	0	2800	2854 G	26.42698	84.27461	Normal
31/10/20	18:57:20	16	0.1	260	10.1	2600	2679 G	26.42655	84.27547	Normal
31/10/20	18:58:0	16	0.1	200	10.1	2000	2156 G	26.42626	84.2763	Normal
31/10/20	18:58:31	16	0.1	120	10.1	1200	1457 G	26.42578	84.2767	Curve
31/10/20	18:58:31	16	0.1	80	20.2	800	1108 G	26.42559	84.27702	Curve
31/10/20	18:59:6	16	0.1	220	10.1	2200	2330 G	26.42545	84.27795	Normal
31/10/20	18:59:6	16	0.1	210	10.1	2100	2243 G	26.42556	84.27879	Normal
31/10/20	18:59:41	16	0.1	90	30.3	900	1195 G	26.42541	84.27916	Curve
31/10/20	19:0:0	16	0.1	230	10.1	2300	2418 G	26.42459	84.27939	Normal
31/10/20	19:0:17	16	0.1	220	10.1	2200	2330 G	26.42384	84.27946	Curve
31/10/20	19:0:17	16	0.1	20	18.8	200	584 G	26.42378	84.27943	Curve
31/10/20	19:1:0	16	0.1	320	10.1	3200	3203 G	26.42327	84.28012	Normal
31/10/20	19:1:0	16	0.1	230	10.1	2300	2418 G	26.42288	84.28099	Curve
31/10/20	19:1:27	16	0.1	200	10.1	2000	2156 G	26.42289	84.28197	Normal
31/10/20	19:2:38	16	0.1	310	0	3100	3116 G	26.42275	84.28325	Speed Breaker
31/10/20	19:3:0	16	0.1	200	10.1	2000	2156 G	26.42274	84.28423	Normal
31/10/20	19:3:13	16	0.1	190	10.1	1900	2068 G	26.42247	84.28515	Bridge
31/10/20	19:4:0	16	0.1	290	10.1	2900	2941 G	26.42224	84.28608	Normal
31/10/20	19:4:24	16	0.1	190	10.1	1900	2068 G	26.42194	84.28699	Curve
31/10/20	19:5:0	16	0.1	320	10.1	3200	3203 G	26.42124	84.28739	Normal
31/10/20	19:5:34	16	0.1	230	0	2300	2418 G	26.4203	84.28727	Speed Breaker
31/10/20	19:6:45	16	0.1	140	0	1400	1632 G	26.41928	84.2868	Normal
31/10/20	19:7:20	16	0.1	280	10.1	2800	2854 G	26.41871	84.28719	Normal
31/10/20	19:7:20	16	0.1	270	10.1	2700	2767 G	26.41852	84.28815	Curve
31/10/20	19:8:0	16	0.1	250	10.1	2500	2592 G	26.41807	84.28892	Culvert
31/10/20	19:9:0	16	0.1	340	10.1	3400	3378 G	26.41764	84.28975	Curve
31/10/20	19:9:6	16	0.1	370	10.1	3700	3640 G	26.4168	84.28943	Curve
31/10/20	19:10:17	16	0.1	290	0	2900	2941 G	26.41646	84.2902	Curve
31/10/20	19:11:0	16	0.1	260	0	2600	2679 G	26.41574	84.29059	Normal
31/10/20	19:11:27	16	0.1	250	0	2500	2592 G	26.41485	84.29042	Curve
31/10/20	19:12:2	16	0.1	10	10.1	100	497 G	26.41451	84.29062	Curve
31/10/20	19:13:0	16	0.1	320	0	3200	3203 G	26.41416	84.29145	Normal
31/10/20	19:13:13	16	0.1	250	10.1	2500	2592 G	26.41397	84.29242	Curve
31/10/20	19:14:24	16	0.1	380	0	3800	3727 G	26.41327	84.29293	Curve
31/10/20	19:15:0	16	0.1	30	0	300	672 G	26.41267	84.29337	Culvert
31/10/20	19:16:0	16	0.1	300	0	3000	3029 G	26.41181	84.29337	Curve

$$Y = 0 * X^2 + 0.873 * X + 410.1$$

$$X = 357.1$$

$$Y = 3527$$

(R) RURAL ROAD
Good Average Poor
<4000 4001-5000 >5001

Handwritten signature and date: 31/10/20

31/10/20	19:16:45	16	0.1	230	0	2300	2418	G		26.41101	84.2936	Curve
31/10/20	19:17:20	16	0.1	270	0	2700	2767	G		26.41016	84.29365	Speed Breaker
31/10/20	19:17:20	16	0.014	50	40.4	3571	3527	G		26.41004	84.29364	Normal

21/11/2020

Stereo Analyser

Name of Customer:
 Name of Work/ Road:
 Lab Job number:
 Date:
 Section No:


Test Date:
 Machine No:
 Start S No:
 Start E No:
 Weather:
 Start Location:
 End Location:
 Road Name:
 Road Type:
 Side:
 UIV Range: To Interval
 Dist Range: To * 1000 m
 Equation:
$$Y = 0.0 \cdot X^2 + 0.073 \cdot X + 410.1$$

Print Generate Report and Graph

Redraw Graph

Map View

File: 31\31107123.Mx Section No: 16 Eqn: $Y = 0.0 \cdot X^2 + 0.073 \cdot X + 410.1$
 Name of Customer: M/S Shambhu Sharan Singh, Name of Work/ Road: Amitha them se saberna via sirwanrya, Lab



Distance * 1000 m

R. Shambhu Singh

31/12/20