

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल- बक्सर

पत्रांक-.....20.99...../बक्सर

दिनांक-...27/11/2020.....

प्रेषक,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल- बक्सर

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव
बिहार ग्रामीण पथ विकास अभिकरण (BRRDA)
बुद्ध मार्ग, पटना।

विषय- शीर्ष 3054 मरम्मत (बिहार ग्रामीण पथ अनुरक्षण नीति- 2018) योजना अंतर्गत राशि
की अधियाचना के सम्बन्ध में।

महाशय,

उपर्युक्त विषय के सम्बन्ध में कहना है कि योजना शीर्ष 3054 मरम्मत (बिहार ग्रामीण पथ अनुरक्षण नीति- 2018) अंतर्गत कराये गए कार्यों के भुगतान हेतु राशि की आवश्यकता है जिसे अधियाचना प्रपत्र के साथ सलग्न कर भेजा जा रहा है।

अतः श्रीमान से अनुरोध है कि सलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने की कृपा की जाए ताकि संवेदकों द्वारा कराये गए कार्य का भुगतान किया जा सके।

अनु०- यथोक्त

विश्वासभाजन



कार्यपालक अभियंता
ग्रा०का०वि०, कार्य प्रमंडल- बक्सर


27/11/20

Requisition Format for Scheme Head- MR (3054) under Bihar Rural Road Maintenance Policy- 2018 (Initial Rectification and Surface Renewal)

Name of Works Division- RWD, Works Division- Buxar

Sl No	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount		Agreement No. & Date	Date of Completion as per Agreement	Value of IRI (in mm/cm)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in percentage	Previous Total Amount Allocated (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in Km)	Amount (in Lakh)	Initial Rectification With Surface Renewal (in Lakh)	5 Years Routine Maintenance (in Lakh)									
1	MR-N/19-20 BUXAR/01	L087-CHAUSA DHANSOI TO DHARMPURA DEWKULI (VR87)	10401902090	Lt. No.- 2155, Dt.- 06/07/2019	2.540	100.066	50.79500	21.76480	37MBD/ 2019-20 & 22/11/2019	21-08-2020	2752	25 mm	5.01%	0	0	50.79500	
2	MR-N/19-20 BUXAR/01	Unwas to Jigna Basav lake Road to Chamei Road	10401901024	Lt. No.- 2155, Dt.- 06/07/2019	1.800	70.529	49.32300	14.10205	37MBD/ 2019-20 & 22/11/2019	21-08-2020	2631	25 mm	5.00%	0	0	49.32300	
3	MR-N/19-20 BUXAR/03	Balsara to Lohandi Bijhaura via Tejpur Main Road	10402001004	Lt. No.- 2155, Dt.- 06/07/2019	4.700	149.454	91.82500	30.48025	51MBD/ 2019-20 & 12/12/2019	11-09-2020	2814	25 mm	5.00%	0	0	91.82500	
4	MR-N/19-20 BUXAR/03	Sarwa Naryanpur Road - Timpurwan	NEA220001285	Lt. No.- 2155, Dt.- 06/07/2019	2.500	79.72	47.73000	22.51610	51MBD/ 2019-20 & 12/12/2019	11-09-2020	2745	25 mm	5.01%	0	0	47.73000	
5	MR-N/19-20 BUXAR/03	Sareja Naryanpur to Bhaithwa	14191021690	Lt. No.- 2155, Dt.- 06/07/2019	1.950	84.02	47.11700	16.15855	51MBD/ 2019-20 & 12/12/2019	11-09-2020	2701	25 mm	5.01%	0	0	47.11700	
6	MR-N/19-20 BUXAR/04	Buxar Dhansoi Path to Lodhas	14191021694	Lt. No.- 2155, Dt.- 06/07/2019	5.500	190.33	99.01100	49.57580	52MBD/ 2019-20 & 12/12/2019	11-09-2020	2638	25 mm	5.00%	0	0	99.01100	
7	MR-N/19-20 BUXAR/04	Kochi to Indaur	14191021693	Lt. No.- 2155, Dt.- 06/07/2019	5.950	185.90	108.87400	54.37850	52MBD/ 2019-20 & 12/12/2019	11-09-2020	2326	25 mm	5.00%	0	0	108.87400	
8	MR-N/19-20 BUXAR/11	Bhogpur Simi road to Chandpali Road	10401901003	Lt. No.- 2155, Dt.- 06/07/2020	1.633	54.13	31.87400	14.94000	33MBD/ 2019-20 & 20/11/2019	19/08/2020	3244	25 mm	5.01%	31.84768	31.84768	0.02098	
9	MR-N/19-20 BUXAR/11	KOILAVIR - DULLAPAH	10401902048	Lt. No.- 2155, Dt.- 06/07/2020	1.322	43.60	25.91300	12.09600	33MBD/ 2019-20 & 20/11/2019	19/08/2020	3415	25 mm	5.00%	25.87455	25.87455	0.04246	

1. Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed
2. Up-to-date Physical Progress has been uploaded in MIS

[Signature]
27/11/20

Executive Engineer
RWD (V), Div.- Buxar

[Signature]
27/11/20

M/S Sarawati Construction

Name of Work/
Road. **Buxar Dhanosi Road to Lodhas**

50

24 17 2020 •

56

Generate Report and Graph

Name of Customer :M/S Saraswati Construction, Name of Work/ Road :Buxar Dhannoi Road to Lodhas, Lab Job



Map View

Name of Road- Buxar Dhansol Road to Lodhas

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEG ORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
24/ 11/ 20	18: 54: 30	85	0.1	320	10.1	3200	2987	G	25.4059	84.27508	Normal
24/ 11/ 20	18: 55: 0	85	0.1	280	20.2	2800	2636	G	25.405725	84.2843	Normal
24/ 11/ 20	18: 55: 5	85	0.1	310	30.3	3100	2900	G	25.405488	84.29427	Curve
24/ 11/ 20	18: 55: 5	85	0.1	280	30.3	2800	2636	G	25.4048	84.29882	Normal
24/ 11/ 20	18: 55: 5	85	0.1	200	30.3	2000	1935	G	25.403863	84.29477	Curve
24/ 11/ 20	18: 55: 41	85	0.1	280	30.3	2800	2636	G	25.403402	84.3013	Normal
24/ 11/ 20	18: 55: 41	85	0.1	280	30.3	2800	2636	G	25.403357	84.31143	Curve
24/ 11/ 20	18: 56: 0	85	0.1	260	20.2	2600	2461	G	25.403042	84.3207	Normal
24/ 11/ 20	18: 56: 16	85	0.1	230	30.3	2300	2198	G	25.403137	84.33047	Curve
24/ 11/ 20	18: 56: 16	85	0.1	290	20.2	2900	2724	G	25.40371	84.33888	Normal
24/ 11/ 20	18: 56: 16	85	0.1	180	30.3	1800	1759	G	25.403715	84.3478	Normal
24/ 11/ 20	18: 56: 51	85	0.1	330	30.3	3300	3075	G	25.403723	84.35875	Curve
24/ 11/ 20	18: 57: 0	85	0.1	280	20.2	2800	2636	G	25.404312	84.3611	Normal
24/ 11/ 20	18: 57: 0	85	0.1	240	30.3	2400	2286	G	25.4043	84.3707	Normal
24/ 11/ 20	18: 57: 27	85	0.1	230	30.3	2300	2198	G	25.40427	84.38113	Normal
24/ 11/ 20	18: 57: 27	85	0.1	320	20.2	3200	2987	G	25.404032	84.39057	Normal
24/ 11/ 20	18: 57: 27	85	0.1	270	30.3	2700	2549	G	25.40321	84.39192	Normal
24/ 11/ 20	18: 58: 2	85	0.1	290	30.3	2900	2724	G	25.402252	84.3941	Normal
24/ 11/ 20	18: 58: 2	85	0.1	270	30.3	2700	2549	G	25.401403	84.39713	Normal
24/ 11/ 20	18: 58: 2	85	0.1	300	30.3	3000	2812	G	25.401258	84.4069	Normal
24/ 11/ 20	18: 58: 2	85	0.1	210	30.3	2100	2023	G	25.401127	84.41648	Normal
24/ 11/ 20	18: 58: 37	85	0.1	280	30.3	2800	2636	G	25.400952	84.42727	Curve
24/ 11/ 20	18: 58: 37	85	0.1	300	30.3	3000	2812	G	25.401025	84.43602	Normal
24/ 11/ 20	18: 59: 0	85	0.1	270	40.4	2700	2549	G	25.400947	84.44645	Normal
24/ 11/ 20	18: 59: 12	85	0.1	300	20.2	3000	2812	G	25.400397	84.45168	Normal
24/ 11/ 20	18: 59: 12	85	0.1	230	30.3	2300	2198	G	25.399627	84.4542	Normal
24/ 11/ 20	18: 59: 12	85	0.1	190	40.4	1900	1847	G	25.39938	84.46347	Normal
24/ 11/ 20	18: 59: 48	85	0.1	180	40.4	1800	1759	G	25.399232	84.47305	Curve
24/ 11/ 20	19: 0: 0	85	0.1	290	30.3	2900	2724	G	25.399295	84.48315	Normal
24/ 11/ 20	19: 0: 0	85	0.1	310	20.2	3100	2900	G	25.399207	84.49393	Speed Breaker
24/ 11/ 20	19: 0: 23	85	0.1	330	20.2	3300	3075	G	25.399293	84.50318	Normal
24/ 11/ 20	19: 0: 58	85	0.1	320	10.1	3200	2987	G	25.399075	84.51328	Speed Breaker

$$Y = 0 * X^{\wedge} 2 + 0.877 * X + 181.3$$

$$X = 3100$$

$$Y = 2900$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

Name of Road- Buxar Dhansoi Road to Lodhas

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
24/11/20	19:1:0	85	0.1	290	10.1	2900	2724	G	25.398982	84.52172	Normal
24/11/20	19:1:34	85	0.1	200	10.1	2000	1935	G	25.398073	84.52272	Curve
24/11/20	19:2:9	85	0.1	330	10.1	3300	3075	G	25.398	84.53147	Normal
24/11/20	19:2:9	85	0.1	330	30.3	3300	3075	G	25.397965	84.5414	Normal
24/11/20	19:2:9	85	0.1	270	20.2	2700	2549	G	25.39842	84.54898	Curve
24/11/20	19:2:44	85	0.1	330	20.2	3300	3075	G	25.398737	84.5569	Normal
24/11/20	19:3:0	85	0.1	310	20.2	3100	2900	G	25.39869	84.56615	Normal
24/11/20	19:3:19	85	0.1	320	30.3	3200	2987	G	25.398477	84.57625	Normal
24/11/20	19:3:19	85	0.1	280	30.3	2800	2636	G	25.398387	84.58568	Normal
24/11/20	19:3:19	85	0.1	320	30.3	3200	2987	G	25.39826	84.59612	Normal
24/11/20	19:3:19	85	0.1	310	30.3	3100	2900	G	25.398035	84.60572	Normal
24/11/20	19:4:0	85	0.1	290	40.4	2900	2724	G	25.39796	84.61632	Curve
24/11/20	19:4:0	85	0.1	340	20.2	3400	3163	G	25.398323	84.62407	Normal
24/11/20	19:4:0	85	0.1	230	40.4	2300	2198	G	25.398282	84.6337	Normal
24/11/20	19:4:30	85	0.1	220	30.3	2200	2110	G	25.398348	84.6441	Normal
24/11/20	19:4:30	85	0.1	340	40.4	3400	3163	G	25.398365	84.6537	Normal
24/11/20	19:4:30	85	0.1	290	30.3	2900	2724	G	25.398388	84.6648	Curve
24/11/20	19:5:5	85	0.1	270	30.3	2700	2549	G	25.398255	84.67407	Normal
24/11/20	19:5:5	85	0.1	270	40.4	2700	2549	G	25.39828	84.68	Normal
24/11/20	19:5:5	85	0.1	320	10.1	3200	2987	G	25.39803	84.6941	Normal
24/11/20	19:5:5	85	0.1	340	20.2	3400	3163	G	25.399882	84.71262	Normal
24/11/20	19:5:11	85	0.1	240	20.2	2400	2286	G	25.383552	84.73113	Normal
24/11/20	19:5:11	85	0.1	320	10.1	3200	2987	G	25.385403	84.74965	Normal
Total Length			5.50								

1004
23/11/20