कार्यपालक अभियंता का कार्यालय ग्रामीण कार्य विभाग, कार्य प्रमंडल, मोहनियाँ।

Email ID:- ee.rwdworkmohania@gmail.com

Mob:- 8986915825

पत्रांक... 15 17 3130

प्रेषक,

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, मोहनियाँ।

सेवा में,

नोडल पदाघिकारी (MR 3054) ग्रामीण कार्य विभाग पटना, बिहार

विषय:- नई अनुरक्षण नीति-2018MR (3054)योजना के अंतर्गत पथ में कराये गये कार्य के विरुद्ध आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में सूचित करना है कि नई अनुरक्षण नीति—2018 MR (3054)योजना के अंतर्गत पथ में कराये गये कार्य के लिए संवेदक को भुगतान करने हेतु अधियाचना विहित प्रपत्र में भरकर आवश्यक कार्यवाही हेतु समर्पित की जाती है।

अनु :- यथोक्त।

विश्वासभाजन

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, मोहनिया।

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150)

Form of Utilization Certificate up to 14 October 2020

Sl.No	Name of Scheme	Sanction No.&Date With Amount (In lace Rs.)	Amount Received (In lace Rs.)	Particulars
1	Construction of Rural roads Under MR	New Maintenance Policy-2018 MR (3054) BRRDA PATNA	2233.57084	Certified that out of Rs. 2233.57084 lakh of grants-in-aid sanctioned during the years 2020-21 In favor of EE,RWD works division mohania a sum of Rs. 1656.25388 lakh has been utilized for the purpose of MR (3054) Schemes as given in the margin for which it was sanctioned and that the balance of Rs.577.31969 lakh remaining unutilized at the end of the period under report.
	Total:		2233.57084	

2. Certified that I have satisfied my self that the conditions on which the grant-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was utilized for the purpose for which it was sanctioned.

Kind of Checks exercised:-

- i. Works have been supervised by Executive Engineer/ Superintending Engineer.
- ii. Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- iii. Construction materials have been tested.
- iv. Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/ Executive Engineer.
- v. All other caudal formalities have been observed.
- 3. Physical Progress achieved:
 - i. Construction of Road Works.
 - ii. Construction of CD works.

Divisional Accounts Officer R.W.D, works Division

Mohania.

Executive Engineer R.W.D, works Division Mohania.

OFFICE OF EXECUTIVE ENGINEER, RURAL WORKS DEPARTMENT, WORKS DIVISION, Mohania (KAIMUR)

Name of Works Division: - Mohania (Kaimur) Reqisition Format for Scheme Head- MR(3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

		_										
	ь	١	no.									
	26	2	Package No 'SI MR-N/ no. 2019-20/ Mohania									
	kakrait road to village kalhanua	ω :	Name of Road									
Total	10301401015	. 4	Project ID as per MIS									
	5524/ 22.10.2019	5	Administrative Approval (AA) Letter No & Date									
1.550	1.55	6	Admir Appro Length (In km)									
1.550 67.487 53.202	67.48670	7	Administrative Approval (AA) Approval (AA) Length Amount of (In km) (In Lakh)									
53.202	67.48670 53.20186 14.04537	8	Agreement Amount (In Lakh) Initial Rectification with Surface Maintena Renewal (In Lakh)									
14.045	14.04537	9	akh) 5 Year Routine Maintenance (In Lakh)									
	30MBD/ 28.05.2020	10	Agreement No& Date									
	21.02.2021	11	Date of Actual Value Completion Date of IRI as per Completio (in Agreement n mm/k									
	ı	12	Actual Date of Completio									
	2549	13	<u>3</u> of									
	25.00	14	Actual Value of Thickness of Value of Date of IRI Bitumen Bitumen Completio (in Layer Content in mm/km) (in mm) Percentage									
	5.03	15										
0.000	0.00	16	Previous up-to-di Total expendi Alloted eas pe Amount MIS									
0.000 0.000 53.202	0.00	17	Previous up-to-date Total expenditur against Alloted eas per Amount MIS (In Lakh) (In Lakh)									
53.202	53.20186	18	Requisition against work done (In Lakh)									
		Remarks										

Divisional Accounts Officer Rural Works Department, works Division, Mohania (Kaimur)

Executive Engineer Rural Works Department Works Division, Mohania

(Kaimur)

Scanned with CamScanner

Z
ar
ŭ
0
=
ᄌ
Name of Road- Durg
Ġ
Ċ
Ē
õ
힏
š
ᄌ
꽂
2
≓
\overline{z}
ä
Ω.
ឥ
<
☱
35
ĕ
rgawati kakrait road to village kalhanu
<u>=</u>
ä
anı
-

											_				_		_	_	_		_	
07 /or /cr	13/ 10/ 20 13/ 10/ 20		13/ 10/ 20 13/ 10/ 20		12/10/20	12/10/20	13/10/20	13/10/20	13/10/20	13/10/20	T2/ T0/ 70	13/10/20	13/10/20	13/ 10/ 20		13/10/20		13/ 10/ 20	13/ 10/ 20	12/10/10		Date
12. 41. 0	13: 10: 10	12: 40: 10		12: 40: 10	12: 39: 35	17. 20. 25	12: 39: 0		12: 39: 0	12: 38: 24	12: 38: 0	12.20.0	12.37.70	12: 35: 28	12: 35: 0			12: 35: 0	12: 34: 54	2		Time
	4,	77	47	47	. 4/	14	4,4	77	47	47	4/	1 +	77	47	47			47:	4/	NO.	2	Section
0.1	2 5	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1		0.1		0.1		in Km	-	Length
250	250	280		230 330		320	310	220	250	340	340	250	250	230	340		190		270	in mm		Bumps
10.1	20.2	10.1	20.2	20.2	10.1	20.2	20.2	10.1	10.1		20.2	10.1	10:1	10 1		20.2		20.2		Rate		Speed
2500	0087		3300	2300	2500	3200	3100	2500	2500	UUVE	3400	2500	2300	2300	3400		1000	1900	2700	mm/km		OR.
2373	2636	2072	3075	2198	2373	2987	2900	23/3	2222	3163	3163	2373	0617	2100	3163		1401	10/7	2549	mm/km		<u></u>
ഹ	G	G	0	G	<u>ه</u>	G	ര	G	G) (G	ഹ			(J.	G		G	ROAD	RY	CATEGO
25.248735	25.249618	25.250488	שביים ביים	25.251375	25.252255	25.253122	25.253668	25.254088	25.254515	25 25 45 45	25 254623	25.255198 25.254868		25 25 200	47.67.746	25 2557/2	25.256035	25 25 25 25	25 256318		Fatilinge	. I stitude
83.516093	83.516295	83.516228	07.01040	83 516/3	83.51672	83.517053	83.516397	83.515707	83.514998	00.04000	83 513938	83.513063	83.51213/		83.511463		83.51047	83.51047			Longitude	
Normal	Normal	Curve	MOLITIAL	Normal	Normal	Normal	Normal	Normal	Normal	NOTIFICAL	Normal	Normal	Curve	DIEGNEI	Brasker	Speed		_			Event	1
									<4000 4001-5000 >5001	Average		(R) RURAL ROAD					Y = 2373	× = 2000	X = 2500	$\frac{1}{1}$ Y = 0 * X ^ 2 + 0.877 * X + 18.	,	
	12: 41: 0 4/ 0.1 250 10.1 2500 2373 G 25.248735 83.516093	47 0.1 250 10.1 2500 2373 G 25.248735 83.516295	12: 40: 10 47 0.1 280 20.2 2800 2636 G 25.249618 83.516295 12: 41: 0 47 0.1 250 10.1 2500 2373 G 25.248735 83.516093	47 0.1 330 20.2 3300 3075 G 25.250488 83.516228 47 0.1 280 20.2 2800 2636 G 25.249618 83.516295 47 0.1 250 10.1 2500 2373 G 25.248735 83.516093	47 0.1 230 20.2 2300 2198 G 25.251375 83.51643 47 0.1 330 20.2 3300 3075 G 25.250488 83.516228 47 0.1 280 20.2 2800 2636 G 25.249618 83.516295 47 0.1 250 10.1 2500 2373 G 25.248735 83.516093	47 0.1 250 10.1 2500 2373 G 25.252255 83.51672 47 0.1 230 20.2 2300 2198 G 25.251375 83.51643 47 0.1 330 20.2 3300 3075 G 25.250488 83.516228 47 0.1 280 20.2 2800 2636 G 25.249618 83.516295 47 0.1 250 10.1 2500 2373 G 25.248735 83.516093	47 0.1 320 20.2 3200 2987 G 25.253122 83.517053 47 0.1 250 10.1 2500 2373 G 25.252255 83.51672 47 0.1 230 20.2 2300 2198 G 25.251375 83.51643 47 0.1 330 20.2 3300 3075 G 25.250488 83.516228 47 0.1 280 20.2 2800 2636 G 25.249618 83.516295 47 0.1 250 10.1 2500 2373 G 25.248735 83.516093	12: 39: 35 47 0.1 310 20.2 3100 2900 G 25.253668 83.516397 12: 39: 35 47 0.1 320 20.2 3200 2987 G 25.253122 83.517053 12: 39: 35 47 0.1 250 10.1 2500 2373 G 25.252255 83.51672 12: 40: 10 47 0.1 230 20.2 2300 2198 G 25.251375 83.51643 12: 40: 10 47 0.1 330 20.2 3300 3075 G 25.250488 83.516228 12: 40: 10 47 0.1 280 20.2 2800 2636 G 25.249618 83.516295 12: 41: 0 47 0.1 250 10.1 2500 2373 G 25.248735 83.516093	12: 39: 0 47 0.1 310 20.2 3100 2900 G 25.254088 83.515707 12: 39: 35 47 0.1 310 20.2 3100 2900 G 25.253668 83.516397 12: 39: 35 47 0.1 250 10.1 2500 2987 G 25.253122 83.51672 12: 40: 10 47 0.1 230 20.2 2300 2198 G 25.251375 83.51643 12: 40: 10 47 0.1 330 20.2 3300 3075 G 25.250488 83.516228 12: 41: 0 47 0.1 280 20.2 2800 2636 G 25.249618 83.516295 12: 41: 0 47 0.1 250 10.1 2500 2373 G 25.249618 83.516295	12: 39: 0 47 0.1 250 10.1 2500 2373 G 25.254515 83.514998 Normal 4000 12: 39: 0 47 0.1 310 20.2 3100 2900 G 25.254088 83.515707 Normal 12: 39: 35 47 0.1 320 20.2 3200 2987 G 25.253122 83.516397 Normal 12: 39: 35 47 0.1 320 20.2 3200 2987 G 25.253122 83.516397 Normal 12: 40: 10 47 0.1 250 10.1 2500 2373 G 25.253122 83.516397 Normal 12: 40: 10 47 0.1 230 20.2 2300 2198 G 25.251375 83.51643 Normal 12: 40: 10 47 0.1 380 20.2 3300 3075 G 25.250488 83.516298 Normal 12: 41: 0 47 0.1 280 20.2	12: 38: 24 47 0.1 340 10.1 3400 3163 G 25.254515 83.514998 Normal A000 12: 39: 0 47 0.1 250 10.1 2500 2373 G 25.254515 83.514998 Normal A000 12: 39: 0 47 0.1 310 20.2 3100 2900 G 25.254088 83.515707 Normal 12: 39: 35 47 0.1 320 20.2 3200 2987 G 25.253122 83.516397 Normal 12: 40: 10 47 0.1 250 10.1 2500 2373 G 25.253122 83.516397 Normal 12: 40: 10 47 0.1 230 20.2 2300 2373 G 25.253122 83.516397 Normal 12: 40: 10 47 0.1 230 20.2 2300 2198 G 25.251375 83.51643 Normal 12: 40: 10 47 0.1 280 20.2	12: 38: 0 47 0.1 340 20.2 3400 3163 G 25.254623 83.513938 Normal Good 12: 38: 24 47 0.1 340 10.1 3400 3163 G 25.254623 83.513938 Normal Good 12: 39: 0 47 0.1 250 10.1 2500 2373 G 25.254515 83.514998 Normal Good 12: 39: 0 47 0.1 310 2500 2373 G 25.254088 83.515707 Normal Good 12: 39: 35 47 0.1 320 20.2 3100 2900 G 25.25368 83.516397 Normal Good 12: 39: 35 47 0.1 320 20.2 3200 2987 G 25.253122 83.516397 Normal Good 12: 40: 10 47 0.1 230 20.2 3200 2373 G 25.253122 83.51672 Normal Good 12: 40: 10 47 0.1 330 20.2 <td< td=""><td>12: 38: 0 47 0.1 250 10.1 2500 2373 G 25.254868 83.513063 Normal R) RURALI 12: 38: 24 47 0.1 340 20.2 3400 3163 G 25.254623 83.513938 Normal Good 12: 39: 0 47 0.1 250 10.1 2500 2373 G 25.254515 83.513938 Normal Good 12: 39: 0 47 0.1 310 2500 2373 G 25.254088 83.515707 Normal 4000 12: 39: 35 47 0.1 320 20.2 3100 2900 G 25.253688 83.517053 Normal 12: 39: 35 47 0.1 320 20.2 3200 2987 G 25.253168 83.516397 Normal 12: 40: 10 47 0.1 250 10.1 2500 2373 G 25.253125 83.51672 Normal 12: 40: 10 47 0.1<</td><td>12: 37: 49 47 0.1 250 10.1 2500 2130 6 25.25198 83.512137 Curve 12: 38: 0 47 0.1 340 20.2 3400 3163 G 25.254868 83.513063 Normal (R) RURAL I 12: 38: 24 47 0.1 340 10.1 3400 3163 G 25.254623 83.513063 Normal Good 12: 38: 24 47 0.1 340 10.1 3400 3163 G 25.254623 83.513938 Normal Good 12: 39: 0 47 0.1 250 10.1 2500 2373 G 25.254615 83.514998 Normal 4000 12: 39: 0 47 0.1 310 20.2 3100 2900 G 25.254088 83.515707 Normal 4000 12: 39: 35 47 0.1 320 20.2 3200 2987 G 25.253122 83.51672 Normal 12: 40:</td><td>12: 35: 28 47 0.1 230 10.1 2300 2198 G 25.255198 83.512137 Curve 12: 37: 49 47 0.1 250 10.1 2500 2373 G 25.255198 83.512137 Curve 12: 38: 24 47 0.1 340 20.2 3400 3163 G 25.254623 83.513063 Normal Good 12: 38: 24 47 0.1 340 10.1 3400 3163 G 25.254623 83.513938 Normal Good 12: 39: 0 47 0.1 250 10.1 2500 2373 G 25.254623 83.513938 Normal 4000 12: 39: 0 47 0.1 310 25.0 2373 G 25.254615 83.514998 Normal 4000 12: 39: 0 47 0.1 310 20.2 3100 2987 G 25.25368 83.516397 Normal 12: 40: 10 47 0.1</td><td>12: 35: 28</td><td> 12: 35: 0 47 0.1 340 20.2 3400 3163 G 25.255742 83.511463 Breaker </td><td>12: 35: 0 47 0.1 340 20.2 3400 3163 G 25.255048 83.51047 Normal Y = 2373 12: 35: 28 47 0.1 230 10.1 2300 2198 G 25.255198 83.511463 Breaker 12: 38: 24 47 0.1 340 20.2 3400 3163 G 25.255198 83.51137 Curve 12: 38: 0 47 0.1 340 20.2 3400 3163 G 25.254868 83.513063 Normal (R) RURAL I 12: 38: 0 47 0.1 340 20.2 3400 3163 G 25.254623 83.513063 Normal Good 12: 39: 0 47 0.1 340 10.1 3400 3163 G 25.254623 83.513093 Normal Good 12: 39: 0 47 0.1 250 10.1 2500 2373 G 25.254515 83.51499 Normal 4000 12: 39: 0 47</td><td> 12:35:0 47 0.1 190 20.2 1900 1847 G 25.256035 83.51047 Normal Y = 2373 12:35:0 47 0.1 340 20.2 3400 3163 G 25.256035 83.51047 Normal Y = 2373 12:35:28 47 0.1 230 10.1 2300 2198 G 25.255198 83.512137 Curve 12:38:0 47 0.1 340 20.2 3400 3163 G 25.254868 83.513063 Normal R) RURALI 12:38:24 47 0.1 340 20.2 3400 3163 G 25.254868 83.513063 Normal R) RURALI 12:39:0 47 0.1 250 10.1 2500 2373 G 25.25403 83.513938 Normal R) RURALI 12:39:0 47 0.1 340 20.2 3400 3163 G 25.25403 83.513938 Normal R) RURALI 12:39:0 47 0.1 340 20.2 3400 2373 G 25.25408 83.515707 Normal R) RURALI 12:39:35 47 0.1 320 20.2 3100 2900 G 25.253668 83.516397 Normal R) RURALI 12:40:10 47 0.1 230 20.2 3300 3075 G 25.254988 83.51639 Normal R) RURALI 12:40:10 47 0.1 280 20.2 2300 2373 G 25.254988 83.51629 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.254988 83.51629 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.254988 83.51629 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.254988 83.51629 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.254988 83.51629 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.248735 83.51609 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.248735 83.51609 Normal R) RURALI 12:40:10 47 0.1 250 10.1 2500 2373 G 25.248735 83.51609 Normal R) RURALI 12:40:10 47 0.1 250 20.2 2300 2373 G 25.248735 83.51609 Normal R) RURALI 12:40:10 47 0.1 250 20.2 2300 2373 G 25.248735 83.51609 Normal R) RURALI 12:40:10 47 0.1 250 2500 2373 G 25.248735 83.51609 Normal R) RURALI 12:40:10 47 0.1 250 2500 </td><td>L2: 34: 54 4/ 0.1 270 10.1 2700 2549 G 25.256318 83.509528 Normal 12: 35: 0 47 0.1 190 20.2 1900 1847 G 25.256318 83.509528 Normal 12: 35: 0 47 0.1 340 20.2 3400 3163 G 25.256035 83.51047 Normal 12: 35: 28 47 0.1 230 10.1 2300 2198 G 25.255198 83.511463 Breaker 12: 37: 49 47 0.1 250 10.1 2500 2373 G 25.254868 83.513063 Normal 12: 38: 24 47 0.1 340 10.1 3400 3163 G 25.254868 83.513033 Normal 12: 39: 0 47 0.1 340 10.1 2500 2373 G 25.254868 83.51393 Normal 12: 39: 0 47 0.1 310 20.2 3400</td><td> NO. IN Rm In mm Rate mm/km mm/km ROAD Technology T</td><td> No. in km in mm Rate mm/km mm/km RoAD </td></td<>	12: 38: 0 47 0.1 250 10.1 2500 2373 G 25.254868 83.513063 Normal R) RURALI 12: 38: 24 47 0.1 340 20.2 3400 3163 G 25.254623 83.513938 Normal Good 12: 39: 0 47 0.1 250 10.1 2500 2373 G 25.254515 83.513938 Normal Good 12: 39: 0 47 0.1 310 2500 2373 G 25.254088 83.515707 Normal 4000 12: 39: 35 47 0.1 320 20.2 3100 2900 G 25.253688 83.517053 Normal 12: 39: 35 47 0.1 320 20.2 3200 2987 G 25.253168 83.516397 Normal 12: 40: 10 47 0.1 250 10.1 2500 2373 G 25.253125 83.51672 Normal 12: 40: 10 47 0.1<	12: 37: 49 47 0.1 250 10.1 2500 2130 6 25.25198 83.512137 Curve 12: 38: 0 47 0.1 340 20.2 3400 3163 G 25.254868 83.513063 Normal (R) RURAL I 12: 38: 24 47 0.1 340 10.1 3400 3163 G 25.254623 83.513063 Normal Good 12: 38: 24 47 0.1 340 10.1 3400 3163 G 25.254623 83.513938 Normal Good 12: 39: 0 47 0.1 250 10.1 2500 2373 G 25.254615 83.514998 Normal 4000 12: 39: 0 47 0.1 310 20.2 3100 2900 G 25.254088 83.515707 Normal 4000 12: 39: 35 47 0.1 320 20.2 3200 2987 G 25.253122 83.51672 Normal 12: 40:	12: 35: 28 47 0.1 230 10.1 2300 2198 G 25.255198 83.512137 Curve 12: 37: 49 47 0.1 250 10.1 2500 2373 G 25.255198 83.512137 Curve 12: 38: 24 47 0.1 340 20.2 3400 3163 G 25.254623 83.513063 Normal Good 12: 38: 24 47 0.1 340 10.1 3400 3163 G 25.254623 83.513938 Normal Good 12: 39: 0 47 0.1 250 10.1 2500 2373 G 25.254623 83.513938 Normal 4000 12: 39: 0 47 0.1 310 25.0 2373 G 25.254615 83.514998 Normal 4000 12: 39: 0 47 0.1 310 20.2 3100 2987 G 25.25368 83.516397 Normal 12: 40: 10 47 0.1	12: 35: 28	12: 35: 0 47 0.1 340 20.2 3400 3163 G 25.255742 83.511463 Breaker	12: 35: 0 47 0.1 340 20.2 3400 3163 G 25.255048 83.51047 Normal Y = 2373 12: 35: 28 47 0.1 230 10.1 2300 2198 G 25.255198 83.511463 Breaker 12: 38: 24 47 0.1 340 20.2 3400 3163 G 25.255198 83.51137 Curve 12: 38: 0 47 0.1 340 20.2 3400 3163 G 25.254868 83.513063 Normal (R) RURAL I 12: 38: 0 47 0.1 340 20.2 3400 3163 G 25.254623 83.513063 Normal Good 12: 39: 0 47 0.1 340 10.1 3400 3163 G 25.254623 83.513093 Normal Good 12: 39: 0 47 0.1 250 10.1 2500 2373 G 25.254515 83.51499 Normal 4000 12: 39: 0 47	12:35:0 47 0.1 190 20.2 1900 1847 G 25.256035 83.51047 Normal Y = 2373 12:35:0 47 0.1 340 20.2 3400 3163 G 25.256035 83.51047 Normal Y = 2373 12:35:28 47 0.1 230 10.1 2300 2198 G 25.255198 83.512137 Curve 12:38:0 47 0.1 340 20.2 3400 3163 G 25.254868 83.513063 Normal R) RURALI 12:38:24 47 0.1 340 20.2 3400 3163 G 25.254868 83.513063 Normal R) RURALI 12:39:0 47 0.1 250 10.1 2500 2373 G 25.25403 83.513938 Normal R) RURALI 12:39:0 47 0.1 340 20.2 3400 3163 G 25.25403 83.513938 Normal R) RURALI 12:39:0 47 0.1 340 20.2 3400 2373 G 25.25408 83.515707 Normal R) RURALI 12:39:35 47 0.1 320 20.2 3100 2900 G 25.253668 83.516397 Normal R) RURALI 12:40:10 47 0.1 230 20.2 3300 3075 G 25.254988 83.51639 Normal R) RURALI 12:40:10 47 0.1 280 20.2 2300 2373 G 25.254988 83.51629 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.254988 83.51629 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.254988 83.51629 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.254988 83.51629 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.254988 83.51629 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.248735 83.51609 Normal R) RURALI 12:41:0 47 0.1 250 10.1 2500 2373 G 25.248735 83.51609 Normal R) RURALI 12:40:10 47 0.1 250 10.1 2500 2373 G 25.248735 83.51609 Normal R) RURALI 12:40:10 47 0.1 250 20.2 2300 2373 G 25.248735 83.51609 Normal R) RURALI 12:40:10 47 0.1 250 20.2 2300 2373 G 25.248735 83.51609 Normal R) RURALI 12:40:10 47 0.1 250 2500 2373 G 25.248735 83.51609 Normal R) RURALI 12:40:10 47 0.1 250 2500	L2: 34: 54 4/ 0.1 270 10.1 2700 2549 G 25.256318 83.509528 Normal 12: 35: 0 47 0.1 190 20.2 1900 1847 G 25.256318 83.509528 Normal 12: 35: 0 47 0.1 340 20.2 3400 3163 G 25.256035 83.51047 Normal 12: 35: 28 47 0.1 230 10.1 2300 2198 G 25.255198 83.511463 Breaker 12: 37: 49 47 0.1 250 10.1 2500 2373 G 25.254868 83.513063 Normal 12: 38: 24 47 0.1 340 10.1 3400 3163 G 25.254868 83.513033 Normal 12: 39: 0 47 0.1 340 10.1 2500 2373 G 25.254868 83.51393 Normal 12: 39: 0 47 0.1 310 20.2 3400	NO. IN Rm In mm Rate mm/km mm/km ROAD Technology T	No. in km in mm Rate mm/km mm/km RoAD

R.W.D. Work Div. Mohania

Executive Engineer