# कार्यपालक अभियंता का कार्यालय ग्रामीण कार्य विभाग कार्य प्रमंडल झंझारपुर।

पत्रांक...।:३८।:३४-७

दिनांक. 13/10/20

प्रेषक,

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमण्डल, झंझारपुर ।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी –सह– सचिव, बिहार ग्रामीण पथ विकास अभिकरण, ग्रामीण कार्य विभाग, पटना ।

विषय:--

शीष MMGSY (SC) में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में कहना है शीर्ष MMGSY (SC) अन्तर्गत पथ में संलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने की कृपा की जाय। जिससे कि संवेदक़ का भुगतान किया जा सके।

अनु0-

- 1. अधियाचना प्रमााण पत्र 1 पृष्ठ में ।
- 2. उपयोगिता प्रमाण पत्र एक प्रति ।

3. मापी पुस्त की छायाप्रति ।

विश्वासभाजन

कार्यपालकं अभियंता,

### FORM GFR 19-A

## (See Government of India's Decision (I) below Rule-150)

## Form of Utilisation Certificate Upto the month of Oct. 2020

### MMGSY (SC.)

PIU – Executive Engineer, R.W.D (W) Division, Jhanjhapur.

SL.	Name of Scheme	Sanction No. & Date with Amount  (In Rs. lacs)	Amount Received (In Rs. lacs)	Particulars				
1	Construction of Rural	Authorisation	5745.06298	Certified that out of 6860.66471				
	roads under MMGSY (Sc.)	letter No.	(1115.60173) CFMS	received during the years up to 2020-21 in favour of Ex.				
			Total = 6860.66471	Engineer, RWD (W) Division				
				Jhanjharpur, Madhubani, Bihar,				
	A 1			a sum of Rs. 6694.67909 has				
	1	-		been utilized for the purpose of MMGSY (Sc.) Scheme as given				
				in the margin for which the				
	100			balance of Rs 165.67909				
8				remaining unutilized at the end				
			4-1	of the period under.				
(B)	ek i Mara ya	- 1 <del>- 1</del>	Ji.					

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

#### Kind of Checks exercised :-

- XXI. Works have been supervised by Executive Engineer/Superintending Engineer.
- XXII. Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- XXIII. Construction materials have been tested.
- XXIV. Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.
- XXV. All other codal formalities have been observed.

9.10.21

#### 3. Physical Progress achieved :-

- I. Construction of Road Works.
- II. Construction of CD Works.

Sr. D.A.O R.W.D (W) Division Jhanjharpur

R.W.D (W) Division

Name of Division - R.W.D (W) Division Jhanjharpur Format for Requisition under Head M.M.G.S.Y(SC) for the month of Oct. 2020 f Division - R.W.D (W) Division Jhanjharpur Name of Circle - R.W.D (W) Circle Darbh

	٢		υ 4 N			2		1	_		P.Ut					
Certified that			2016-17	2018-19			2018-19		-			1 2018-19			No SI	
			-17					_	2017-18 E			<u> </u>	Yeur			
Certified that			RWD Road Tulsia to Kachhua Mahadalit Tol		Kako path to Abdulla tol		Mallik Tol Lofa	RWD Road Belauncha Tinkonma to	Bheja Mahpatia road to Lalwarahi		kharaua Main road to Noniya tol		u	Name of Road		
		SANIAY KUMAR SUMAN			SANJAY KUMAR SUMAN 2.232		M/S SHYAMA CONSTRUCTION WORKS, 1.237 PRO-RAMAN KUMAR ROY		SHANKAR PRASAD 1.719		Pushpa Jha 1.752		4	Name of Agency	Name of Agency Length in km	
	Total		2.412										S	Length ìn km		
			170.316		166.169		97.41		138.97000		138.72		6	A.A (In Lakh)	<b>A</b>	
			159.90758		142.82328		83.97552		124.01783		119.74194		7	Agreement (Main Work In Lakh)	Amount of	
			13.34422		19.60055		11.40539		16.41849		16.07202		ø	Agreement (Maintenance Work In Lakh)	Amount of	
			153.00000		90.76337		67.18042		49.60713		109.55289	,	٥	Allotment Received (In Lakh)		TICLE - K. W.
			153.00000		90.76337		67.18042		49.60713		109.55289	10	5	Total Expenditure (In Lakh)		U (W) Circ
			156.85523		142.66775		80.07311		85.95923		118.72578	==	(man)	Value of Work as per Measurement (In Lakh)	or a little and a	le Darbbana
	114.17729		3.85523		51.90438		12.89269		36.35210		9.17289			Current Demand (In Lakh) (11-10)	i	,
												13		Remarks	5	
		100			DAME.	213					-	13		marks		

Works have been Supervised by the Authority concerned

2. All reports of laboratory test have been received and found satisfactory

D(W) Division Jhanjharpur

Scanned by CamScanner