

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल- बक्सर

पत्रांक-...1966...../बक्सर

दिनांक-...19/11/2020...

प्रेषक,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल- बक्सर

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव
बिहार ग्रामीण पथ विकास अभिकरण (BRRDA)
बुद्ध मार्ग, पटना।

विषय- शीर्ष 3054 मरम्मत (बिहार ग्रामीण पथ अनुरक्षण नीति- 2018) योजना अंतर्गत राशि
की अधियाचना के सम्बन्ध में।

महाशय,

उपर्युक्त विषय के सम्बन्ध में कहना है कि योजना शीर्ष 3054 मरम्मत (बिहार ग्रामीण पथ अनुरक्षण नीति- 2018) अंतर्गत कराये गए कार्यों के भुगतान हेतु राशि की आवश्यकता है जिसे अधियाचना प्रपत्र के साथ सलग्न कर भेजा जा रहा है।

अतः श्रीमान से अनुरोध है कि सलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने की कृपा की जाए ताकि संवेदकों द्वारा कराये गए कार्य का भुगतान किया जा सके।

अनु०- यथोक्त

विश्वासभाजन


19/10/20

कार्यपालक अभियंता
ग्रा०का०वि०, कार्य प्रमंडल- बक्सर


15/11/2020

Format for Scheme Head- MR (3054) under Bihar Rural Road Maintenance Policy- 2018 (Initial Rectification and Surface Renewal)

of Works Division- RWD, Works Division- Buxar

Sl No	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA) Length (In Km)	Administrative Approval (AA) Amount (In Lakh)	Agreement Amount (In Lakh)	Agreement Amount (In Lakh)	Agreement No. & Date	Date Of Completion as per Agreement	Value of IRI (In mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in percentage	Previous Total Allocated Amount (In Lakh)	up-to-date expenditure as per MIS (In Lakh)	Requisition against work done (In Lakh)	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	MR-N/19-20 BUXAR/07	Buxar Sasaram - Barupur	10402002022	Lt. No.- 2155, Dt.- 06/07/2020	2.380	87.28	50.93170	21.34102	36MBD/ 2019-20 & 22/11/2019	21-08-2020	3485	25 mm	5.01%	0	0	50.62245	
2	MR-N/19-20 BUXAR/07	Buxar Sasaram Road - Kataria	10402002025	Lt. No.- 2155, Dt.- 06/07/2020	6.640	373.49	150.33264	59.30541	36MBD/ 2019-20 & 22/11/2019	21-08-2020	3208	25 mm	5.00%	0	0	142.12465	
3	MR-N/19-20 BUXAR/07	Tiyara Dhansoi men Road to Chatpur Gram Road	10401901022	Lt. No.- 2155, Dt.- 06/07/2020	1.800	85.77	53.90140	16.66604	36MBD/ 2019-20 & 22/11/2019	21-08-2020	3441	25 mm	5.01%	0	0	53.68255	
4	MR-N/19-20 BUXAR/02	Bairi - Harpur Road	10401902019	Lt. No.- 2155, Dt.- 06/07/2020	6.000	209.44	119.88455	39.70598	50MBD/ 2019-20 & 12/12/2019	11-09-2020	3098	25 mm	5.00%	0	0	111.38700	
5	MR-N/19-20 BUXAR/02	SARENJA NARAYAPUR ROAD - ATRAUNA	10402002049	Lt. No.- 2155, Dt.- 06/07/2020	3.230	120.60	75.18669	24.66124	50MBD/ 2019-20 & 12/12/2019	11-09-2020	3102	25 mm	5.01%	0	0	75.18669	
6	MR-N/19-20 BUXAR/02	Unvas Gopalpur Path to Jaipur Via Turideura Malikaundha	14191021688	Lt. No.- 2155, Dt.- 06/07/2020	5.800	262.84	141.26316	50.69211	50MBD/ 2019-20 & 12/12/2019	11-09-2020	3147	25 mm	5.00%	0	0	141.22315	
7	MR-N/19-20 BUXAR/18	Buxar Sasaram PWD Road to Khilaphapur	10401901026	Lt. No.- 6458, Dt.- 13/12/2019	2.000	86.52	64.08944	19.57826	26MBD/ 2020-21 & 08/09/2020	07-06-2021	3244	25 mm	5.00%	0	0	54.79208	
8	MR-N/19-20 BUXAR/18	Sagra Road to Kathija	10401901034	Lt. No.- 6458, Dt.- 13/12/2019	3.930	165.98	126.43138	40.10733	26MBD/ 2020-21 & 08/09/2020	07-06-2021	3209	25 mm	5.01%	0	0	111.13429	
9	MR-N/19-20 BUXAR/18	CHAUSA RAMGARH ROAD - SIKROL	10402002029	Lt. No.- 6458, Dt.- 13/12/2019	0.734	25.89	16.94013	7.78692	26MBD/ 2020-21 & 08/09/2020	07-06-2021	3405	25 mm	5.01%	0	0	14.16073	

1. Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed
2. Up-to-date Physical Progress has been uploaded in MIS

19.10.20

Executive Engineer
RWD (W), Div.- Buxar

15/11/2020


Name of Customer :	ROHIT KUMAR SINGH	Test Date :	12-Oct-20	Road Name :	KAR SASARAM TO KATRIYA
Name of Work/ Road :	SASARAM ROAD TO KATRIYA	Machine No :	388	Road Type :	(R) RURAL ROAD
Lab Job number :		Start S No :		Side :	
Date :	12-Oct-20	Start E No :		Interval :	
Section No. :	35	Weather :		UV Range :	-490 To 5000 1000 mm/km
		Start Location :	KAR SASARAM	Dist Range :	0 To 6.8 0.1 * 1000 m
		End Location :	KATRIYA	Equation :	$Y = 0 * X^2 + 0.984 * X + 510.70$

Print

Generate Report and Graph

Redraw Graph

Map View



Signature
12-10-2020
OT

24
12.10.20
A

km
19.10.20
12

ROAD NAME - BUXAR SASARAM ROAD TO KATRIYA CONTRACTOR NAME - ROHIT KUMAR SINGH

Date	Time	Section	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI, TEGORY mm/km	Latitude	ongitude	Event
No.										
12/10/20	18:40:0	35	0.1	300	0	3000	3462 G	25.38608	83.95271	Normal
12/10/20	18:40:13	35	0.1	290	31.2	2900	3364 G	25.38597	83.95175	Normal
12/10/20	18:40:13	35	0.1	310	32.5	3100	3561 G	25.38591	83.95072	Normal
12/10/20	18:40:13	35	0.1	290	30.3	2900	3364 G	25.38597	83.94981	Normal
12/10/20	18:41:0	35	0.1	230	31.2	2300	2773 G	25.3856	83.94889	Normal
12/10/20	18:41:0	35	0.1	290	32.5	2900	3364 G	25.38524	83.948	Curve
12/10/20	18:41:23	35	0.1	280	31.2	2800	3265 G	25.38516	83.9471	Normal
12/10/20	18:41:23	35	0.1	270	30.3	2700	3167 G	25.38524	83.94609	Curve
12/10/20	18:41:23	35	0.1	290	30.3	2900	3364 G	25.38499	83.9451	Normal
12/10/20	18:41:23	35	0.1	280	30.3	2800	3265 G	25.38487	83.94412	Normal
12/10/20	18:41:58	35	0.1	290	30.3	2900	3364 G	25.38471	83.94322	Curve
12/10/20	18:42:0	35	0.1	310	32.5	3100	3561 G	25.38445	83.94222	Normal
12/10/20	18:42:0	35	0.1	260	30.3	2600	3069 G	25.38457	83.94118	Curve
12/10/20	18:42:0	35	0.1	350	31.2	3500	3954 G	25.38466	83.94022	Normal
12/10/20	18:42:33	35	0.1	260	32.5	2600	3069 G	25.3848	83.93923	Normal
12/10/20	18:42:33	35	0.1	390	31.2	3900	4348 A	25.38485	83.9383	Normal
12/10/20	18:43:9	35	0.1	320	32.5	3200	3659 G	25.3851	83.93741	Curve
12/10/20	18:43:9	35	0.1	310	31.2	3100	3561 G	25.38442	83.93704	Curve
12/10/20	18:43:44	35	0.1	290	32.5	2900	3364 G	25.38459	83.93635	Curve
12/10/20	18:44:19	35	0.1	310	31.2	3100	3561 G	25.3853	83.93593	Normal
12/10/20	18:44:54	35	0.1	320	32.5	3200	3659 G	25.38538	83.93498	Curve
12/10/20	18:45:0	35	0.1	280	31.2	2800	3265 G	25.38606	83.93436	Normal
12/10/20	18:45:30	35	0.1	300	32.5	3000	3462 G	25.38676	83.9338	Curve
12/10/20	18:45:30	35	0.1	280	31.2	2800	3265 G	25.38678	83.93279	Normal
12/10/20	18:46:0	35	0.1	290	32.5	2900	3364 G	25.38686	83.93182	Normal
12/10/20	18:46:5	35	0.1	210	31.2	2100	2577 G	25.38688	83.93081	Normal
12/10/20	18:46:5	35	0.1	240	32.5	2400	2872 G	25.38682	83.9298	Normal
12/10/20	18:46:40	35	0.1	200	30.3	2000	2478 G	25.38685	83.92887	Normal
12/10/20	18:46:40	35	0.1	260	31.2	2600	3069 G	25.38688	83.92781	Normal
12/10/20	18:47:0	35	0.1	300	30.3	3000	3462 G	25.387	83.92687	Normal
12/10/20	18:47:15	35	0.1	230	30.3	2300	2773 G	25.38716	83.92588	Normal
12/10/20	18:47:15	35	0.1	310	30.3	3100	3561 G	25.38734	83.92495	Curve
12/10/20	18:47:51	35	0.1	270	30.3	2700	3167 G	25.38753	83.92392	Normal
12/10/20	18:48:0	35	0.1	200	30.3	2000	2478 G	25.38784	83.92301	Curve
12/10/20	18:48:0	35	0.1	230	32.5	2300	2773 G	25.38799	83.922	Normal

Y = 0 * X ^

X = 2700

Y = 3167

(R) RURAL

Good

<4000

12.10.19

12.10.19

18.10.19

2C 18:48:0	35	0.1	210	31.2	2100	2577 G	25.38805	83.92103	Normal
10/2C 18:48:26	35	0.1	230	30.3	2300	2773 G	25.38812	83.92003	Normal
12/10/2C 18:48:26	35	0.1	200	32.5	2000	2478 G	25.38832	83.91897	Normal
12/10/2C 18:48:26	35	0.1	240	31.2	2400	2872 G	25.38864	83.91806	Normal
12/10/2C 18:49:0	35	0.1	250	32.5	2500	2970 G	25.38899	83.91721	Normal
12/10/2C 18:49:1	35	0.1	270	30.3	2700	3167 G	25.38929	83.91621	Normal
12/10/2C 18:49:1	35	0.1	240	30.3	2400	2872 G	25.38957	83.91525	Curve
12/10/2C 18:49:37	35	0.1	220	31.2	2200	2675 G	25.3901	83.91461	Normal
12/10/2C 18:49:37	35	0.1	210	30.3	2100	2577 G	25.39039	83.91362	Normal
12/10/2C 18:50:0	35	0.1	290	32.5	2900	3364 G	25.39068	83.91271	Speed Breaker
12/10/2C 18:50:12	35	0.1	310	31.2	3100	3561 G	25.39117	83.91185	Speed Breaker
12/10/2C 18:50:12	35	0.1	300	32.5	3000	3462 G	25.39165	83.91106	Normal
12/10/2C 18:50:47	35	0.1	230	30.3	2300	2773 G	25.39212	83.91025	Normal
12/10/2C 18:51:0	35	0.1	270	31.2	2700	3167 G	25.39262	83.90938	Curve
12/10/2C 18:51:0	35	0.1	250	30.3	2500	2970 G	25.39345	83.90899	Normal
12/10/2C 18:51:22	35	0.1	240	30.3	2400	2872 G	25.39421	83.90845	Curve
12/10/2C 18:51:22	35	0.1	280	30.3	2800	3265 G	25.39464	83.90759	Normal
12/10/2C 18:51:22	35	0.1	290	32.5	2900	3364 G	25.39485	83.90678	Curve
12/10/2C 18:52:0	35	0.1	310	31.2	3100	3561 G	25.39395	83.90663	Normal
12/10/2C 18:52:0	35	0.1	220	32.5	2200	2675 G	25.39367	83.90581	Normal
12/10/2C 18:52:33	35	0.1	290	31.2	2900	3364 G	25.39396	83.90488	Speed Breaker
12/10/2C 18:53:44	35	0.1	310	32.5	3100	3561 G	25.39417	83.90391	Normal
12/10/2C 18:54:19	35	0.1	230	31.2	2300	2773 G	25.39447	83.90308	Normal
12/10/2C 18:55:29	35	0.1	290	32.5	2900	3364 G	25.3953	83.90273	Curve
12/10/2C 18:56:5	35	0.1	310	31.2	3100	3561 G	25.39546	83.90185	Normal
12/10/2C 18:56:5	35	0.1	320	32.5	3200	3659 G	25.39523	83.90093	Normal
12/10/2C 18:56:40	35	0.1	260	31.2	2600	3069 G	25.395	83.90015	Normal
12/10/2C 18:57:0	35	0.1	290	32.5	2900	3364 G	25.39444	83.89958	Normal
12/10/2C 18:57:15	35	0.1	310	31.2	3100	3561 G	25.39496	83.89882	Normal
12/10/2C 18:57:15	35	0.1	300	32.5	3000	3462 G	25.39512	83.89779	Normal
12/10/2C 18:58:26	35	0.1	280	31.2	2800	3265 G	25.39533	83.89684	Normal
12/10/2C 18:58:26	35	0.1	290	32.5	2800	3265 G	25.3956	83.89684	Normal

12.12.18

12.12.18

18/10.21
12/12