

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल- बक्सर

पत्रांक-...1966...../बक्सर

दिनांक-...19/11/2020...

प्रेषक,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल- बक्सर

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव
बिहार ग्रामीण पथ विकास अभिकरण (BRRDA)
बुद्ध मार्ग, पटना।

विषय- शीर्ष 3054 मरम्मत (बिहार ग्रामीण पथ अनुरक्षण नीति- 2018) योजना अंतर्गत राशि
की अधियाचना के सम्बन्ध में।

महाशय,

उपर्युक्त विषय के सम्बन्ध में कहना है कि योजना शीर्ष 3054 मरम्मत (बिहार ग्रामीण पथ अनुरक्षण नीति- 2018) अंतर्गत कराये गए कार्यों के भुगतान हेतु राशि की आवश्यकता है जिसे अधियाचना प्रपत्र के साथ सलग्न कर भेजा जा रहा है।

अतः श्रीमान से अनुरोध है कि सलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने की कृपा की जाए ताकि संवेदकों द्वारा कराये गए कार्य का भुगतान किया जा सके।

अनु०- यथोक्त

विश्वासभाजन


19/10/20

कार्यपालक अभियंता
ग्रा०का०वि०, कार्य प्रमंडल- बक्सर


15/11/2020

Format for Scheme Head- MR (3054) under Bihar Rural Road Maintenance Policy- 2018 (Initial Rectification and Surface Renewal)

of Works Division- RWD, Works Division- Buxar

Sl No	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (In Lakh)		Agreement No. & Date	Date Of Completion as per Agreement	Value of IRI (In mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in percentage	Previous Total Allocated Amount (In Lakh)	up-to-date expenditure as per MIS (In Lakh)	Requisition against work done (In Lakh)	Remarks
					Length (In KM)	Amount (In Lakh)	Initial Rectification With Surface Renewal (In Lakh)	5 Years Routine Maintenance (In Lakh)									
1	MR-N/19-20 BUXAR/07	Buxar Sasaram - Barupur	10402002022	Lt. No.- 2155, Dt.- 06/07/2020	2.380	87.28	50.93170	21.34102	36MBD/ 2019-20 & 22/11/2019	21-08-2020	3485	25 mm	5.01%	0	0	50.62245	
2	MR-N/19-20 BUXAR/07	Buxar Sasaram Road - Kataria	10402002025	Lt. No.- 2155, Dt.- 06/07/2020	6.640	373.49	150.33264	59.30541	36MBD/ 2019-20 & 22/11/2019	21-08-2020	3208	25 mm	5.00%	0	0	142.12465	
3	MR-N/19-20 BUXAR/07	Tiyara Dhansoi men Road to Chatupur Gram Road	10401901022	Lt. No.- 2155, Dt.- 06/07/2020	1.800	85.77	53.90140	16.66604	36MBD/ 2019-20 & 22/11/2019	21-08-2020	3441	25 mm	5.01%	0	0	53.68255	
4	MR-N/19-20 BUXAR/02	Bairi - Harpur Road	10401902019	Lt. No.- 2155, Dt.- 06/07/2020	6.000	209.44	119.88455	39.70598	50MBD/ 2019-20 & 12/12/2019	11-09-2020	3098	25 mm	5.00%	0	0	111.38700	
5	MR-N/19-20 BUXAR/02	SARENJA NARAYAPUR ROAD - ATRAUNA	10402002049	Lt. No.- 2155, Dt.- 06/07/2020	3.230	120.60	75.18669	24.66124	50MBD/ 2019-20 & 12/12/2019	11-09-2020	3102	25 mm	5.01%	0	0	75.18669	
6	MR-N/19-20 BUXAR/02	Unvas Gopalpur Path to Jaipur Via Turideura Malikaundha	14191021688	Lt. No.- 2155, Dt.- 06/07/2020	5.800	262.84	141.26316	50.69211	50MBD/ 2019-20 & 12/12/2019	11-09-2020	3147	25 mm	5.00%	0	0	141.22315	
7	MR-N/19-20 BUXAR/18	Buxar Sasaram PWD Road to Khilaphatpur	10401901026	Lt. No.- 6458, Dt.- 13/12/2019	2.000	86.52	64.08944	19.57826	26MBD/ 2020-21 & 08/09/2020	07-06-2021	3244	25 mm	5.00%	0	0	54.79208	
8	MR-N/19-20 BUXAR/18	Sagra Road to Kathja	10401901034	Lt. No.- 6458, Dt.- 13/12/2019	3.930	165.98	126.43138	40.10733	26MBD/ 2020-21 & 08/09/2020	07-06-2021	3209	25 mm	5.01%	0	0	111.13429	
9	MR-N/19-20 BUXAR/18	CHAUSA RAMGARH ROAD - SIKROL	10402002029	Lt. No.- 6458, Dt.- 13/12/2019	0.734	25.89	16.94013	7.78692	26MBD/ 2020-21 & 08/09/2020	07-06-2021	3405	25 mm	5.01%	0	0	14.16073	

1. Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed
2. Up-to-date Physical Progress has been uploaded in MIS

19.10.20

Executive Engineer
RWD (W), Div.- Buxar

15/11/2020

Name of Customer: ARVIND KUMAR SINGH
 Name of Work/ Road: BARRY TO HARPUR
 Lab Job number:
 Date: 12-Oct-20
 Section No. 27

Test Date: 12-Oct-20 Road Name: BARRY TO HARPUR
 Machine No: 388 Road Type: (R) RURAL ROAD
 Start S No: Side:
 Start E No: Interval
 Weather: UV Range: 1577 To 5000 1000 mm/km
 Start Location: HARPUR Dist Range: 0 To 2.5 0.1 * 1000 m
 End Location: BARRY Equation: $Y = 0 \cdot X^2 + 0.984 \cdot X + 510.70$

Print


Generate Report and Graph

Redraw Graph

Map View

File: C:\Users\LENOVO\Desktop\12101942.Xls, Section No.: 27, Eqn: $Y = 0 \cdot X^2 + 0.984 \cdot X + 510.70$

Name of Customer: ARVIND KUMAR SINGH, Name of Work/ Road: BARRY TO HARPUR, Lab Job number :



Jama
15-10-20
JF

Jama
15/10/20
JF

Jama
15-10-20
JF

ROAD NAME - BARRY TO HARPUR CONTRACTOR NAME - ARVIND KUMAR SINGH

Date	Time	Section	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI.TEGORY	Latitude	ongitude	Event
12/10/20	14:8:0	No. 27	0.1	270	0	2700	ROAD	25.50776	84.6093	Normal
12/10/20	14:8:53	27	0.1	260	30.2	2600	3167 G	25.50779	84.707	Normal
12/10/20	14:9:0	27	0.1	290	31.5	2900	3069 G	25.50781	84.8097	Normal
12/10/20	14:9:28	27	0.1	270	32.5	2700	3364 G	25.50783	84.9023	Normal
12/10/20	14:10:0	27	0.1	310	32.5	3100	3167 G	25.50784	84.1007	Normal
12/10/20	14:10:3	27	0.1	250	31.2	2500	3561 G	25.50779	84.1111	Normal
12/10/20	14:10:39	27	0.1	250	31.2	2500	2970 G	25.50774	84.12037	Normal
12/10/20	14:10:39	27	0.1	210	32.5	2100	2577 G	25.50769	84.13047	Normal
12/10/20	14:11:0	27	0.1	320	31.2	3200	3659 G	25.50763	84.14073	Normal
12/10/20	14:11:14	27	0.1	300	32.3	3000	3462 G	25.50757	84.1507	Normal
12/10/20	14:11:14	27	0.1	300	31.2	3000	3462 G	25.50753	84.16043	Normal
12/10/20	14:11:14	27	0.1	300	32.5	3000	3462 G	25.50748	84.1702	Normal
12/10/20	14:11:49	27	0.1	300	31.2	3000	3462 G	25.50742	84.18013	Normal
12/10/20	14:12:0	27	0.1	310	32.5	3100	3561 G	25.50737	84.19057	Normal
12/10/20	14:12:0	27	0.1	300	31.5	3000	3462 G	25.50732	84.2003	Normal
12/10/20	14:12:25	27	0.1	290	32.5	2900	3364 G	25.50729	84.21027	Normal
12/10/20	14:12:25	27	0.1	260	30.3	2600	3069 G	25.50726	84.22003	Normal
12/10/20	14:12:25	27	0.1	250	32.5	2500	2970 G	25.50722	84.23063	Normal
12/10/20	14:13:0	27	0.1	300	30.3	3000	3462 G	25.50704	84.24007	Normal
12/10/20	14:13:0	27	0.1	300	30.3	3000	3462 G	25.50683	84.25	Normal
12/10/20	14:13:0	27	0.1	280	30.3	2800	3265 G	25.50664	84.25925	Normal
12/10/20	14:13:35	27	0.1	270	32.5	2700	3167 G	25.50642	84.26968	Normal
12/10/20	14:14:0	27	0.1	250	31.2	2500	2970 G	25.50622	84.27945	Normal
12/10/20	14:16:0	27	0.1	290	32.5	2900	3364 G	25.50601	84.28938	Normal
12/10/20	14:21:0	28	0.1	270	31.2	2700	3167 G	25.50536	84.36347	Normal
12/10/20	14:21:0	28	0.1	280	32.5	2800	3265 G	25.50541	84.3734	Normal
12/10/20	14:22:0	28	0.1	260	31.2	2600	3069 G	25.50546	84.38298	Normal
12/10/20	14:22:0	28	0.1	210	32.5	2100	2577 G	25.5055	84.39325	Normal
12/10/20	14:22:25	28	0.1	190	31.2	1900	2380 G	25.50553	84.40285	Normal
12/10/20	14:22:25	28	0.1	220	32.5	2200	2675 G	25.50561	84.41295	Curve
12/10/20	14:22:25	28	0.1	230	30.3	2300	2773 G	25.50579	84.42272	Normal

Y = 0 * X ^
X = 6984
Y = 7382
(R) RURAL
Good
<4000

15/10/20

15/10/20

15/10/20

12/10/20	14:23:1	28	0.1	170	30.3	1700	2183 G	25.50585	84.43265	Normal
12/10/20	14:23:36	28	0.1	300	32.5	3000	3462 G	25.5059	84.44275	Normal
12/10/20	14:23:36	28	0.1	310	31.2	3100	3561 G	25.50595	84.45268	Normal
12/10/20	14:24:11	28	0.1	270	32.5	2700	3167 G	25.50602	84.46262	Normal
12/10/20	14:24:11	28	0.1	290	31.2	2900	3364 G	25.50608	84.47222	Normal
12/10/20	14:27:8	28	0.1	260	32.5	2600	3069 G	25.50614	84.48232	Normal
12/10/20	14:28:18	28	0.1	310	31.2	3100	3561 G	25.50623	84.49208	Normal
12/10/20	14:28:18	28	0.1	300	32.5	3000	3462 G	25.50648	84.5013	Normal
12/10/20	14:28:54	28	0.1	300	31.2	3000	3462 G	25.50668	84.51127	Normal
12/10/20	14:29:0	28	0.1	290	32.5	2900	3364 G	25.50686	84.5207	Normal
12/10/20	14:29:29	28	0.1	250	32.5	2500	2970 G	25.50702	84.5303	Normal
12/10/20	14:29:29	28	0.1	280	31.5	2800	3265 G	25.50719	84.54023	Normal
12/10/20	14:30:4	28	0.1	310	32.5	3100	3561 G	25.50735	84.55	Normal
12/10/20	14:30:4	28	0.1	200	30.3	2000	2478 G	25.50751	84.55975	Normal
12/10/20	14:30:4	28	0.1	200	32.5	2000	2478 G	25.50766	84.56918	Normal
12/10/20	14:30:4	28	0.1	170	31.2	1700	2183 G	25.50783	84.57978	Normal
12/10/20	14:30:39	28	0.1	180	32.5	1800	2281 G	25.50809	84.5882	Normal
12/10/20	14:30:39	28	0.1	180	30.3	1800	2281 G	25.50844	84.59898	Normal
12/10/20	14:31:0	28	0.1	190	31.2	1900	2380 G	25.50873	84.6079	Normal

19.10.20
12/12

15/10/20
15/10/20

15.10.20
35