

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, गोपालगंज-2

पत्रांक 1854

गोपालगंज, दिनांक 26.10.2020

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, गोपालगंज-2

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी,
—सह— सचिव, बिहार ग्रामीण पथ विकास एजेन्सी,
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय:- नई अनुरक्षण नीति 2018 शीर्ष 3054 अन्तर्गत वित्तीय वर्ष 2020-21 में व्यय हेतु आवंटन
उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषयक ग्रामीण कार्य विभाग, कार्य प्रमंडल, गोपालगंज-2 के अधीन नई अनुरक्षण नीति
2018 शीर्ष 3054 अन्तर्गत वित्तीय वर्ष 2020-21 में कराए कार्य के विरुद्ध संलग्न विवरणी के अनुसार
भुगतान हेतु रू0 - 9220367.00 (बनावे लाख बीस हजार तीन सौ सड़सठ) मात्र का आवंटन उपलब्ध
कराने की कृपा की जाए ताकि किए गए कार्य का भुगतान किया जा सके।

विश्वासभाजन

26/10/20

कार्यपालक अभियंता

ग्रामीण कार्य विभाग,

कार्य प्रमंडल, गोपालगंज-2
26.10.20

FORM GFR 19-A

(See Government of India's Decision (1) below Rule-150)

Form of utilization Certificate up to the month of Oct-2020

Rural Road Maintenance Policy-2018 under MR 3054

PIU--Executive Engineer, Rural Works Department, Works Division, Gopalganj-2

Sl.No	Name of Scheme	Sanction No.& Date with Amount (in Rs. Lacs)	Amount Received (in Rs. Lacs)	Particulars
1	Construction of Rural Road Maintenance Policy-2018 under MR 3054	----	Rs 0.00	Certified that out of Rs. 0.00 received during the years 2019-20 in favour of Ex. Engineer, RWD, Division, Gopalganj-2 Bihar, a sum of Rs. 0.00 has been utilized for the purpose of Rural Road Maintenance Policy-2018 under MR 3054 Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 0.00 remaining unutilized at the end of the period under.
Total :			Rs.0.00	

2. Certified that I have satisfied myself that the conditions on which the grants in aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Ravi
26/10/20
D.A.O.
Works Division,
Rural Works Department
Gopalganj-2

D 26/10/20
Executive Engineer
Works Division,
Rural Works Department, Gopalganj-2
S. P. N.
26.10.20

OFFICE OF THE EXECUTIVE ENGINEER
RURAL WORKS DEPARTMENT, WORK DIVISION, GOPALGANJ-2
 Requestion Formate For Schem Head- MR (3054) under BIHAR Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Sl No	Package No	Name of Road	Project ID as Per MIS	Administrative Approval (AA) Letter No & Date	Administrative		Agreement Amount		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in MM/KM)	Thickness of Bitumen layers (inMM)	Value of Bitumen Content in Percentage	Previous Total Amount (in Lakh)	Up-to-date Expenditure as per MIS (in Lakh)	Requestion Done (in Lakh)	Remarks
					Length in Km	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	MR- N/2019-20 Gopalganj- 2/12	Vishunpur to Jalapur	314701036977	Letter No 6013, Dated- 01/11/19	3.7	142.3103	92.20367	37.50216	02MRD/3054/2 020-21	22.03.21	26.10.20	1747	25	5	0	0	92.20367	Completed

RWD, Works Division, Gopalganj-2

Dev
D.A.O

RWD, Works Division, Gopalganj-2

Executive Engineer

5/12/20
26/10/20

26/10/20

Road Name :- Vishunpura se Jalalpur

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	TEGORY ROAD	Latitude	Longitude	Event
26/10/20	11:23:0	94	0.1	80	0	800	1108	G	26.29867	84.63582	Curve
26/10/20	11:24:4	94	0.1	200	10.1	2000	2156	G	26.29944	84.63539	Normal
26/10/20	11:25:0	94	0.1	90	10.1	900	1195	G	26.3009	84.63443	Curve
26/10/20	11:25:14	94	0.1	130	10.1	1300	1545	G	26.30167	84.63357	Culvert
26/10/20	11:26:0	94	0.1	150	20.2	1500	1719	G	26.30305	84.63261	Normal
26/10/20	11:26:0	94	0.1	190	20.2	1900	2068	G	26.30394	84.63264	Curve
26/10/20	11:26:24	94	0.1	100	20.2	1000	1283	G	26.30478	84.63231	Normal
26/10/20	11:26:24	94	0.1	160	20.2	1600	1806	G	26.30558	84.63207	Curve
26/10/20	11:26:24	94	0.1	120	40.4	1200	1457	G	26.30618	84.63212	Curve
26/10/20	11:27:0	94	0.1	100	40.4	1000	1283	G	26.30662	84.63197	Normal
26/10/20	11:27:0	94	0.1	160	20.2	1600	1806	G	26.3074	84.63146	Normal
26/10/20	11:27:34	94	0.1	280	20.2	2800	2854	G	26.30819	84.63109	Speed Breaker
26/10/20	11:27:34	94	0.1	130	20.2	1300	1545	G	26.30899	84.63057	Curve
26/10/20	11:28:0	94	0.1	160	30.3	1600	1806	G	26.30959	84.6304	Curve
26/10/20	11:28:0	94	0.1	100	50.5	1000	1283	G	26.30999	84.63037	Normal
26/10/20	11:28:10	94	0.1	90	70.7	900	1195	G	26.31038	84.63025	Normal
26/10/20	11:28:10	94	0.1	240	20.2	2400	2505	G	26.31119	84.62993	Normal
26/10/20	11:28:10	94	0.1	100	40.4	1000	1283	G	26.31172	84.62983	Curve
26/10/20	11:28:45	94	0.1	70	90.9	700	1021	G	26.31205	84.62966	Curve
26/10/20	11:28:45	94	0.1	210	20.2	2100	2243	G	26.31263	84.62899	Normal
26/10/20	11:29:0	94	0.1	120	40.4	1200	1457	G	26.31297	84.62854	Normal
26/10/20	11:29:0	94	0.1	240	20.2	2400	2505	G	26.31371	84.628	Speed Breaker
26/10/20	11:29:20	94	0.1	150	20.2	1500	1719	G	26.3144	84.62741	Normal
26/10/20	11:29:20	94	0.1	190	20.2	1900	2068	G	26.31499	84.62672	Curve
26/10/20	11:29:20	94	0.1	110	30.3	1100	1370	G	26.31555	84.62641	Normal
26/10/20	11:29:56	94	0.1	100	40.4	1000	1283	G	26.31646	84.62604	Normal
26/10/20	11:30:0	94	0.1	190	20.2	1900	2068	G	26.31735	84.62545	Normal
26/10/20	11:30:0	94	0.1	100	30.3	1000	1283	G	26.31799	84.62502	Normal
26/10/20	11:30:31	94	0.1	80	60.6	800	1108	G	26.31847	84.62465	Curve
26/10/20	11:30:31	94	0.1	190	30.3	1900	2068	G	26.31903	84.62419	Curve
26/10/20	11:31:0	94	0.1	250	20.2	2500	2592	G	26.31982	84.6238	Normal
26/10/20	11:31:6	94	0.1	280	20.2	2800	2854	G	26.32055	84.62337	Normal
26/10/20	11:31:6	94	0.1	190	20.2	1900	2068	G	26.32131	84.62281	Normal
26/10/20	11:31:41	94	0.1	210	20.2	2100	2243	G	26.32206	84.62236	Normal
26/10/20	11:32:0	94	0.1	130	20.2	1300	1545	G	26.32281	84.62194	Normal
26/10/20	11:32:0	94	0.1	120	20.2	1200	1457	G	26.32364	84.62155	Normal
26/10/20	11:32:17	94	0.1								

$$Y = 0 * X^2 + 0.873 * X + 410.1$$

$$X = 1250$$

$$Y = 1501$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

26-10-20
JTB

26/10/20
AC

26/10/20
कायपालक अभियंता
ग्रामीण कार्य विभाग कार्य प्रमाण
गोपालगंज

26/10/20	11:32:52	94	0.1	210	20.2	2100	2243	G		26.3252	84.62069	Normal
26/10/20	11:33:0	94	0.1	140	20.2	1400	1632	G		26.32591	84.62013	Normal
26/10/20	11:33:0	94	0.052	60	40.4	1154	1417	G		26.32671	84.61934	Curve

~~Star~~
26-10-20
JBR

~~Star~~
26/10/20
ALE

~~Star~~ 26/10/20
कायपालिका जमियन
रामीण कार्य विभाग कार्य प्रमण
गोपालगज-2


Name of Customer : M/S Nandini Construction
 Name of Work/Road : Vishunpura se Jalalpur
 Lab Job number :
 Date : 02-Jun-09
 Section No. : 94

Test Date : 28-Apr-10 Road Name : Vishunpura se Jalalpur
 Machine No : 790 Road Type : (M) RURAL ROAD
 Start S No : Side :
 Start E No : Interval
 Weather : UV Range : 21 To 4000 1000 mm/km
 Start Location : Dist Range : 0 To 4 0.1 * 1000 m
 End Location : Equation : $Y = 0.0002 \cdot X^2 + 0.073 \cdot X + 410.1$

Print Generate Report and Graph

Redraw Graph

Map View



26-10-20
JS

26/10/20
AE

26/10/20

कायपालक आनिवे
 लमीण कार्य विभाग कार्य प्रम
 गोपालगज-२

Road Name :- Vishunpura se Jalalpur

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI CATEGORY mm/km	ROAD	Latitude	Longitude	Event
26/10/20	11:23:0	94	0.1	80	0	800	1108	G	26.29867	84.63582	Curve
26/10/20	11:24:4	94	0.1	200	10.1	2000	2156	G	26.29944	84.63539	Normal
26/10/20	11:25:0	94	0.1	90	10.1	900	1195	G	26.3009	84.63443	Curve
26/10/20	11:25:14	94	0.1	130	10.1	1300	1545	G	26.30167	84.63357	Culvert
26/10/20	11:26:0	94	0.1	150	20.2	1500	1719	G	26.30305	84.63261	Normal
26/10/20	11:26:0	94	0.1	190	20.2	1900	2068	G	26.30394	84.63264	Curve
26/10/20	11:26:24	94	0.1	100	20.2	1000	1283	G	26.30478	84.63231	Normal
26/10/20	11:26:24	94	0.1	160	20.2	1600	1806	G	26.30558	84.63207	Curve
26/10/20	11:26:24	94	0.1	120	40.4	1200	1457	G	26.30618	84.63212	Curve
26/10/20	11:27:0	94	0.1	100	40.4	1000	1283	G	26.30662	84.63197	Normal
26/10/20	11:27:0	94	0.1	160	20.2	1600	1806	G	26.3074	84.63146	Normal
26/10/20	11:27:34	94	0.1	280	20.2	2800	2854	G	26.30819	84.63109	Speed Breaker
26/10/20	11:27:34	94	0.1	130	20.2	1300	1545	G	26.30899	84.63057	Curve
26/10/20	11:28:0	94	0.1	160	30.3	1600	1806	G	26.30959	84.6304	Curve
26/10/20	11:28:0	94	0.1	100	50.5	1000	1283	G	26.30999	84.63037	Normal
26/10/20	11:28:10	94	0.1	90	70.7	900	1195	G	26.31038	84.63025	Normal
26/10/20	11:28:10	94	0.1	240	20.2	2400	2505	G	26.31119	84.62993	Normal
26/10/20	11:28:10	94	0.1	100	40.4	1000	1283	G	26.31172	84.62983	Curve
26/10/20	11:28:45	94	0.1	70	90.9	700	1021	G	26.31205	84.62966	Curve
26/10/20	11:29:0	94	0.1	210	20.2	2100	2243	G	26.31263	84.62899	Normal
26/10/20	11:29:0	94	0.1	120	40.4	1200	1457	G	26.31297	84.62854	Normal
26/10/20	11:29:0	94	0.1	240	20.2	2400	2505	G	26.31371	84.628	Speed Breaker
26/10/20	11:29:20	94	0.1	150	20.2	1500	1719	G	26.3144	84.62741	Normal
26/10/20	11:29:20	94	0.1	190	20.2	1900	2068	G	26.31499	84.62672	Curve
26/10/20	11:29:20	94	0.1	110	30.3	1100	1370	G	26.31555	84.62641	Normal
26/10/20	11:29:56	94	0.1	100	40.4	1000	1283	G	26.31646	84.62604	Normal
26/10/20	11:30:0	94	0.1	190	20.2	1900	2068	G	26.31735	84.62545	Normal
26/10/20	11:30:0	94	0.1	100	30.3	1000	1283	G	26.31799	84.62502	Normal
26/10/20	11:30:31	94	0.1	80	60.6	800	1108	G	26.31847	84.62465	Curve
26/10/20	11:30:31	94	0.1	190	30.3	1900	2068	G	26.31903	84.62419	Curve
26/10/20	11:31:0	94	0.1	250	20.2	2500	2592	G	26.31982	84.6238	Normal
26/10/20	11:31:6	94	0.1	280	20.2	2800	2854	G	26.32055	84.62337	Normal
26/10/20	11:31:6	94	0.1	190	20.2	1900	2068	G	26.32131	84.62281	Normal
26/10/20	11:31:41	94	0.1	210	20.2	2100	2243	G	26.32206	84.62236	Normal
26/10/20	11:32:0	94	0.1	130	20.2	1300	1545	G	26.32281	84.62194	Normal
26/10/20	11:32:0	94	0.1	120	20.2	1200	1457	G	26.32364	84.62155	Normal
26/10/20	11:32:17	94	0.1								

$$Y = 0 * X^2 + 0.873 * X + 410.1$$

$$X = 1250$$

$$Y = 1501$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

26-10-20
J-E'

26/10/20
AE

26/10/20
कायपालक आभयता
लामीण कार्य विभाग कार्य प्रमण्ड
गोपालगंज-2

26/10/20	11:32:52	94	0.1	210	20.2	2100	2243 G	26.3252	84.62069	Normal
26/10/20	11:33:0	94	0.1	140	20.2	1400	1632 G	26.32591	84.62013	Normal
26/10/20	11:33:0	94	0.052	60	40.4	1154	1417 G	26.32671	84.61934	Curve

~~26-10-20~~
J-E.

26/10/20

26/10/20

कायपालक आयता
लमीण कार्य विभाग कार्य प्रमण्ड/-
मोपालगज-२

Seeco Analyzer


Name of Customer : M/S Nandini Construction
 Name of Work/ Road : Vishunpura se Jalalpur
 Lab Job number :
 Date : 02-Jun-09
 Section No. : 34

Test Date : 20-Apr-10 Road Name : Vishunpura se Jalalpur
 Machine No : 390 Road Type : (R) RURAL ROAD
 Start S No : Side :
 Start E No : Interval
 Weather : UV Range : 21 To 4700 1000 mm/km
 Start Location : Dist Range : 0 To 4 01 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.873 * X + 410.1$

Print Generate Report and Graph

Redraw Graph

Map View



[Signature]
 26-10-20
 J&

[Signature]
 26/10/20
 AE

[Signature] 26/10/20
 कायपालक आभयता
 लमीण कार्य विभाग कार्य प्रमण्ड
 गोपालगंज-2