

कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग कार्य प्रमंडल, महाराजगंज।

पत्रांक 1530

महाराजगंज, दिनांक 28/10/2020

प्रेषक :-

कार्यपालक अभियंता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, महाराजगंज।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी,
-सह- सचिव बिहार ग्रामीण पथ विकास एजेंसी
ग्रामीण कार्य विभाग, बिहार, पटना

विषय

नई अनुरक्षण नीति 2018 शीर्ष 3054 अन्तर्गत वित्तीय वर्ष 2020-21 में व्यय
हेतु आवंटन उपलब्ध कराने के संबंध में।

महाराज,

उपर्युक्त विषयक ग्रामीण कार्य विभाग, कार्य प्रमंडल महाराजगंज के अधीन
नई अनुरक्षण नीति 2018 शीर्ष 3054 अन्तर्गत वित्तीय वर्ष 2020-21 में कराए कार्य के विरुद्ध
सलग्न विवरणी के अनुसार भुगतान हेतु ₹0-92,83,000 (नानवे लाख तिरासी हजार) मात्र का
आवंटन उपलब्ध कराने की कृपा की जाय ताकि किए गए कार्य का भुगतान किया जा सके।

अनु०- यथोक्त।

विश्वरामाजन
28/10/20
कार्यपालक अभियंता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, महाराजगंज।
28/10/20

From GFR 19-A

(See Government of India's Decision (1) below Rule-150)
Form of Utilization Certificate up to the month of October 2020

Rural Road Maintenance Policy-2018 under MR 3054

1. RWD, Works Division, Maharajganj

S.No.	Name of Scheme	Sanction No. with amount (In Rs. Laes)	Amount Received (In Rs. Laes)	Particulars
1	Rural Road Maintenance Policy-2018 under MR 3054			
	Letter No.	Date	Amount	
1	42 WE-	04-06-20	321 29600	Certified that out of Rs. 374 75700 laes received till October 2020 in favor of Ex. Engineer R.W.D., Works Division, Maharajganj, a sum of Rs 321.29600 laes has been utilized for the purpose of Rural Road Maintenance Policy-2018 under MR 3054 Schemes for which it was sanctioned and the balance of Rs 53.461 laes remaining unutilized at the end of the period .
2	64 WE	03-09-20	26.37	
3	77 WE	14-10-20	27 09100	

2. Certified that I have satisfied myself that the conditions which the grants—in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

I *Kamsha Dileep*
DAO *28/10/20*
R.W.D., Works Division
Maharajganj

28/10
Executive Engineer
R.W.D., Works Division
Maharajganj
28/10/20

OFFICE OF THE EXECUTIVE ENGINEER

RURAL WORKS DEPARTMENT, WORKS DIVISION, MAHARAJGANJ

Requisition Formate for Scheme Head - NH(3054) under Bihar Rural Road Maintenance Policy -2018 (Initial Rectification and Surface Renewal)

Sl No	Package No	Name of Road	Project ID as Per MTS	Administrative Approval (NA) Letter No. & Date	Administrative Approval		Agreement Amount		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bottom Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allowed Amount (in Lakh)	Expenditure as per MTS (in Lakh)	Receipt against Work done (in Lakh)	Remarks
					Length in km	Amount (in Lakh)	Initial Rectification on With Surface Renewal (in Lakh)	5 Yrs Routine Maintenance (in Lakh)										
1	2	1	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MIR-N/20-21 Maharajganj 06	LAKHANAURA - KHAJWASPUR	NEA220001418	Letter No-1881 Dated- 24-06-2019	5.000	162.966	92.836	43.572	119/MRD/2019-20 Dated- 03-03-2020	02/12/2020	09/10/2020	1732	25	5	0	0	92.83000	Road Furnishing
Total					4.00000	162.96400	92.83400	43.57200							8.00000	8.00000	92.83400	

1. Signed Hard Copy and Soft Copy (In excel) of recorded IRI is enclosed
2. Up-to-date Physical Progress has been uploaded in MTS

Kishan Kumar
3/8/20
DAD
RWD Works Division, Maharajganj

24/10
Executive Engineer,
RWD Works Division, Maharajganj
29/10/20

Road Name :- Lakhnaura se Khawaspur

Date Time Section Length Bumps Speed OR IRI CATEGORY Latitude Longitude Event


No	in km	in mm	Rate	mm/km	mm/km	ROAD				
22/10/20	12:16:32	89	0.1	250	0	2500	2592	G		
22/10/20	12:17:7	89	0.1	100	10.1	1000	1283	G	26.23662	84.6771 Normal
22/10/20	12:17:7	89	0.1	250	10.1	2500	2592	G	26.23696	84.67623 Normal
22/10/20	12:17:43	89	0.1	100	20.2	1000	1283	G	26.23725	84.67527 Normal
22/10/20	12:18:0	89	0.1	250	10.1	1900	2068	G	26.23748	84.67451 Normal
22/10/20	12:18:18	89	0.1	290	10.1	2900	2541	G	26.23783	84.67359 Normal
22/10/20	12:18:18	89	0.079	300	10.1	3797	3724	G	26.2382	84.67271 Normal
22/10/20	13:15:23	91	0.1	180	0	1800	1981	G	26.23837	84.67192 Normal
22/10/20	13:15:23	91	0.1	120	23.2	1200	1457	G	26.22398	84.67171 Normal
22/10/20	13:16:4	91	0.1	50	10.1	500	846	G	26.22471	84.67558 Normal
22/10/20	13:16:39	91	0.1	90	10.1	900	1195	G	26.22589	84.64067 Normal
22/10/20	13:17:0	91	0.1	150	10.1	1500	1719	G	26.22596	84.64167 Normal
22/10/20	13:17:14	91	0.1	130	20.2	1300	1545	G	26.22591	84.64164 Normal
22/10/20	13:17:14	91	0.1	130	20.2	1300	1545	G	26.22582	84.64164 Normal
22/10/20	13:18:0	91	0.1	70	20.2	700	1021	G	26.22581	84.64163 Normal
22/10/20	13:18:0	91	0.1	110	20.2	1100	1370	G	26.22576	84.64557 Normal
22/10/20	13:18:25	91	0.1	80	23.2	800	1108	G	26.22585	84.64631 Normal
22/10/20	13:18:25	91	0.1	170	20.2	1700	1894	G	26.22564	84.64719 Normal
22/10/20	13:19:0	91	0.1	110	20.2	1100	1370	G	26.22558	84.64781 Normal
22/10/20	13:19:35	91	0.1	220	20.2	2200	2330	G	26.22551	84.64864 Normal
22/10/20	13:19:35	91	0.1	180	33.3	1800	1981	G	26.22551	84.65025 Normal
22/10/20	13:20:0	91	0.1	160	33.3	1600	1806	G	26.22537	84.65066 Normal
22/10/20	13:20:11	91	0.1	300	20.2	3000	3029	G	26.2254	84.65148 Normal
22/10/20	13:20:11	91	0.1	200	20.2	2000	2156	G	26.22548	84.65247 Normal
22/10/20	13:20:46	91	0.1	300	20.2	3000	3029	G	26.22559	84.6531 Normal
22/10/20	13:21:0	91	0.1	210	10.1	2100	2243	G	26.22571	84.65431 Normal
22/10/20	13:21:21	91	0.1	240	10.1	2400	2505	G	26.22646	84.65441 Normal
22/10/20	13:21:21	91	0.1	230	20.2	2300	2418	G	26.22731	84.65436 Bridge
22/10/20	13:22:0	91	0.1	160	20.2	1600	1806	G	26.22789	84.65445 Bridge
22/10/20	13:22:12	91	0.1	130	10.1	1300	1545	G	26.22828	84.6551 Normal
22/10/20	13:22:12	91	0.1	50	12.1	500	846	G	26.22814	84.65641 Normal
22/10/20	13:23:7	91	0.1	150	10.1	1500	1719	G	26.22876	84.65726 Curve
22/10/20	13:23:7	91	0.1	220	20.2	2200	2330	G	26.22924	84.65806 Normal
22/10/20	13:23:42	91	0.1	170	20.2	1700	1857	G	26.22958	84.65896 Normal
22/10/20	13:24:0	91	0.1	130	13.3	1300	1545	G	26.2301	84.65976 Culvert
22/10/20	13:24:0	91	0.1	100	30.3	1000	1281	G	26.23047	84.66025 Curve
22/10/20	13:24:0	91	0.1	100	30.3	1000	1281	G	26.23063	84.66096 Curve

Y = 0 * X + 2 * 0.373 * X + 410.1
X = 1515
Y = 1732

(R) RURAL ROAD
Good Average Poor
4000 4001 5000 >5001

7/10
22/10/20
SE


22/10/20	13:24:17	91	0.1	210	10.1	2100	2243	G		26.23127	84.66155	Normal
22/10/20	13:24:17	91	0.1	100	40.4	1000	1283	G		26.23181	84.66197	Normal
22/10/20	13:25:0	91	0.1	110	30.3	1100	1370	G		26.23225	84.66244	Normal
22/10/20	13:25:28	91	0.1	250	20.2	2500	2592	G		26.23297	84.663	Curve
22/10/20	13:25:28	91	0.1	150	20.2	1500	1719	G		26.23316	84.66391	Normal
22/10/20	13:26:3	91	0.1	150	30.3	1500	1719	G		26.23349	84.66446	Normal
22/10/20	13:26:39	91	0.1	180	10.1	1800	1881	G		26.2342	84.66554	Normal
22/10/20	13:27:0	91	0.1	170	20.2	1700	1894	G		26.23501	84.66625	Normal
22/10/20	13:27:14	91	0.1	120	20.2	1200	1457	G		26.23573	84.6668	Normal
22/10/20	13:27:14	91	0.1	110	20.2	1100	1370	G		26.2364	84.66749	Normal
22/10/20	13:27:49	91	0.1	160	20.2	1600	1806	G		26.23723	84.66783	Normal
22/10/20	13:28:0	91	0.1	170	20.2	1700	1894	G		26.2381	84.66785	Curve
22/10/20	13:28:25	91	0.1	150	20.2	1500	1719	G		26.23852	84.66864	Normal
22/10/20	13:28:25	91	0.1	170	20.2	1700	1894	G		26.23842	84.66963	Normal
22/10/20	13:28:25	91	0.1	200	20.2	2000	2156	G		26.23844	84.67057	Normal
22/10/20	13:28:25	91	0.033	50	50.5	3515	1732	G		26.23846	84.67094	Normal


 22/10/2020
 JC

Name of Customer: Sri Rajkumar Singh
 Name of Work/Road: Lakshman Singhwara Road
 Lab Job number:
 Date: 22 Jun 20
 Section No: 15

Test Date: <u>25 Apr 10</u>	Road Name: <u>Lakshman Singhwara Road</u>
Machine No: <u>2-8</u>	Road Type: <u>BITUMEN ROAD</u>
Start S No: <u> </u>	Side: <u> </u>
Start E No: <u> </u>	Interval: <u> </u>
Weather: <u> </u>	UV Range: <u>213</u> To <u>1038</u> mm/hm
Start Location: <u> </u>	Dist Range: <u>8</u> To <u>21</u> * 1000 m
End Location: <u> </u>	Equation: <u>$Y = 8 * X^2 + 8172 * X + 4181$</u>

Print: Generate Report and Graph Polygon Graph Map View



22 Jun 20
36

220


Name of Customer: Shri Raj Kumar Singh
 Name of Work/Road: Lakshmi to Khewar
 Lab Job number:
 Date: 01 Jun 01
 Section No: 11

Test Date: 13 Apr 10 Road Name: Lakshmi to Khewar
 Machine No: 100 Road Type: (R) RURAL ROAD
 Start S No: Side: Interval:
 Start E No: UTV Range: 154 To 400 mm/hm
 Weather: Dist Range: 0 To 46 * 1000 m
 End Location: Equation: $Y = 1.7X^2 - 8.173X + 41.1$

Print: Generate Report and Graph

Find Graph

Map View



AS
22.10.2010
36