

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
मुजफ्फरपुर पश्चिम

पत्रांक :- 1128/मुज0,

दिनांक :- 31/08/2020

प्रेषक:- कार्यपालक अभियंता,
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
मुजफ्फरपुर पश्चिम।

सेवा में,
नोडल पदाधिकारी,
नई अनुरक्षण नीति-2018 (3054),
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय:- शीर्ष नई अनुरक्षण नीति-2018 (MR) अन्तर्गत वित्तीय वर्ष 2020-21 में व्यय हेतु आवंटन की मांग।

महाशय,

उपर्युक्त विषयक शीर्ष नई अनुरक्षण नीति-2018 (MR) अन्तर्गत वित्तीय वर्ष 2020-21 में व्यय हेतु आवंटन संलग्न विवरणी के अनुसार रु0 63.03090 (तिरेसठ लाख तीन हजार नब्बे) रुपये मात्र का आवंटन उपलब्ध कराने की कृपा की जाये, ताकि किये गये कार्य का भुगतान किया जा सके।

अनुलग्नक- 1. विहित प्रपत्र में अधियाचना।

विश्वासभाजन

[Signature]
31/8/20

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
मुजफ्फरपुर पश्चिम

Requisition Format for Scheme Head - MR (3054) Under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division :- Muzaffarpur West

S.N.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in Km)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20 Muzaffarpur West/16	Kewalpur TO Fatehabad REO Road	NEA220002650	06.07.2019	10.230	327.39000	196.41100	86.11648	173MBD/2 019-20	03.10.2020	Work Complete	1918.000	25mm	5.00	190.000000	190.000000	5.77918	MB Copy Attached
2	MR-N/19-20 Muzaffarpur West/20	Pitch Road - Sanj Chakra Daranand	31507202231	13.12.2019	3.750	95.92800	61.15900	30.64063	230MBD/2 020-21	28.02.2021	B.T. Completed	1576.000	25mm	5.00	0.000000	0.000000	57.25172	MB Copy Attached
															190.000000	190.000000	63.03090	

Executive Engineer
RWD Works Division
Muzaffarpur West

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
NAME OF LAND - KENIA RIVER					
Established R/R Road					
P.K. 670 - MR - 7/19-10					
MUZAKA R. LOT - 1/6					
NAME OF AREA - PUSHPALI PROTECT					
Pvt. 1st MUZAKA R.					
Ag. 10 - 123 S.D. 2/2-19-10					
DATE OF WORK ORDER - 4/1/22					
Actual Area COMPD -					
ABSTRACT OF LOT					
(1) clearing & grubbing - rough land (ca 20)					
Vide (1) 8 UT MP (22)					
CB = 2.046 Hect					
CP 48496.70 - PS 1,01,270 =					
(2/2) provide & of subgrade & concrete structure work 1000m ca. 0-300.20					
Vide (2) 8 UT MP (22) & (34)					
CB = 2475 m ²					
CB = 1644 m ²					
CB = 1119 m ²					
CP 176.75 - PS 7,29,033 =					
(3/3) comp. of concrete G.S.B.					
Vide (3) 8 UT MP (22)					
CB = 115.50 m ²					
CP 2204.34 Continuation - PS 2,54,616 =					
C-OP 10,83,919 =					

Scanned by CamScanner

Name of Road :- Kewalpura TO Fatehabad REO Road

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI ROAD	IRI CATEGORY	Latitude	Longitude	Event
14/5/20	12:46:35	26	0.1	240	0	2400	2360	G	26.66757	84.97044	Normal
14/5/20	12:47:10	26	0.1	120	10.1	1200	1173	G	26.6632	84.9713	Normal
14/5/20	12:47:10	26	0.1	190	10.1	1900	1865	G	26.65815	84.97212	Normal
14/5/20	12:47:45	26	0.1	180	20.2	1800	1766	G	26.6542	84.97306	Normal
14/5/20	12:48:0	26	0.1	210	20.2	2100	2063	G	26.64818	84.97374	Normal
14/5/20	12:48:21	26	0.1	210	20.2	2100	2063	G	26.64053	84.97444	Normal
14/5/20	12:48:21	26	0.1	230	20.2	2300	2261	G	26.6377	84.97535	Normal
14/5/20	12:48:21	26	0.1	250	20.2	2500	2458	G	26.63548	84.9763	Normal
14/5/20	12:49:0	26	0.1	210	20.2	2100	2063	G	26.6325	84.97731	Normal
14/5/20	12:49:31	26	0.1	210	20.2	2100	2063	G	26.62922	84.97832	Normal
14/5/20	12:49:31	26	0.1	260	20.2	2600	2557	G	26.62545	84.97914	Normal
14/5/20	12:49:31	26	0.1	260	20.2	2600	2557	G	26.62123	84.98008	Normal
14/5/20	12:50:0	26	0.1	200	20.2	2000	1964	G	26.61778	84.98103	Normal
14/5/20	12:50:6	26	0.1	160	20.2	1600	1568	G	26.61547	84.98204	Normal
14/5/20	12:50:6	26	0.1	150	20.2	1500	1469	G	26.61	84.98283	Normal
14/5/20	12:50:42	26	0.1	150	20.2	1500	1469	G	26.60422	84.98362	Normal
14/5/20	12:51:0	26	0.1	180	20.2	1800	1766	G	26.60258	84.98456	Normal
14/5/20	12:51:17	26	0.1	180	20.2	1800	1766	G	26.5977	84.98547	Normal
14/5/20	12:51:17	26	0.1	240	20.2	2400	2360	G	26.59398	84.98643	Normal
14/5/20	12:51:17	26	0.1	280	20.2	2800	2755	G	26.59045	84.98736	Normal
14/5/20	12:52:0	26	0.1	270	20.2	2700	2656	G	26.5873	84.9883	Normal
14/5/20	12:52:0	26	0.1	190	20.2	1900	1865	G	26.58578	84.98934	Normal
14/5/20	12:52:28	26	0.1	130	20.2	1300	1272	G	26.58408	84.9903	Normal
14/5/20	12:52:28	26	0.1	190	20.2	1900	1865	G	26.582	84.9913	Normal
14/5/20	12:53:3	26	0.1	100	10.1	1000	975	G	26.57878	84.99219	Normal
14/5/20	12:53:3	26	0.1	130	20.2	1300	1272	G	26.5755	84.99322	Normal
14/5/20	12:53:38	26	0.1	220	20.2	2200	2162	G	26.5717	84.99411	Normal
14/5/20	12:54:0	26	0.1	160	20.2	1600	1568	G	26.56762	84.99497	Normal
14/5/20	12:54:13	26	0.1	130	20.2	1300	1272	G	26.56313	84.99588	Normal
14/5/20	12:54:13	26	0.1	150	20.2	1500	1469	G	26.55865	84.99678	Normal
14/5/20	12:54:49	26	0.1	160	10.1	1600	1568	G	26.55235	84.99758	Normal
14/5/20	12:55:0	26	0.1	130	20.2	1300	1272	G	26.5453	84.99813	Normal
14/5/20	12:55:24	26	0.1	160	30.3	1600	1568	G	26.5379	84.9987	Normal
14/5/20	12:55:24	26	0.1	180	30.3	1800	1766	G	26.53102	84.99941	Normal
14/5/20	12:55:24	26	0.1	220	30.3	2200	2162	G	26.52553	85.252	Normal
14/5/20	12:56:0	26	0.1	220	20.2	2200	2162	G	26.52093	85.1143	Normal
14/5/20	12:56:0	26	0.1	170	20.2	1700	1667	G	26.51762	85.2087	Normal
14/5/20	12:56:35	26	0.1	250	10.1	2500	2458	G	26.51538	85.3063	Normal

$$Y = 0 * X^2 + 0.989 * X - 13.58$$

$$X = 1333$$

$$Y = 1304$$

(R) RURAL ROAD
Good Average Poor
<4000 4001-5000 >5001

14/5/20


Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI, CATEGORY UIV ROAD	IRI	Latitude .ongitude	Event
14/ 5/ 20	12: 56: 35	26	0.1	220	20.2	2200	2162	3	26.51428	Normal
14/ 5/ 20	12: 57: 10	26	0.1	190	10.1	1900	1865	2.63	26.51045	Normal
14/ 5/ 20	12: 57: 10	26	0.1	200	10.1	2000	1964	2.76	26.5048	Normal
14/ 5/ 20	12: 57: 45	26	0.1	150	20.2	1500	1469	2.13	26.4992	Normal
14/ 5/ 20	12: 58: 0	26	0.1	170	20.2	1700	1667	2.38	26.4963	Culvert
14/ 5/ 20	12: 58: 20	26	0.1	230	20.2	2300	2261	3.13	26.49427	Normal
14/ 5/ 20	12: 58: 20	26	0.1	320	20.2	3200	3151	4.2	26.48845	Normal
14/ 5/ 20	12: 58: 20	26	0.1	220	20.2	2200	2162	3	26.48348	Normal
14/ 5/ 20	12: 59: 0	26	0.1	230	20.2	2300	2261	3.13	26.47708	Normal
14/ 5/ 20	12: 59: 0	26	0.1	260	20.2	2600	2557	3.49	26.47068	Normal
14/ 5/ 20	12: 59: 31	26	0.1	190	20.2	1900	1865	2.63	26.4653	Normal
14/ 5/ 20	12: 59: 31	26	0.1	210	20.2	2100	2063	2.88	26.46063	Normal
14/ 5/ 20	13: 0: 6	26	0.1	230	20.2	2300	2261	3.13	26.45807	Normal
14/ 5/ 20	13: 0: 6	26	0.1	250	20.2	2500	2458	3.37	26.45692	Normal
14/ 5/ 20	13: 0: 6	26	0.1	170	20.2	1700	1667	2.38	26.45025	Normal
14/ 5/ 20	13: 0: 41	26	0.1	240	20.2	2400	2360	3.25	26.44108	Normal
14/ 5/ 20	13: 1: 0	26	0.1	290	20.2	2900	2854	3.85	26.43	Normal
14/ 5/ 20	13: 1: 17	26	0.1	210	20.2	2100	2063	2.88	26.4268	Normal
14/ 5/ 20	13: 1: 17	26	0.1	200	20.2	2000	1964	2.76	26.4207	Normal
14/ 5/ 20	13: 1: 52	26	0.1	160	20.2	1600	1568	2.26	26.4144	Normal
14/ 5/ 20	13: 2: 0	26	0.1	270	20.2	2700	2656	3.61	26.40848	Normal
14/ 5/ 20	13: 2: 0	26	0.1	120	20.2	1200	1173	1.74	26.40307	Normal
14/ 5/ 20	13: 2: 27	26	0.1	190	10.1	1900	1865	2.63	26.39752	Culvert
14/ 5/ 20	13: 2: 27	26	0.1	170	20.2	1700	1667	2.38	26.39193	Normal
14/ 5/ 20	13: 3: 3	26	0.1	220	20.2	2200	2162	3	26.38715	Normal
14/ 5/ 20	13: 3: 3	26	0.1	230	20.2	2300	2261	3.13	26.38268	Normal
14/ 5/ 20	13: 3: 38	26	0.1	140	20.2	1400	1371	2	26.37748	Normal
14/ 5/ 20	13: 3: 38	26	0.1	170	20.2	1700	1667	2.38	26.37577	Culvert
14/ 5/ 20	13: 4: 13	26	0.1	230	20.2	2300	2261	3.13	26.3766	Normal
14/ 5/ 20	13: 4: 48	26	0.1	140	20.2	1400	1371	2	26.3757	Normal
14/ 5/ 20	13: 5: 0	26	0.1	180	20.2	1800	1766	2.51	26.3726	Normal
14/ 5/ 20	13: 5: 0	26	0.1	210	20.2	2100	2063	2.88	26.3702	Normal
14/ 5/ 20	13: 5: 0	26	0.1	240	20.2	2400	2360	3.25	26.36872	Normal
14/ 5/ 20	13: 5: 24	26	0.1	160	20.2	1600	1568	2.26	26.3677	Normal
14/ 5/ 20	13: 5: 24	26	0.1	170	20.2	1700	1667	2.38	26.3665	Normal
14/ 5/ 20	13: 6: 0	26	0.1	180	20.2	1800	1766	2.51	26.36887	Normal
14/ 5/ 20	13: 6: 0	26	0.1	240	20.2	2400	2360	3.25	26.3676	Normal
14/ 5/ 20	13: 6: 34	26	0.1	160	20.2	1600	1568	2.26	26.36657	Normal
14/ 5/ 20	13: 7: 0	26	0.1	240	10.1	2400	2360	3.25	26.3644	Normal



Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI CATEGORY UIV ROAD	IRI	Latitude .ongitude	Event
14/ 5/ 20	13: 7: 10	26	0.1	250	20.2	2500	2458 G	3.37	26.36318 85.37457	Normal
14/ 5/ 20	13: 7: 10	26	0.1	150	20.2	1500	1469 G	2.13	26.36252 85.3843	Normal
14/ 5/ 20	13: 7: 45	26	0.1	110	20.2	1100	1074 G	1.61	26.36153 85.39493	Normal
14/ 5/ 20	13: 8: 0	26	0.1	140	20.2	1400	1371 G	2	26.35943 85.40437	Normal
14/ 5/ 20	13: 8: 20	26	0.1	190	20.2	1900	1865 G	2.63	26.3563 85.4143	Normal
14/ 5/ 20	13: 8: 20	26	0.1	200	20.2	2000	1964 G	2.76	26.35432 85.4244	Normal
14/ 5/ 20	13: 8: 20	26	0.1	260	20.2	2600	2557 G	3.49	26.35318 85.4342	Normal
14/ 5/ 20	13: 9: 0	26	0.1	190	20.2	1900	1865 G	2.63	26.35265 85.4446	Normal
14/ 5/ 20	13: 9: 0	26	0.1	180	20.2	1800	1766 G	2.51	26.3523 85.4542	Normal
14/ 5/ 20	13: 9: 31	26	0.1	160	20.2	1600	1568 G	2.26	26.35163 85.46463	Normal
14/ 5/ 20	13: 9: 31	26	0.1	170	20.2	1700	1667 G	2.38	26.35075 85.47457	Normal
14/ 5/ 20	13: 10: 6	26	0.1	180	20.2	1800	1766 G	2.51	26.35053 85.4847	Normal
14/ 5/ 20	13: 10: 6	26	0.1	190	20.2	1900	1865 G	2.63	26.3489 85.49512	Normal
14/ 5/ 20	13: 10: 6	26	0.1	180	20.2	1800	1766 G	2.51	26.34532 85.50437	Normal
14/ 5/ 20	13: 10: 41	26	0.1	210	20.2	2100	2063 G	2.88	26.34255 85.5143	Normal
14/ 5/ 20	13: 11: 0	26	0.1	180	20.2	1800	1766 G	2.51	26.34023 85.5239	Normal
14/ 5/ 20	13: 11: 17	26	0.1	210	20.2	2100	2063 G	2.88	26.34007 85.534	Normal
14/ 5/ 20	13: 11: 17	26	0.1	200	20.2	2000	1964 G	2.76	26.34052 85.54427	Normal
14/ 5/ 20	13: 12: 0	26	0.1	240	20.2	2400	2360 G	3.25	26.3415 85.55437	Normal
14/ 5/ 20	13: 12: 0	26	0.1	210	20.2	2100	2063 G	2.88	26.34457 85.56397	Normal
14/ 5/ 20	13: 12: 27	26	0.1	200	10.1	2000	1964 G	2.76	26.34948 85.57288	Normal
14/ 5/ 20	13: 13: 2	26	0.1	130	10.1	1300	1272 G	1.87	26.35562 85.5749	Normal
14/ 5/ 20	13: 13: 2	26	0.015	20	90.9	1333	1304 G	1.91	26.35688 85.57373	Normal
						AVG:-	1918			



File :E:\Software\Bump Indicator Software\Reports\14.05.2020\Kamalpura to Fatehabad\14051317.Xls, Section No.
Name of Customer :Pushpak Project Pvt. Ltd, Name of Work/ Road :Kawalpura TO Fatehabad REO Road, Lab Job



11/5/11