

कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमंडल, नवादा।

पत्रांक :- 1532 अन्नु०

/नवादा, दिनांक :- 22/09/2020

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, नवादा।

सेवा में,

नोडल पदाधिकारी (MR-3054),
ग्रामीण कार्य विभाग,
बिहार पटना।

विषय: MR-3054 योजना अंतर्गत स्वीकृत नई अनुरक्षण नीति-2018 के पथों लिए
आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषय से संबंधित विहित प्रपत्र में वांछित सूचना उपलब्ध कराते हुए
अनुरोध है कि आवंटन उपलब्ध कराने की कृपा की जाय।
अनु०- यथोक्त।

विश्वासभाजन,

[Signature]
22.9.2020

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, नवादा।

[Signature]
22.9.2020

FORM GFR -19A

(See Government of India's Decision (I) below Rule-150)

Name of PIU: Rural Works Department, Works Division, Nawada

Head: New Maintenance

Policy-2018 (MR-3054)

Form of Utilization Certificate for the month of Sep-2020

SL. No.	Name of Scheme	Sanctioned No. & Date	Amount (Rs.)	Particulars
1	Construction of Rural Roads under New Maintenance Policy-2018 (MR-3054)	66 WE 15.09.2020	<u>Rs.</u> <u>23,84,52,253/-</u>	Certified that out of <u>Rs.23,84,52,253/-</u> Of grants upto the year 2020-21 in favour of RWD (W) Division, Nawada (bihar) a sum of Rs. 23,84,52,253/-/- has been utilized for the purpose Schemes as given in margin for which it was given in which it was sanctioned and that the balance <u>Rs Nil/-</u> remaining unutilized at the end of the period under report.



2. certified that I have satisfied myself that the conditions on which the grants in aid was sanctioned have been duly fulfilled / are being fulfilled and that I have exercised the following checks to see that money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised:

- (i) Works have been supervised by Executive Engineer/ Superintending Engineer
- (ii) Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer
- (iii) Construction materials have been tested
- (iv) Measurements have been recorded in MBs and test check conducted by the Assistant Engineer/ Executive Engineer
- (v) All other codal formalities have been observed

3 Physical Progress achieved

- (i) Construction of Road works
- (ii) Construction of CD works


 Executive Engineer
 RWD(W) Division, Nawada


Requisition format for Scheme Head :- MR (3054) under Bihar Rural Road Maintenance Policy - 2018
(Initial Rectification and Surface Renewal)

Name of Works Division : RWD (W) Division, Nawada

Sl.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) letter No. & Date	Administrative Approval (AA)		Agreement Amount		Agreement No. & Date	Date of Completion as per Agreement	Actual date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in Km)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Years Routine Maintenance in Lakh										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	RM/NA/N AW/ 19/0010	DHANYAVA N - PES	10502702008	3612/ 26.08.2019	1.58	50.7312	31.01	16.4955	07/MR- 3054/MBD/2020- 21 22.04.2020	21.01.2021		2787.9	25	5.011	0	0	29.68555	Surface Comp.
2	RM/NA/N AW/ 19/0010	MIYAIBIGHA - JANPURA	10502702013	3612/ 26.08.2019	1.290	45.1051	28.312	13.9248	07/MR- 3054/MBD/2020- 21 22.04.2020	21.01.2021		2626.69	25	5.012	0	0	24.35688	Surface Comp.
3	RM/NA/N AW/ 19/0010	Pasai - Baguli	10502602113	3612/ 26.08.2019	0.7	22.8047	14.128	7.23768	07/MR- 3054/MBD/2020-21 22.04.2020	21.01.2021		2870.42	25	5.014	0	0	13.66729	Surface Comp.

Sl.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount		Agreement No. & Date	Date of Completion as per Agreement	Actual date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allotted Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in Km)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Years Routine Maintenance in Lakh										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
4	RM/NA/NAW/19/0019	Daulapur to Saur	10502602043	3612/26.08.2019	2.300	74.2811	42.935	21.5967	06/MR-3054/MBD/2020-21	21.01.21	-	3266.560	25	5.014	37.619	41.935	4.31615	Surface Comp.
5	RM/NA/NAW/19/0005	SONSA - GONAR BIGHA	NEA220001140	3595/22.08.2019	12.598	572.1324	389.098	135.46	06/MR-3054/MBD/2020-21	06.12.20		2588.630	25	5.01	0	0	388.5563	Surface Comp.
												Total		460.58217				

1. Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed.

2. Up-to-date Physical Progress has been uploaded in MIS

Executive Engineer
RWD (W) Division

R. Nawada

12.9.2020

12.9.2020

4267

3267

UIV
mm/ 2267
km

1267

267

0068-68B9 1123456789222242R293382345329446244545556355635656897723456789888868B8998885588881000-888911234567892222

Distance * 1000 m

J.E.
 Hiswa
 20/9/20

Distance
20/9/20
AK

2020

NAME OF ROAD1:- SONSAR TO GONARBIGHA

NAME OF CONTRACTOR:- CHINTA DEVI

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI/TEGORY ROAD	Latitude	Longitude	Event
20/9/20	6:48:0	0	0.1	190	0	1900	2380 G	24.86846	85.42195	Normal
20/9/20	6:48:11	0	0.1	170	40.4	1700	2183 G	24.86933	85.42207	Normal
20/9/20	6:53:58	1	0.1	290	0	2900	3364 G	24.87488	85.42189	Speed Breaker
20/9/20	6:54:33	1	0.1	290	0	2900	3364 G	24.87493	85.42091	Normal
20/9/20	6:54:33	1	0.1	250	20.2	2500	2970 G	24.87496	85.41993	Normal
20/9/20	6:55:9	1	0.1	220	20.2	2200	2675 G	24.87504	85.41889	Normal
20/9/20	6:55:9	1	0.1	310	20.2	3100	3561 G	24.87455	85.41828	Curve
20/9/20	6:55:9	1	0.1	230	30.3	2300	2773 G	24.8739	85.41801	Curve
20/9/20	6:55:44	1	0.1	270	10.1	2700	3167 G	24.87342	85.41722	Speed Breaker
20/9/20	6:57:0	1	0.1	270	0	2700	3167 G	24.87362	85.41646	Normal
20/9/20	6:57:30	1	0.1	210	0	2100	2577 G	24.87348	85.41551	Speed Breaker
20/9/20	6:58:5	1	0.1	200	10.1	2000	2478 G	24.87325	85.41451	Normal
20/9/20	6:58:40	1	0.1	210	10.1	2100	2577 G	24.87299	85.41357	Speed Breaker
20/9/20	6:59:16	1	0.1	260	0	2600	3069 G	24.87283	85.41264	Normal
20/9/20	7:0:26	1	0.1	270	0	2700	3167 G	24.87261	85.41163	Curve
20/9/20	7:1:1	1	0.1	230	30.3	2300	2773 G	24.87219	85.41077	Normal
20/9/20	7:1:37	1	0.1	310	10.1	3100	3561 G	24.87213	85.41007	Normal
20/9/20	7:3:0	1	0.1	160	0	1600	2085 G	24.87225	85.40907	Speed Breaker
20/9/20	7:5:8	1	0.1	280	0	2800	3265 G	24.87235	85.4081	Speed Breaker
20/9/20	7:6:0	1	0.1	230	0	2300	2773 G	24.87239	85.40712	Normal
20/9/20	7:6:19	1	0.1	270	10.1	2700	3167 G	24.87221	85.40614	Speed Breaker
20/9/20	7:7:0	1	0.1	170	10.1	1700	2183 G	24.87213	85.40549	Normal
20/9/20	7:7:30	1	0.1	240	10.1	2400	2872 G	24.87277	85.40502	Normal
20/9/20	7:10:0	1	0.1	270	0	2700	3167 G	24.87268	85.40404	Speed Breaker
20/9/20	7:11:1	1	0.1	190	0	1900	2380 G	24.87236	85.40322	Speed Breaker
20/9/20	7:12:12	1	0.1	240	0	2400	2872 G	24.87222	85.40217	Speed Breaker
20/9/20	7:12:12	1	0.1	220	20.2	2200	2675 G	24.87204	85.40136	Normal
20/9/20	7:12:12	1	0.1	250	20.2	2500	2970 G	24.87187	85.40039	Normal
20/9/20	7:12:47	1	0.1	280	30.3	2800	3265 G	24.87187	85.39943	Normal
20/9/20	7:13:0	1	0.1	190	20.2	1900	2380 G	24.87122	85.39877	Normal
20/9/20	7:13:22	1	0.1	200	30.3	2000	2478 G	24.87037	85.39862	Normal
20/9/20	7:13:22	1	0.1	260	10.1	2600	3069 G	24.86941	85.3986	Normal
20/9/20	7:14:0	1	0.1	250	20.2	2500	2970 G	24.86925	85.39786	Normal
20/9/20	7:14:0	1	0.1	180	20.2	1800	2281 G	24.86952	85.39687	Curve

Date	Time	Section	Length	Bumps	Speed	OR	IRI	TEGORY	Latitude	ongitude	Event
20/9/20	7:14:33	1	0.1	230	30.3	2300	2773	G	24.87026	85.39645	Curve
20/9/20	7:15:0	1	0.1	260	10.1	2600	3069	G	24.8704	85.39554	Normal
20/9/20	7:15:8	1	0.1	190	20.2	1900	2380	G	24.87045	85.39458	Normal
20/9/20	7:15:8	1	0.1	230	20.2	2300	2773	G	24.87025	85.39355	Normal
20/9/20	7:15:44	1	0.1	230	20.2	2300	2773	G	24.86999	85.39261	Normal
20/9/20	7:16:19	1	0.1	180	0	1800	2281	G	24.86977	85.39163	Speed Breaker
20/9/20	7:17:0	1	0.1	210	0	2100	2577	G	24.86971	85.39079	Normal
20/9/20	7:17:29	1	0.1	160	20.2	1600	2085	G	24.86961	85.38981	Normal
20/9/20	7:17:29	1	0.1	180	20.2	1800	2281	G	24.86926	85.38892	Normal
20/9/20	7:17:29	1	0.1	230	30.3	2300	2773	G	24.8685	85.38832	Normal
20/9/20	7:18:5	1	0.1	130	30.3	1300	1789	G	24.86802	85.38749	Normal
20/9/20	7:18:40	1	0.1	140	0	1400	1888	G	24.86775	85.3865	Normal
20/9/20	7:19:15	1	0.1	160	0	1600	2085	G	24.86783	85.38556	Normal
20/9/20	7:21:1	1	0.1	180	0	1800	2281	G	24.86783	85.3848	Speed Breaker
20/9/20	7:22:47	1	0.1	170	0	1700	2183	G	24.8681	85.38394	Speed Breaker
20/9/20	7:24:33	1	0.1	180	0	1800	2281	G	24.86819	85.38315	Speed Breaker
20/9/20	7:26:19	1	0.1	120	0	1200	1691	G	24.86777	85.38249	Speed Breaker
20/9/20	7:28:4	1	0.1	180	0	1800	2281	G	24.86814	85.38168	Normal
20/9/20	7:28:4	1	0.1	230	10.1	2300	2773	G	24.86812	85.38069	Normal
20/9/20	7:28:40	1	0.1	210	10.1	2100	2577	G	24.86811	85.3797	Normal
20/9/20	7:29:15	1	0.1	200	10.1	2000	2478	G	24.86804	85.37874	Normal
20/9/20	7:29:15	1	0.1	220	20.2	2200	2675	G	24.86813	85.37776	Normal
20/9/20	7:29:50	1	0.1	170	20.2	1700	2183	G	24.86803	85.37675	Normal
20/9/20	7:30:0	1	0.1	200	20.2	2000	2478	G	24.8681	85.37576	Normal
20/9/20	7:30:26	1	0.1	230	0	2300	2773	G	24.86792	85.37478	Normal
20/9/20	7:31:1	1	0.1	180	10.1	1800	2281	G	24.86745	85.37424	Speed Breaker
20/9/20	7:32:11	1	0.1	120	0	1200	1691	G	24.86654	85.37434	Speed Breaker
20/9/20	7:35:8	1	0.1	160	0	1600	2085	G	24.86582	85.37407	Speed Breaker
20/9/20	7:36:54	1	0.1	200	0	2000	2478	G	24.86511	85.3737	Speed Breaker
20/9/20	7:39:0	1	0.1	150	0	1500	1986	G	24.86431	85.3734	Speed Breaker
20/9/20	7:40:25	1	0.1	230	30.3	2300	2773	G	24.86348	85.37322	Speed Breaker
20/9/20	7:42:47	1	0.1	180	0	1800	2281	G	24.86351	85.37222	Speed Breaker
20/9/20	7:43:22	1	0.1	250	10.1	2500	2970	G	24.86333	85.37136	Speed Breaker
20/9/20	7:44:32	1	0.1	190	0	1900	2380	G	24.86331	85.3704	Speed Breaker
20/9/20	7:47:0	1	0.1	180	0	1800	2281	G	24.86356	85.36946	Speed Breaker
20/9/20	7:48:4	1	0.1	200	0	2000	2478	G	24.86354	85.3685	Normal
20/9/20	7:49:0	1	0.1	130	10.1	1300	1789	G	24.86268	85.36848	Normal

Date	Time	Section	Length	Bumps	Speed	OR	IRI	TEGORY	Latitude	ongitude	Event
20/9/20	7:49:15	1	0.1	170	20.2	1700	2183	G	24.86187	85.36859	Normal
20/9/20	7:49:15	1	0.1	210	20.2	2100	2577	G	24.86098	85.36872	Normal
20/9/20	7:50:0	1	0.1	200	20.2	2000	2478	G	24.86011	85.36904	Normal
20/9/20	7:51:0	1	0.1	230	0	2300	2773	G	24.85947	85.36901	Normal
20/9/20	7:52:46	1	0.1	210	0	2100	2577	G	24.85958	85.36803	Speed Breaker
20/9/20	7:53:22	1	0.1	230	0	2300	2773	G	24.85963	85.36704	Speed Breaker
20/9/20	7:55:0	1	0.1	130	0	1300	1789	G	24.8598	85.36609	Speed Breaker
20/9/20	7:55:7	1	0.1	210	10.1	2100	2577	G	24.86003	85.36515	Normal
20/9/20	7:55:7	1	0.1	200	20.2	2000	2478	G	24.86021	85.36421	Normal
20/9/20	7:55:43	1	0.1	260	20.2	2600	3069	G	24.86031	85.36322	Normal
20/9/20	7:56:0	1	0.1	190	20.2	1900	2380	G	24.86056	85.36226	Normal
20/9/20	7:57:0	1	0.1	170	0	1700	2183	G	24.86071	85.36136	Curve
20/9/20	7:57:29	1	0.1	230	10.1	2300	2773	G	24.86108	85.36049	Normal
20/9/20	7:57:29	1	0.1	290	20.2	2900	3364	G	24.86141	85.35963	Normal
20/9/20	7:58:4	1	0.1	220	20.2	2200	2675	G	24.86185	85.35869	Normal
20/9/20	7:58:4	1	0.1	190	20.2	1900	2380	G	24.86209	85.35776	Normal
20/9/20	7:58:4	1	0.1	230	30.3	2300	2773	G	24.86276	85.35715	Normal
20/9/20	7:58:4	1	0.1	260	10.1	2600	3069	G	24.8632	85.35633	Normal
20/9/20	7:59:0	1	0.1	220	10.1	2200	2675	G	24.86375	85.35579	Normal
20/9/20	7:59:14	1	0.1	190	10.1	1900	2380	G	24.86387	85.35483	Normal
20/9/20	8:0:0	1	0.1	210	10.1	2100	2577	G	24.8645	85.35406	Normal
20/9/20	8:0:25	1	0.1	130	10.1	1300	1789	G	24.86493	85.35322	Normal
20/9/20	8:1:0	1	0.1	200	10.1	2000	2478	G	24.86537	85.35237	Normal
20/9/20	8:1:36	1	0.1	170	10.1	1700	2183	G	24.86577	85.3515	Normal
20/9/20	8:2:0	1	0.1	200	10.1	2000	2478	G	24.86623	85.35062	Normal
20/9/20	8:2:11	1	0.1	160	10.1	1600	2085	G	24.86704	85.35045	Normal
20/9/20	8:3:0	1	0.1	250	10.1	2500	2970	G	24.86793	85.3504	Normal
20/9/20	8:3:21	1	0.1	170	10.1	1700	2183	G	24.86884	85.35037	Normal
20/9/20	8:3:21	1	0.1	240	10.1	2400	2872	G	24.86976	85.35037	Normal
20/9/20	8:4:0	1	0.1	220	10.1	2200	2675	G	24.87064	85.35039	Normal
20/9/20	8:4:0	1	0.1	230	20.2	2300	2773	G	24.87152	85.3504	Normal
20/9/20	8:4:32	1	0.1	200	20.2	2000	2478	G	24.87242	85.35035	Normal
20/9/20	8:4:32	1	0.1	210	20.2	2100	2577	G	24.8733	85.3503	Normal
20/9/20	8:5:7	1	0.1	220	20.2	2200	2675	G	24.87424	85.35027	Normal
20/9/20	8:5:43	1	0.1	230	10.1	2300	2773	G	24.87455	85.34948	Normal
20/9/20	8:6:0	1	0.1	260	10.1	2600	3069	G	24.87436	85.34854	Normal
20/9/20	8:6:18	1	0.1	200	10.1	2000	2478	G	24.87353	85.3483	Normal

20/9/20	8:7:0	1	0.1	200	0	2000	2478	G			24.87285	85.34764	Normal
20/9/20	8:7:28	1	0.1	210	10.1	2100	2577	G			24.87293	85.347	Normal
20/9/20	8:9:0	1	0.1	250	0	2500	2970	G			24.8734	85.34588	Speed Breaker
20/9/20	8:9:14	1	0.1	180	10.1	1800	2281	G			24.8733	85.34495	Normal
20/9/20	8:9:14	1	0.1	230	10.1	2300	2773	G			24.87329	85.34391	Curve
20/9/20	8:10:0	1	0.1	240	10.1	2400	2872	G			24.87389	85.34343	Curve
20/9/20	8:10:25	1	0.1	210	10.1	2100	2577	G			24.8748	85.34335	Normal
20/9/20	8:10:25	1	0.1	240	10.1	2400	2872	G			24.8757	85.34348	Speed Breaker
20/9/20	8:11:35	1	0.1	150	0	1500	1986	G			24.87653	85.343	Normal
20/9/20	8:12:11	1	0.1	230	30.3	2300	2773	G			24.87726	85.3433	Normal
20/9/20	8:13:21	1	0.1	260	0	2600	3069	G			24.87816	85.3433	Speed Breaker
20/9/20	8:14:0	1	0.1	220	0	2200	2675	G			24.87813	85.34234	Normal
20/9/20	8:15:0	1	0.1	180	0	1800	2281	G			24.87855	85.34152	Normal
20/9/20	8:15:42	1	0.1	300	0	3000	3462	G			24.87793	85.34079	Normal
20/9/20	8:16:0	1	0.1	270	10.1	2700	3167	G			24.87777	85.33985	Normal
20/9/20	8:17:28	1	0.1	160	0	1600	2085	G			24.87763	85.33887	Speed Breaker
20/9/20	8:18:3	1	0.1	210	0	2100	2577	G			24.87744	85.3379	Normal
20/9/20	8:18:39	1	0.1	210	10.1	2100	2577	G			24.87726	85.33695	Normal
20/9/20	8:19:14	1	0.1	220	10.1	2200	2675	G			24.87685	85.33604	Normal
20/9/20	8:19:14	1	0.013	10	50.5	769	1267	G			24.87683	85.33589	Normal
		12.713	26970	1403.9	270369	331345			0	0	3183.279		
Average							2588.63						

M
20/9/20
36
H1500

216
20/9/20
402

20.9.2000