

RUDASI MORE TO RUDASI PURAB TOLA [MMGSY(SD)]

Schedule XLV-Form No. 134

SHEIKHPURA

DIVISION

SHEIKHPURA

SUB-DIVISION

1248

Measurement Book

14/12/80
08/5/80
12/12/80
14/12/80

17

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
N/W :-	Const & maintenance of road				
	and C.D. work from Rudashi				
	more to Rudashi Purab Tola				
	under head MMSY (Se), 2018-19.				
Agency :-	Sri Vijay Kumar A - Sunday				
	Station Road P.O. Dist- Sheikhpura.				
Aggr. No.	08 (SBD) / 2018-19				
Aggr. Value	Const Rs 42,12,080/-				
	Mgmt Rs 3,22,059/-				
	Total Rs 45,34,139/-				
Date of Commencement	01-10-18				
Date of Completion	31-07-19				
Date of measurement	30-07-19				
① For and apply for Bitum Coal					
with Bitumen Emulsion (SS-1) on					
② prepared Surface.. - as Comp.					
	$10.00m \times (5.75m + 3.75m) \times \frac{1}{2} = 47.50m^2$				
	$7 \times 30.00m \times 3.75m = 787.50m^2$				
CH-240 Left Turn.	$1 \times 20.00m \times (3.75 + 4.75) \times \frac{1}{2} = 85.00m^2$				
	$1 \times 20.00m \times (4.75 + 3.75) \times \frac{1}{2} = 85.00m^2$				
Left Turn.	$7 \times 30.00m \times 3.75m = 787.50m^2$				
CH-470	$1 \times 20.00m \times (3.75 + 4.75) \times \frac{1}{2} = 85.00m^2$				
	$1 \times 20.00m \times (4.75 + 3.75) \times \frac{1}{2} = 85.00m^2$				
	$11 \times 30.00m \times 3.75m = 1237.50m^2$				

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		B.F	R ₁	43,	50,998 ^m
⑥ 90 mm equilateral triangle					
P/18	6	nos			
@ 1567.24 each			R ₁		9,405 ^m
⑦ 90 mm equilateral triangle					
P/18	6	nos			
@ 1519.274 each			R ₁		9,118 ^m
27/22 P/v Rumble strips with premix bituminous carpet					
P/19	30.4	m ²			
@ 202.11 per m ²			R ₁		6,063 ^m
28/23 P/v Rumble strips with					

road marking paint -					
P/19	15.04	m ²			
Limit to 15.04 m ²					
@ 864.68 per m ²			R ₁		12,970 ^m
29/24 P/v and layer of hot applied thermoplastic compound in road marking paint (R.T. road)					
P/18	170.4	m ²			
@ 864.68 per m ²			R ₁		1,46,996 ^m
30/25 P/v and layer of hot applied thermoplastic compound in road marking paint (C.C. road)					
P/19	15.60	m ²	Limit to		
15.40 m ²	@ 943.53 /m ²		R ₁		14,530 ^m

Continuation

C.O.R₁ 45,50,080^m

