

कार्यपालक अभियन्ता का कार्यालय

ग्रामीण कार्य विभाग, कार्य प्रमंडल, बायसी

पत्रांक 630(अनु०) / बायसी, दिनांक 17.04.2021

प्रेषक,

कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, बायसी।

सेवा में,

नोडल पदाधिकारी (MR-3054),
ग्रामीण कार्य विभाग,
बिहार, पटना।

विषय : गैर योजना मुख्य शीर्ष 3054 (नई अनुरक्षण नीति) सड़क अनुरक्षण ईकाई मद में वित्तीय वर्ष 2019-20 के लिए आवंटन निर्गत करने के संबंध में।

महाराय,

उपर्युक्त विषय के संबंध में सूचित करना है कि गैर योजना मुख्य शीर्ष 3054 (नई अनुरक्षण नीति) योजनान्तर्गत मांग पत्र विहित प्रपत्र में तैयार कर आपके आवश्यक कार्रवाई हेतु समर्पित किया जाता है।

अतः अनुरोध है कि संवेदकों का भुगतान हेतु आवंटन निर्गत करने की कृपा की जाय।

अनु० – यथोक्त।

विश्वासभाजन


17/04/21

17-04-21
कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, बायसी।

Requisition Format for scheme Head - MR(3054) under Bihar Rural Road Maintenance Policy - 2018 (Initial Rectification and Surface Renewal)																		
Name of Works Division : Rural Works Department, Works Division, Baisi																		
Sl. No	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/Km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in Km)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Years Routine Maintenance (in Lakh)										
1		Daripur to Bishrupa	21105202048	Lt. 1840 Dt. 24.06.2019	1.49	59.9342	38.21737	17.65374		17.02.2021	Comp.	1363.8	25	5.03	0.00000	0.00000	38.21737	
2	MR-N/19 20	Fulwari to Phulpur	21105202099	Lt. 1840 Dt. 24.06.2019	2.12	79.3623	47.86017	25.41611	14MBD/2020-21	17.02.2021	Comp.	1665.62	25	5.06	0.00000	0.00000	47.86017	
3	BAISI/03	Makiali - Gehua	21105202083	Lt. 1840 Dt. 24.06.2019	3.12	127.3432	79.94795	36.86176		17.02.2021	Comp.	1479.91	25	5.00	39.97398	39.97398	39.97397	
4		Dagarua to Jafarpur (Mahalbari)	21105202045	Lt. 1840 Dt. 24.06.2019	4.41	191.0207	125.59573	52.24597		17.02.2021	-	-	25	-	0.00000	0.00000	0.00000	
126.05151																		

- 1 Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed except SDHC Work.
- 2 Up-to-date Physical Progress has been uplaode in MIS.


Divisional Accounts Officer,
Rural Works Department,
Works Division, Baisi


Executive Engineer,
Rural Works Department,
Works Division, Baisi

FORM GFR 19-A

(See Government of India's Decision (I) below Rule -150)
Form of Utilization Certificate upto the month of March 2021
MR 3054 [New Maintenance Policy]

PIU – RWD, Works Division, Baisi

Sl. No	Name of Scheme	Sanction No. & Date with Amount (in Rs. lacs)	Amount Received (in Rs. lacs)	Particulars
1	Construction of Rural roads under MR 3054 [New Maintenance Policy]		4053.00497	Certified that out of Rs.4053.00497 lacs received upto date in favour of Executive Engineer, RWD, Works Division, Baisi a sum of Rs.4017.16996 lacs has been utilized for the purpose of MMGSY Schemes as given in the margin for which it was sanctioned and that the balance of Rs.35.83501 lacs remaining unutilized at the end of the period under MR 3054 (New Maintenance Policy).
	Letter No.	Date	Amount	
1	45	18.06.2020	175.53902	
2	47	24.06.2020	193.33159	CFMS
3	69	24.09.2020	41.51000	CFMS
4	72	07.10.2020	332.55942	CFMS
5	84	26.11.2020	169.86125	CFMS
6	1	01.01.2021	151.00000	CFMS
7	5	12.01.2021	448.27349	CFMS
8	8	23.01.2021	357.97418	CFMS
9	17	26.02.2021	894.38077	CFMS
10	20	19.03.2021	1224.71825	CFMS
11	23	26.03.2021	63.85700	CFMS
	Total		4053.00497	CFMS

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised:-

- Works have been supervised by Executive engineer / Superintending Engineer.
- Periodical inspection has been conducted by Executive engineer / Superintending Engineer.
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer / Executive Engineer.
- All other codal formalities have been observed.

3. Physical Progress achieved:-

- Construction of Road Works.
- Construction of CD works.


Divisional Accounts Officer,
RWD, Works Division, Baisi


17.04.21
Executive Engineer
RWD, Works Division, Baisi

Lab Job number :15(RWD BAYSI)
Date :23-03-21

Name of Customer :M/S PURNEA CONSTRUCTION
Name of Work/ Road :DARIPUR TO BISRUHA

Sr.no	Location of Corrected U.I test(in km) value(mm/km)	Road catagory
142	0.1	1460 G
143	0.2	1903 G
144	0.3	1349 G
145	0.4	1127 G
146	0.5	1460 G
147	0.6	2679 G
148	0.7	1238 G
149	0.8	1571 G
150	0.9	1238 G
151	1	1127 G
152	1.1	1017 G
153	1.2	1017 G
154	1.3	795 G
155	1.4	1349 G
156	1.5	1127 G

[Signature]
23/03/21

[Signature]
23.3.21

[Signature]
23/03/21

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	UTV	CATEGORY ROAD	IRI	Latitude	ongitude	Event
23/3/21	8:37:32	75	0.1	150	0	1500	1460 G		2.12	25.742	87.61192	Normal
23/3/21	8:38:0	75	0.1	190	20.2	1900	1903 G		2.68	25.74218	87.61285	Normal
23/3/21	8:38:8	75	0.1	140	20.2	1400	1349 G		1.97	25.74241	87.61382	Normal
23/3/21	8:38:8	75	0.1	120	20.2	1200	1127 G		1.68	25.74287	87.61468	Normal
23/3/21	8:38:43	75	0.1	150	10.1	1500	1460 G		2.12	25.74329	87.6154	Culvert
23/3/21	8:39:0	75	0.1	260	20.2	2600	2679 G		3.64	25.7435	87.61638	Speed Break (R) RURAL ROAD
23/3/21	8:39:18	75	0.1	130	20.2	1300	1238 G		1.83	25.74329	87.61726	Normal
23/3/21	8:41:0	75	0.1	160	10.1	1600	1571 G		2.26	25.7439	87.61955	Normal
23/3/21	8:41:4	75	0.1	130	20.2	1300	1238 G		1.83	25.74481	87.61965	Normal
23/3/21	8:41:4	75	0.1	120	20.2	1200	1127 G		1.68	25.74564	87.62	Normal
23/3/21	8:41:4	75	0.1	110	20.2	1100	1017 G		1.53	25.74639	87.62045	Normal
23/3/21	8:41:40	75	0.1	110	20.2	1100	1017 G		1.53	25.7471	87.62108	Normal
23/3/21	8:42:0	75	0.1	90	20.2	900	795 G		1.23	25.74776	87.62173	Normal
23/3/21	8:42:15	75	0.1	140	20.2	1400	1349 G		3.09	25.74753	87.62229	Curve
23/3/21	8:43:25	75	0.1	120	20.2	1200	1127 G		4.3	25.7467	87.62258	Speed Breaker

$$Y = 0 * X^2 + 1.108 * X - 201.8$$

$$X = 1400$$


$$Y = 1349$$

for 10/10/21

23/09/21

23.3.21

File : H:\23031016.Xls, Section No. : 75, Eqn : $Y = 0 * X^2 + 1.108 * X - 201.8$
 Name of Customer : M/S PURNEA CONSTRUCTION, Name of Work/ Road : DARIPUR TO BISRUHA, Lab Job



[Handwritten signature]

[Handwritten signature]
23.3.21

[Handwritten signature]
23/03/21

Lab Job number :16(RWD BAYSII)

Date :23-03-21

Name of Customer :M/S PURNEA CONSTRUCTION

Name of Work/ Road :PHULBARIYA TO PHULPUR

Sr.no Location of Corrected U.I test(in km) value(mm/km) Road category

157	0.1	2014 G
158	0.2	1571 G
159	0.3	1017 G
160	0.4	1127 G
161	0.5	1571 G
162	0.6	1460 G
163	0.7	1571 G
164	0.8	1681 G
165	0.9	2457 G
166	1	1903 G
167	1.1	1571 G
168	1.2	1681 G
169	1.3	1681 G
170	1.4	1571 G
171	1.5	1460 G
172	1.6	2235 G
173	1.7	1681 G
174	1.8	1571 G
175	1.9	2125 G
176	2	1681 G
177	2.1	1349 G

23/03/21

23/03/21

23.3.21

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	U/V	ITEGORY ROAD	IRI	Latitude	ongitude	Event
23/3/21	8:56:16	76	0.1	200	0	2000	2014 G	2014 G	2.82	25.75788	87.64082	Normal
23/3/21	8:57:0	76	0.1	160	10.1	1600	1571 G	1571 G	2.26	25.75839	87.64163	Culvert
23/3/21	8:57:0	76	0.1	110	20.2	1100	1017 G	1017 G	1.53	25.75896	87.64227	Normal
23/3/21	8:57:27	76	0.1	120	30.3	1200	1127 G	1127 G	1.68	25.7597	87.64285	Normal
23/3/21	8:57:27	76	0.1	160	20.2	1600	1571 G	1571 G	2.26	25.76051	87.64323	Normal
23/3/21	8:58:0	76	0.1	150	30.3	1500	1460 G	1460 G	2.12	25.76134	87.64354	Normal
23/3/21	8:58:2	76	0.1	160	30.3	1600	1571 G	1571 G	2.26	25.76217	87.6438	Normal
23/3/21	8:58:2	76	0.1	170	20.2	1700	1681 G	1681 G	2.4	25.76304	87.64401	Normal
23/3/21	8:58:37	76	0.1	240	20.2	2400	2457 G	2457 G	3.37	25.76386	87.64443	Normal
23/3/21	9:0:0	76	0.1	190	10.1	1900	1903 G	1903 G	2.68	25.76557	87.64264	Normal
23/3/21	9:0:23	76	0.1	160	20.2	1600	1571 G	1571 G	2.26	25.76619	87.64194	Curve
23/3/21	9:0:23	76	0.1	170	20.2	1700	1681 G	1681 G	2.4	25.76706	87.64217	Normal
23/3/21	9:1:0	76	0.1	170	20.2	1700	1681 G	1681 G	2.4	25.76784	87.64258	Normal
23/3/21	9:1:0	76	0.1	160	20.2	1600	1571 G	1571 G	2.26	25.76874	87.6429	Normal
23/3/21	9:1:0	76	0.1	150	20.2	1500	1460 G	1460 G	2.12	25.76947	87.64332	Normal
23/3/21	9:1:33	76	0.1	220	20.2	2200	2235 G	2235 G	3.09	25.77028	87.64364	Normal
23/3/21	9:2:0	76	0.1	170	20.2	1700	1681 G	1681 G	2.4	25.7712	87.64391	Normal
23/3/21	9:2:8	76	0.1	160	20.2	1600	1571 G	1571 G	2.26	25.77201	87.64416	Normal
23/3/21	9:2:8	76	0.1	210	20.2	2100	2125 G	2125 G	2.96	25.7729	87.64434	Normal
23/3/21	9:2:44	76	0.1	170	10.1	1700	1681 G	1681 G	2.4	25.77365	87.64426	Normal
23/3/21	9:3:0	76	0.1	140	10.1	1400	1349 G	1349 G	1.97	25.77423	87.64342	Normal

$$Y = 0 * X^2 + 1.108 * X - 201.8$$

$$X = 1400$$

$$Y = 1349$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001


23/03/21

23/03/21

23.3.21

File : H:\23031016.Xls, Section No. : 76, Eqn : $Y = 0 * X^2 + 1.108 * X - 201.8$

Name of Customer : M/S PURNEA CONSTRUCTION, Name of Work/ Road : PHULBARIYA TO PHULPUR, Lab Job



[Signature]
23/03/21

[Signature]
23/03/21

[Signature]
23-3-21

**कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, क्षेत्रीय प्रयोगशाला, पूर्णियाँ।**

पत्रांक 943 3/26 / दिनांक 20/03/2021।

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
क्षेत्रीय प्रयोगशाला, पूर्णियाँ।

सेवा में,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल वायसी।

विषय :- निर्माण कार्यों प्रयुक्त होने वाली सामग्रियों के नमूने की जाँच कर जाँच फल प्रतिवेदन भेजने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में सूचित करना है कि निर्माण कार्यों में प्रयुक्त होने वाली सामग्रियों के नमूने की जाँच कर जाँचफल प्रतिवेदन आपके आवश्यक कार्रवाई हेतु भेजी रही है।

क्र० सं०	पथ नाम	योजना का नाम	नमूने का जाँचफल
1.	Dagarpur to Jafarpur road.	MR/3054	SDBC (Mix) sample.
2.	Fulwari to Phulpur road.	MR/3054	SDBC (Mix) sample.
3.	Daripur to Bishrupur Road.	MR/3054	SDBC (Mix) sample.

अनु०-यथोक्त।

विश्वासभाजन

MR 19/03/2021

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
क्षेत्रीय प्रयोगशाला, पूर्णियाँ

जितेंद्र
19/03/2021

OFFICE OF THE EXECUTIVE ENGINEER R.W.D. REGIONAL
LABORATORY, PURNER, (BIHAR)
RESULT OF BITMEN CONTENT OF MIX SAMPLE

Name of work Daripura to Bishuapur Road Name of Division Baisi

Package no./ngt.no. MR/3054 Name of Agency M/S. Purnea Cement

Sample Collected by A.E.R.W.D (W) Sub Div. Daripura U.M.O. Zerodt-4.1.21

Location 400M Wt. of sample taken 1000gm

Date of receipt 17.3.21 S.D.B.C. Date of Test 19.3.21

Sl.No.	Sample No.	Identification No.	Wt. of sample b.c.	Wt. of sample a.c.	Loss wt.	Average	% of bitmen content	Remark
1.	P	D1	336	320	16.0			Acceptable
2.	Q	D2	328	312	16.0	15.66	5.03%	
3.	R	D3	316	301	15.0			

Copy to Executive Engineer R.W.D (W) Div. Baisi

Suprntending Engineer _____

Chief Engineer Bihar Patna _____

LA 19/3/21

19/03/21

19/03/2021

EXECUTIVE ENGINEER

RURAL WORKS DEPARTMENT

REGIONAL LABORATORY

PURNEA.

OFFICE OF THE EXECUTIVE ENGINEER R.W.D. REGIONAL
LABORATORY, PURNER, (BIHAR)
RESULT OF BITMEN CONTENT OF MIX SAMPLE

Name of work Fulwari to Phulpur road Name of Division Baisi

Package no./ngt.no. MR/3054 Name of Agency M.P. Purnea Const.

Sample Collected by A.E.R.W.D (W) sub-div. Jagannath 4110 road - 4.1.21

Location 600M Wt. of sample taken 1000gm.

Sl.No.	Sample No.	Identification No.	Wt. of sample b.c.	Wt. of sample a.c.	Loss wt.	Average	% of bitmen content	Remark
1.	A.	F2	310	295	15.0			Acceptable
2.	D.	F3	322	307	15.0	15.66	5.06%	
3.	C.	F4	342	325	17.0			

Copy to Executive Engineer R.W.D (W) Div. Baisi

Suprntending Engineer _____

Chief Engineer Bihar Palna _____

LA Cg 10/5
19/3/21

19/08/21

19/07/2021

EXECUTIVE ENGINEER
RURAL WORKS DEPT.
REGIONAL LABORATORY
PURNEA.

OFFICE OF THE EXECUTIVE ENGINEER R.W.D. REGIONAL

LABORATORY, PURNER, (BIHAR)

RESULT OF BITMEN CONTENT OF MIX SAMPLE

Name of work Dagaru to Jafarpur road Name of Division Baisi

Package no./ngt.no. MR/3054 Name of Agency M/S. Purnea Const.

Sample Collected by A.E.R.W.D (W) Sub-div. Dagaru & No. zero dt - 4.1.21

Location 200 M. Wt. of sample taken 1000 gm

Sl.No.	Sample No.	Identification No.	Wt. of sample b.c.	Wt. of sample a.c.	Loss wt.	Average	% of bitmen content	Remark
1.	B	J ₁	298	284.0	14.0			Accepted
2.	C	J ₂	316	301.0	15.0	15.0	5.04%	
3.	D	J ₃	323	307	16.0			

Copy to Executive Engineer R.W.D (W) div. Baisi

Suprting Engineer

Chief Engineer Bihar Patna

LA 18/05/21

19/05/21

19/05/2021

EXECUTIVE ENGINEER

RURAL WORKS DEPT.

REGIONAL LABORATORY

PURNEA.