

MMGSY (GEN)

M.B. No. 477
19-20

Schedule XLV Form No. 134.

RIND Path to chhoti Baurna Dhal
Road

Division. Gogni

DIVISION

Sub. Divi. Gogni

SUB-DIVISION

M.B. No 477

Sanjay Kumar

Measurement Book

प्रमाणित किया जाता है कि इस
मापी धूल में मशीन द्वारा अधिकतम
घुल-100 (रक रॉ) पन्ने हैं जिसे
श्री अरविन्द कुमार, सहायक
अभियंता ब्यापक कार्य विभाग,
कार्य अवर प्रमंडल गोवारी को
निर्गत किया जाता है

25.9.20
कार्यपालक अभियंता
प्रमंडल कार्य विभाग
कार्य प्रमंडल-गोवारी
25/9/20

Sch. XLV - Form No. 134

प्रमंडल गोवारी DIVISION

अवर प्रमंडल गोवारी SUB-DIVISION

Measurement Book

No. 477

Name of Officer _____

Date of first entry _____

Date of last entry _____

Name of Work-

Situation of Work-

Agency by which work is executed-

Date of Measurement-

No. and date of agreement

(These four lines should be repeated at the commencement of the measurement relating to each work)

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Name of work - Const. of road					
from Road Path to Chhot					
Baurana dhalga.					
Name of Agency - Sanjay Kumar					
At - Rohiyar, P.O. Gangolia, Distt - Kargali					
Agreement No. - SBD 35/2019-2020					
Date of Start - 21.11.2019					
Date of Completion - 20.11.2020					
<u>Record measurement</u>					
1. setting out billars					
providing & fixing of					
working benchmark billars					
etc - do - do - all comp. job -					
i) working benchmark billars - 1.0 nos.					
ii) Reference billars - 4.0 nos.					
2. clearing & grubbing					
Road land by manual					
means including uprooting					
wild vegetation etc - do -					
do - all comp. job -					

Continuation

my
 20.10.2020
 J.E.
 C.R.
 Kuma
 3/10/2021
 AE
 material consumption
 i) $1/11 - 2432.905 \text{ m}^3$
 ii) $53 \text{ mm} + 26.5 \text{ mm} - 340.29 \text{ m}^3$
 $0.8458 = 22/\text{m}^3$ — Rs.
 iii) $26.5 \text{ mm} + 0.475 \text{ mm} - 437.51 \text{ m}^3$
 $0.8499 = 76/\text{m}^3$ — Rs.
 iv) $2.36 \text{ mm} \text{ below} - 194.45 \text{ m}^3$
 $0.84150380/\text{m}^3$ — Rs.
 my
 20.10.2020
 J.E.

Scanned with CamScanner