

प्रमाणित किया जाता है-
कि इस मापी पुरस्कार में देखा
हुआ कुल 100 (एक सौ) पन्ना मात्र
है, जिसे सहायक अभियंता, ग्रामीण
कार्य विभाग, भुवना के नाम से
निर्गत किया जाता है।

कडम
कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग
कार्य प्रमंडल, भुवना
कडम

Sch. XLV-Form No. 134

भुवना DIVISION
भुवना SUB-DIVISION
MMGSY अन्तर्गत - वरिष्ठ-मोहनिषा
पक्ष से वरिष्ठ हरिजन सेवा पक्ष।

Measurement Book

No. 1390

Name of officer सहायक अभियंता,
ग्राम कार्य विभाग, भुवना।

Date of first entry _____

Date of last entry _____

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					5th & final bill
					N/W - Const. of Bara-cowara
					road to Bara-harizon
					total under survey (600)
					Agency - Sri Karmal Singh
					At - Chhanni mandal
					ward no - 09, Bhatnagar
					Agreement no - 04(580)/2019-20
					Agreement value - Rs 9520471/-
					Date of work start - 29.4.20
					Date of completion - 28.4.21
					Day - 25.3.21 to 27.4.21
					1. Eff in excavation for
					foundation of structure
					1x 7.50x0.60x0.60=2.70m ³
					for 5 nos
					13.50m ³
					2. p/v & laying R.C.C. 300 mm
					dia c.p.
					3x 2.50 = 7.50m
					for 5 nos
					37.50m
					3. Setting out of working bench.
					mark & reference pillars
					1.330m
					4. p/v & fixing of survey standards
					sign board
					1.00m

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(1) for c.c. portion					
2x 1x 19mm	2x	1x	19mm	0.100	3.80m ²
2x 6x 25mm	2x	6x	25mm	0.100	30.00m ²
2x 6x 25mm	2x	6x	25mm	0.100	30.00m ²
2x 6x 25mm	2x	6x	25mm	0.100	30.00m ²
2x 2x 25mm	2x	2x	25mm	0.100	10.00m ²
2x 1x 20mm	2x	1x	20mm	0.100	4.00m ²
					107.80m ²
19. p/v & fixing of cantonment mandatory & intermediary sign board					
(i) 600mm equilateral triangles	3-x				
(ii) 600mm circular	2-x				
(iii) 600mm x 450mm rectangular	4-x				
(iv) 900mm side octagon	2-x				
12. p/v & fixing of 15 grade granite	28-x				
13. p/v & fixing of 15 grade kilometer stone - as per P/L					
(i) ordinary kilometer stone	2-x				
(ii) 200cm stone	6-x				
<u>Sum</u> 27.4.21 7.2.					

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
				4/16	8315448=-
12/10 p/v a applying dark coat					
to 46 bitumen emulsion (P.S.)					
2966.25 m ² at xtd. Tm 13 p-22					
2966.25 m ² @ 16 = 48/m ²					48884=-
18/11 p/v laying a rolling 25 mm					
thick mix seal surface					
2966.25 m ² at xtd. Tm 13 p-22					
2966.25 m ² @ 22 = 14/m ²					652990=-
19/15 p/v a fixing of imp. grade granite					
28.1103 at xtd. Tm 13 p-24					
28.1103 @ 587 = 32 paces					16437=-
20/17 p/v a laying of bit. applied					
thick plastic compound 2.5 mm					
thick road marking					
(1) for B.T. portion					
158.20 m ² at xtd. Tm 13 p-23					
158.20 m ² @ 839 = 57/m ²					132820=-
(ii) for C.C. portion					
107.80 m ² at xtd. Tm 13 p-24					
107.80 m ² @ 934 = 41/m ²					100729=-
21/13 p/v a fixing of cautionary, corrugated					
a intermediary sign board					
1.600 m ² equilateral triangle					
3.114 at xtd. Tm 13 p-24					
3.114 @ 566 = 28 paces					17008=-

Continuation C/O B 9284316=-

Scanned with CamScanner