

प्रमाणित किया जाता है कि -
इस मापी प्रकृति का मै' देखा हुआ
कुल 100 (एक सौ) फुज मात्र है,
जिसे सहायक अभियंता, ग्रामीण
कार्य विभाग, मधुआ के माक है
निर्गत किया जाता है।

17/11/20
कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग
कार्य प्रमंडल, मधुआ
मि/10

Sch. XLV-Form No. 134

मधुआ DIVISION

मधुआ SUB-DIVISION

PMGSY पन से जालालपुर बिन्दु टोला
पन।

MEASUREMENT BOOK

No. 1430

Name of Officer सहायक अभियंता,
ग्रामीण कार्य विभाग, मधुआ।

Date of first entry

Date of last entry

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
2nd & final bill					
N/in - pucca path to Talalpur					
bind tola under canopy (5C)					
Agency - Pravin Kumar					
At + P.O. - Shamshernagar					
P.S. - Bahadurgar Arangabad					
Agreement no. - 66(340)/2020-21					
Agreement value - ₹ 9873365/-					
Date of work start - 22.8.20					
Date of completion - 21.8.21					
Exp. of measurement - 20.4.21 to 30.5.21					
1. Const. of granular sub-base with					
materials, grading II - as per					
Specification & direction of D.C.					

6 x 25-x 4.05 x 0.200	121.50 m ³
6 x 25-x 4.05 x 0.200	121.50 m ³
6 x 25-x 4.05 x 0.200	121.50 m ³
3 x 25-x 4.05 x 0.200	60.75 m ³
1 x 20-x 4.05 x 0.200	16.20 m ³
6 x 25-x 3.75 x 0.100	56.25 m ³
3 x 25-x 3.75 x 0.100	28.125 m ³
1 x 23-x 3.75 x 0.100	8.625 m ³
6 x 25-x 4.05 x 0.200	121.50 m ³
6 x 25-x 4.05 x 0.200	121.50 m ³
2 x 25-x 4.05 x 0.200	40.50 m ³
1 x 15-x 4.05 x 0.200	12.15 m ³
Link - 6 x 25-x 4.05 x 0.200	121.50 m ³
6 x 25-x 4.05 x 0.200	121.50 m ³
1 x 20-x 4.05 x 0.200	16.20 m ³

Continuation

1/0 1210.80 m³
1089.30 m³

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
				SVF R	10484728:-
12/16 e/m in excavation for foundation of structure.					
40.50m ² aty side Turb p-13					
40.50m ² @ R 336 = 38/m ²				R	13623:-
13/17 p/v & laying R.C.C. 300 mandir					
R 133 H.p					
112.50m ² aty side Turb p-13					
112.50m ² @ R 976 = 93 per m				R	109905:-
14/15 p/v & laying of hot applied thermoplastic compound 2.5 mm thick sand matting.					
(1) for B.T. portion					
240.00m ² aty side Turb p-13					
240.00m ² @ R 839 = 66/m ²				R	201515:-
(1) for C.C. portion					
80.00m ² aty side Turb p-14					
80.00m ² @ R 935 = 39/m ²				R	74831:-
15/11 p/v & fixing of cautionary, mandatory & informative sign board.					
(1) 600 mm equilateral triangle					
4 nos aty side Turb p-14					
4 nos @ R 5731 = 61 per nos				R	22926:-
(1) 600 mm circular					
2 nos aty side Turb p-14					
2 nos @ R 8421 = 84 per nos				R	16844:-

Continuation C/R-10924375:-

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
				By H. B.	10924375
(iii) 600m x 450m rectangular					
4 Nos aty side Tams p-14					
4 Nos @ 5323:15 per Nos				B	21293
(iv) 900m x 800m rectangular					
2 Nos aty side Tams p-14					
2 Nos @ 9707:17 per Nos				B	19414
14/12 p/v R.C.C. on 15 grade kilometre					
stone					
(i) ordinary kilometre					
2 Nos aty side Tams p-14					
2 Nos @ 2758:92 per Nos				B	5518
(ii) 200m stone					
2 Nos aty side Tams p-14					
2 Nos @ 720:79 per Nos				B	5046
				B	10975646
Less 12.21% as per agreement				B	1888909
				B	9086737
Less p/p vide Tams p-6				B	6829810
				B	2256927
By H. B.					
30.5.21				30.8.21	
T.C.				AT	
certified that work has been done					
as per specification					
By H. B.					
30.5.21				30.8.21	
T.C.				AT	

Continuation