

Name of Work -
 Situation of work -
 Agency by which work is executed -
 Date of measurement -
 No. and date of agreement -
 (These four lines should be repeated at the commencement of the measurements relating to each work).

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Name of work - Repair & five year maintenance of road from Darligapur More to Sarasat Jmanpura					
Via Via Koriyawa Path under New Maintenance Policy 2018					
Agency - S.B. Engicon Pvt. Ltd.					
Agreement No - 02/MBD/2020-21					
Date of commencement - 15.05.2020					
Date of completion - 14.02.2021					

(1) Clearing and Grubbing road land -

$2 \times 5 \times 30 \times \frac{1.10 + 1.15}{2}$	$= 202.50 \text{ m}^2$
$2 \times 5 \times 30 \times \frac{1.15 + 1.00}{2}$	$= 322.50 \text{ m}^2$
$2 \times 5 \times 30 \times \frac{1.00 + 1.10}{2}$	$= 315.00 \text{ m}^2$
$2 \times 17 \times \frac{1.10 + 1.15}{2}$	$= 38.25 \text{ m}^2$
$2 \times 3 \times 30 \times \frac{1.10 + 1.20}{2}$	$= 207.00 \text{ m}^2$
$2 \times 4 \times 30 \times \frac{1.20 + 1.15}{2}$	$= 282.00 \text{ m}^2$
$2 \times 3 \times 30 \times \frac{1.15 + 1.00}{2}$	$= 193.50 \text{ m}^2$

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
2 x 4 x 30 x		$\frac{1.00 + 1.15}{2}$			= 258.00 m ²
2 x 6 x 30 x		$\frac{1.15 + 0.50}{2}$			= 297.00 m ²
2 x 6 x 30 x		$\frac{1.10 + 1.00}{2}$			= 378.00 m ²
2 x 3 x 30 x		$\frac{1.00 + 1.15}{2}$			= 193.50 m ²
2 x 4 x 30 x		$\frac{1.15 + 1.00}{2}$			= 258.00 m ²
2 x 6 x 30 x		$\frac{1.00 + 1.10}{2}$			= 378.00 m ²
2 x 2 x 30 x		$\frac{1.10 + 1.00}{2}$			= 126.00 m ²
2 x 5 x 30 x		$\frac{1.00 + 1.25}{2}$			= 322.50 m ²
2 x 6 x 30 x		$\frac{1.25 + 1.15}{2}$			= 432.00 m ²
2 x 4 x 30 x		$\frac{1.15 + 0.50}{2}$			= 198.00 m ²
2 x 3 x 30 x		$\frac{0.50 + 0.60}{2}$			= 99.00 m ²
2 x 6 x 30 x		$\frac{0.60 + 1.10}{2}$			= 306.00 m ²
2 x 7 x 30 x		$\frac{1.10 + 1.00}{2}$			= 441.00 m ²
2 x 3 x 30 x		$\frac{1.00 + 0.80}{2}$			= 162.00 m ²
2 x 6 x 30 x		$\frac{0.80 + 1.00}{2}$			= 324.00 m ²
2 x 8 x 30 x		1.00			= 480.00 m ²
2 x 6 x 30 x		$\frac{1.00 + 1.05}{2}$			= 367.50 m ²
2 x 5 x 30 x		$\frac{1.05 + 0.95}{2}$			= 300.00 m ²
2 x 3 x 30 x		$\frac{0.95 + 1.00}{2}$			= 175.50 m ²

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
$2 \times 3 \times 30 \times \frac{1.20 + 1.25}{2}$					$= 202.50 \text{ m}^2$
$2 \times 5 \times 30 \times \frac{1.25 + 1.10}{2}$					$= 202.50 \text{ m}^2$
$2 \times 6 \times 30 \times \frac{1.10 + 1.25}{2}$					$= 414.00 \text{ m}^2$
$2 \times 3 \times 30 \times \frac{1.20 + 1.15}{2}$					$= 211.50 \text{ m}^2$
$2 \times 2 \times 30 \times \frac{1.15 + 1.20}{2}$					$= 141.00 \text{ m}^2$
$2 \times 25 \times \frac{1.20 + 1.25}{2}$					$= 36.25 \text{ m}^2$
					828.00
					$= 0.82 \text{ ha}$

Defn
12/11/2020
J.E

② Scarifying and existing
bituminous road surface
to a depth of 150 mm

$5 \times 2.50 \times 1.50$	$= 18.75 \text{ m}^2$
$2 \times 2.15 \times 1.10$	$= 4.73 \text{ m}^2$
$3 \times 4.05 \times 1.75$	$= 21.26 \text{ m}^2$
$4 \times 2.05 \times 1.05$	$= 8.61 \text{ m}^2$
$6 \times 2.55 \times 1.95$	$= 29.84 \text{ m}^2$
$7 \times 4.50 \times 2.00$	$= 63.00 \text{ m}^2$
$8 \times 4.05 \times 2.05$	$= 66.42 \text{ m}^2$
$6 \times 3.65 \times 1.75$	$= 38.33 \text{ m}^2$
$9 \times 5.15 \times 2.05$	$= 95.02 \text{ m}^2$
$11 \times 3.75 \times 2.15$	$= 88.69 \text{ m}^2$
$7 \times 3.85 \times 2.05$	$= 55.25 \text{ m}^2$
$8 \times 3.25 \times 1.95$	$= 50.70 \text{ m}^2$
$6 \times 3.50 \times 1.85$	$= 38.85 \text{ m}^2$
$12 \times 2.95 \times 1.75$	$= 61.95 \text{ m}^2$

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	10	5.0	2.45		= 122.50 m ²
	6	4.05	2.15		= 52.28 m ²
	10	5.50	2.10		= 115.50 m ²
	11	4.55	2.05		= 102.60 m ²
	8	5.25	2.10		= 88.20 m ²
	7	4.25	2.05		= 60.99 m ²
	6	4.05	1.85		= 44.96 m ²
	12	4.15	1.95		= 97.11 m ²
	15	3.95	1.80		= 106.65 m ²
	10	4.35	1.65		= 71.78 m ²
	5	5.75	1.90		= 54.63 m ²
	10	5.05	1.85		= 93.43 m ²
	7	6.15	2.25		= 76.84 m ²
	8	4.95	1.05		= 41.58 m ²
	6	3.85	1.65		= 38.12 m ²
	5	4.50	2.20		= 49.50 m ²
	7	5.15	2.05		= 73.90 m ²
	10	4.35	1.75		= 76.13 m ²
	3	5.05	2.05		= 31.06 m ²
	9	4.15	1.95		= 72.83 m ²
	10	4.50	1.50		= 67.50 m ²
	12	5.75	2.05		= 141.45 m ²
	5	4.45	1.85		= 41.16 m ²
	3	3.95	1.65		= 19.55 m ²
	8	4.05	1.80		= 58.32 m ²
					2459.96 m ²

③ Constⁿ of granular Sub

Continuation

Sch. XLV-Form No. 134

Sch. XLV-Form No. 134					Contents of area
Particulars	Details of actual measurement				
	No.	L.	B.	D.	
base by providing well					
graded material of grading II					
51 m	2	1.95	2.00	0.175	= 1.365 m ³
	2	0.97	1.20	0.175	= 0.407 m ³
	5	2.76	1.16	0.175	= 2.80 m ³
	7	2.03	1.52	0.175	= 3.78 m ³
	2	7.05	0.95	0.175	= 2.34 m ³
	5	2.75	1.53	0.175	= 3.68 m ³
	3	4.05	1.75	0.175	= 3.72 m ³
	7	5.15	1.95	0.175	= 12.30 m ³
	6	4.75	0.95	0.175	= 4.74 m ³
	3	6.03	0.97	0.175	= 3.07 m ³
	2	5.06	0.86	0.175	= 1.52 m ³
	5	4.76	1.13	0.175	= 7.71 m ³
	8	3.93	0.94	0.175	= 5.17 m ³
	3	4.75	1.25	0.175	= 3.12 m ³
	6	5.17	1.85	0.175	= 10.04 m ³
	3	4.85	2.05	0.175	= 5.22 m ³
	2	6.13	1.73	0.175	= 3.71 m ³
	7	6.50	2.15	0.175	= 17.12 m ³
	9	6.95	2.05	0.175	= 22.44 m ³
	5	5.75	1.95	0.175	= 9.81 m ³
	4	6.00	2.00	0.175	= 8.40 m ³
	1	5.00	2.00	0.175	= 1.75 m ³
	2	4.85	1.75	0.175	= 2.97 m ³
Defn 23/11/2020 S.E.	Estm 23/11/2020 H.E.				134.182 m ³

④ Providing, laying, spreading and compacting stone egg.

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
with grading 2					
450 2 x 2.00 x 2.15 x 0.075 =					0.65 m ³
2 x 1.05 x 1.25 x 0.075 =					0.197 m ³
5 x 3.00 x 1.50 x 0.075 =					1.69 m ³
7 x 2.50 x 1.75 x 0.075 =					2.30 m ³
2 x 7.25 x 1.15 x 0.075 =					1.25 m ³
5 x 3.00 x 2.00 x 0.075 =					2.25 m ³
3 x 4.50 x 2.00 x 0.075 =					2.03 m ³
7 x 5.50 x 2.05 x 0.075 =					5.92 m ³
6 x 4.75 x 1.05 x 0.075 =					2.34 m ³
3 x 6.80 x 1.25 x 0.075 =					1.83 m ³
2 x 5.50 x 1.23 x 0.075 =					1.01 m ³
5 x 4.75 x 1.50 x 0.075 =					2.78 m ³
8 x 4.50 x 1.25 x 0.075 =					3.38 m ³
3 x 5.00 x 1.50 x 0.075 =					1.69 m ³
6 x 5.67 x 2.00 x 0.075 =					5.10 m ³
3 x 5.05 x 2.15 x 0.075 =					2.44 m ³
2 x 6.50 x 1.90 x 0.075 =					1.85 m ³
7 x 6.75 x 2.25 x 0.075 =					7.97 m ³
9 x 7.15 x 2.10 x 0.075 =					10.14 m ³
5 x 5.90 x 2.15 x 0.075 =					4.76 m ³
4 x 6.25 x 2.15 x 0.075 =					4.03 m ³
1 x 5.25 x 2.15 x 0.075 =					0.85 m ³
2 x 5.00 x 2.00 x 0.075 =					1.5 m ³
7 x 6.75 x 2.05 x 0.075 =					7.26 m ³
8 x 5.95 x 1.85 x 0.075 =					6.60 m ³
12 x 4.80 x 2.05 x 0.075 =					8.86 m ³
10 x 6.15 x 2.00 x 0.075 =					9.23 m ³

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	9	6.05	2.05	0.075	$= 8.37 m^3$
	6	5.75	1.75	0.075	$= 4.53 m^3$
	7	5.06	1.52	0.075	$= 4.04 m^3$
	8	5.76	1.78	0.075	$= 6.15 m^3$
	4	5.10	1.90	0.075	$= 2.85 m^3$
					$128.347 m^3$
<div style="display: flex; justify-content: space-between;"> <div> <u>Beck's</u> <u>28/11/2020</u> <u>S.E.</u> </div> <div> <u>88 km</u> <u>28/11/2020</u> <u>A.E.</u> </div> </div>					
⑤ Providing, laying, spreading and compacting stone agg. with gradings					
	2	0.15	2.20	0.075	$= 0.71 m^3$
	2	1.50	1.50	0.075	$= 0.34 m^3$
	5	3.30	1.75	0.075	$= 2.17 m^3$
	7	2.75	2.00	0.075	$= 2.37 m^3$
	2	7.50	1.25	0.075	$= 1.41 m^3$
	5	3.50	2.15	0.075	$= 2.82 m^3$
	3	5.00	2.15	0.075	$= 2.42 m^3$
	7	5.75	2.25	0.075	$= 6.79 m^3$
	6	5.05	1.25	0.075	$= 2.84 m^3$
	3	7.00	1.35	0.075	$= 2.13 m^3$
	2	6.00	1.50	0.075	$= 1.35 m^3$
	5	5.25	1.75	0.075	$= 3.45 m^3$
	8	5.00	1.50	0.075	$= 4.50 m^3$
	3	5.25	1.75	0.075	$= 2.07 m^3$
	6	6.00	2.15	0.075	$= 5.81 m^3$
	3	5.25	2.25	0.075	$= 2.66 m^3$
	2	6.75	2.00	0.075	$= 2.03 m^3$
	7	7.00	2.35	0.075	$= 8.64 m^3$
	9	7.50	2.25	0.075	$= 11.39 m^3$

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
20	5	6.40	2.25	0.075	= 5.06 m ³
	4	6.50	2.30	0.075	= 4.49 m ³
	1	5.50	2.30	0.075	= 0.95 m ³
	2	5.15	2.15	0.075	= 1.66 m ³
	7	7.40	2.25	0.075	= 8.27 m ³
	8	6.15	2.40	0.075	= 7.78 m ³
	12	5.0	2.15	0.075	= 9.68 m ³
	10	6.30	2.15	0.075	= 10.16 m ³
	9	6.25	2.25	0.075	= 9.49 m ³
	6	6.0	2.0	0.075	= 5.40 m ³
	7	5.50	1.75	0.075	= 5.85 m ³
	8	6.40	2.00	0.075	= 7.20 m ³
	4	5.25	2.05	0.075	= 3.23 m ³
	12	6.15	2.10	0.075	= 11.62 m ³
	16	2.46	1.55	0.075	= 22.07 m ³
	11	4.23	2.06	0.075	= 10.59 m ³
	9	7.21	1.81	0.075	= 8.81 m ³
	9	4.59	1.74	0.075	= 5.39 m ³
	14	3.83	1.43	0.075	= 5.75 m ³
	12	10.07	2.43	0.075	= 22.07 m ³
	12	7.21	2.51	0.075	= 16.29 m ³
	8	4.82	2.15	0.075	= 8.80 m ³
	12	9.17	2.09	0.075	= 17.25 m ³
	11	7.77	0.75	0.075	= 6.09 m ³
	9	13.67	2.8	0.075	= 25.84 m ³
	13	9.5	1.51	0.075	= 13.79 m ³
	20	10.05	2.50	0.075	= 37.67 m ³
	15	9.55	2.25	0.075	= 24.17 m ³

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
12 x 10.50 x 2.50 x 0.075					= 23.63 m ³
17 x 9.54 x 2.15 x 0.075					= 26.15 m ³
10 x 7.50 x 1.95 x 0.075					= 10.97 m ³
12 x 9.50 x 2.05 x 0.075					= 17.53 m ³
11 x 10.00 x 2.00 x 0.075					= 16.50 m ³
9 x 9.5 x 1.75 x 0.075					= 11.22 m ³
8 x 10.15 x 2.15 x 0.075					= 13.09 m ³
13 x 10.75 x 1.85 x 0.075					= 19.39 m ³
15 x 12.15 x 2.75 x 0.075					= 37.59 m ³
18 x 15.00 x 3.00 x 0.075					= 60.75 m ³
16 x 13.05 x 2.95 x 0.075					= 46.20 m ³
10 x 12.75 x 3.05 x 0.075					= 29.17 m ³
20 x 13.75 x 3.15 x 0.075					= 64.72 m ³
15 x 13.35 x 3.40 x 0.075					= 47.25
					805.27 m ³

Defa 04/12/2020 80/1mm 67/12/2020 H.E.					
⑥ Providing and applying primer coat with (SS-1) emulsion -					
2 x 2.15 x 2.20					= 9.46 m ²
2 x 1.50 x 1.50					= 4.50 m ²
5 x 3.30 x 1.75					= 28.87 m ²
7 x 2.75 x 2.00					= 38.50 m ²
2 x 7.50 x 1.25					= 18.8 m ²
5 x 3.50 x 2.15					= 37.63 m ²
3 x 5.00 x 2.15					= 32.25 m ²
7 x 5.75 x 2.25					= 90.56 m ²
6 x 5.05 x 1.25					= 37.88 m ²
3 x 7.00 x 1.35					= 28.35 m ²
					326.80 m ²

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
				=	18.00 m ²
				=	46.00 m ²
				=	60.00 m ²
				=	27.60 m ²
				=	77.40 m ²
				=	35.44 m ²
				=	27.07 m ²
				=	115.20 m ²
				=	151.87 m ²
				=	115.20 m ²
				=	157.86 m ²
				=	67.50 m ²
				=	59.80 m ²
				=	12.65 m ²
				=	22.145 m ²
				=	110.25 m ²
				=	98.40 m ²
				=	129.00 m ²
				=	135.45 m ²
				=	126.563 m ²
				=	72.00 m ²
				=	67.375 m ²
				=	96.00 m ²
				=	43.05 m ²
				=	154.98 m ²
				=	309.008 m ²
				=	141.172 m ²
				=	117.451 m ²
					2678.094 m ²

Continuation

Particulars	Details of actual measurement				Contn. of area
	No.	L.	B.	D.	
	9	4.59	1.74	=	71.88 m ²
	14	3.83	1.43	=	76.677 m ²
	12	10.09	2.42	=	294.224 m ²
	12	7.21	2.51	=	217.165 m ²
	8	6.82	2.15	=	117.301 m ²
	12	9.17	2.07	=	229.984 m ²
	11	7.77	0.95	=	81.197 m ²
	9	13.67	2.80	=	344.484 m ²
	13	9.5	1.51	=	186.485 m ²
	20	10.05	2.50	=	502.50 m ²
	15	9.55	2.25	=	322.313 m ²
	12	10.50	2.50	=	315.00 m ²
	17	9.54	2.15	=	345.687 m ²

	10	7.50	1.95	=	146.25 m ²
	12	9.50	2.05	=	233.70 m ²
	11	10.00	2.00	=	220.00 m ²
	9	9.5	1.75	=	149.625 m ²
	8	10.15	2.15	=	174.58 m ²
	13	10.75	1.85	=	258.538 m ²
	15	12.15	2.25	=	501.188 m ²
	18	15.00	3.00	=	810.00 m ²
	16	13.05	2.95	=	615.96 m ²
	10	12.75	3.05	=	388.875 m ²
	20	13.75	3.15	=	866.25 m ²
	15	13.35	3.00	=	600.75 m ²
					10721.70 m ²

⑦ Providing and applying

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
lack coat with bitumen emulsion over granular surface -					
Same as item (6) -					10721.70 m ²
(8) Providing laying and rolling of close graded premix surfacing material of 20 mm thickness -					
2 x 2.15 x 2.20					= 9.46 m ²
2 x 1.50 x 1.50					= 4.50 m ²
5 x 1.30 x 1.25					= 28.87 m ²
7 x 1.25 x 2.00					= 38.50 m ²
2 x 1.50 x 1.25					= 18.75 m ²
5 x 3.50 x 2.15					= 37.63 m ²
3 x 5.00 x 2.15					= 32.25 m ²
20 mm 7 x 5.75 x 2.25					= 90.56 m ²
6 x 5.05 x 1.25					= 37.88 m ²
3 x 7.00 x 1.35					= 28.35 m ²
2 x 6.00 x 1.50					= 18.00 m ²
5 x 5.25 x 1.75					= 46.00 m ²
8 x 5.00 x 1.50					= 60.00 m ²
3 x 5.25 x 1.75					= 27.60 m ²
6 x 6.00 x 2.15					= 77.40 m ²
3 x 5.25 x 2.25					= 35.44 m ²
2 x 6.75 x 2.00					= 27.00 m ²
7 x 7.00 x 2.35					= 115.20 m ²
9 x 7.50 x 2.25					= 151.86 m ²

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
5 x 6.00 x 2.15				=	67.50 m ²
4 x 6.50 x 2.30				=	59.50 m ²
1 x 5.50 x 2.30				=	12.65 m ²
2 x 5.15 x 2.15				=	22.07 m ²
7 x 7.00 x 2.25				=	110.25 m ²
8 x 6.15 x 2.00				=	98.40 m ²
12 x 5.00 x 2.15				=	129.00 m ²
10 x 6.30 x 2.15				=	135.75 m ²
9 x 6.25 x 2.25				=	124.52 m ²
6 x 6.00 x 2.00				=	72.00 m ²
7 x 5.50 x 1.75				=	67.32 m ²
8 x 6.00 x 2.00				=	96.00 m ²
4 x 5.35 x 2.05				=	43.95 m ²
12 x 6.15 x 2.10				=	154.92 m ²
16 x 12.46 x 1.55				=	309.00 m ²
11 x 6.23 x 2.06				=	141.72 m ²
9 x 7.21 x 1.81				=	117.45 m ²
9 x 4.59 x 1.74				=	71.85 m ²
14 x 3.83 x 1.43				=	74.67 m ²
12 x 10.09 x 2.43				=	294.23 m ²
12 x 7.71 x 2.51				=	232.45 m ²
8 x 6.82 x 2.15				=	117.50 m ²
12 x 9.17 x 2.09				=	232.98 m ²
11 x 7.72 x 0.95				=	91.97 m ²
7 x 13.67 x 2.80				=	544.92 m ²
13 x 9.5 x 1.51				=	186.45 m ²
20 x 10.05 x 2.50				=	502.50 m ²

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	15	9.55	2.25	=	322.313 m ²
	12	10.50	2.50	=	315.00 m ²
	17	9.54	2.15	=	348.687 m ²
estm	10	7.50	1.95	=	146.25 m ²
	12	9.50	2.05	=	233.70 m ²
	11	10.00	2.00	=	220.00 m ²
	9	9.5	1.75	=	149.625 m ²
	8	10.15	2.15	=	174.58 m ²
	13	10.75	1.85	=	258.538 m ²
	15	12.15	2.75	=	501.188 m ²
	18	15.00	3.00	=	310.00 m ²
	16	13.05	2.95	=	265.96 m ²
	10	12.75	3.05	=	358.875 m ²
	20	13.75	3.15	=	866.25 m ²
	15	13.35	3.00	=	600.75 m ²
					10721.70 m ²

⑨ Providing and applying
 tack coat with bitumen
 emulsion (RS-1) over bitumi-
 nous surface —

22	$\frac{10.60 + 3.75}{2}$		=	157.85 m ²
3	30	3.75	=	337.50 m ²
2	30	3.75	=	225.00 m ²
5	30	3.75	=	562.50 m ²
estm	2	30	3.75	= 225.00 m ²
	25	3.75	=	93.75 m ²
	2	30	3.75	= 225.00 m ²
	4	30	3.75	= 450.00 m ²

Continuation

Particulars	Details of actual measurement				Cont. of area
	No.	L.	B.	D.	
2 x 30 x 3.75				=	225.00 m ²
10 x 3.75				=	37.50 m ²
34 x $\frac{3.75 + 4.80 + 3.75}{3}$				=	139.40 m ²
2 x 30 x 3.75				=	225.00 m ²
2 x 30 x 3.75				=	225.00 m ²
40 x $\frac{3.75 + 4.70 + 3.75}{3}$				=	162.67 m ²
2 x 30 x 3.75				=	225.00 m ²
1 x 30 x 3.75				=	112.50 m ²
23 x 3.75				=	86.25 m ²
35 x $\frac{3.75 + 4.10 + 6.80 + 5.40 + 6.20 + 3.75}{6}$				=	172.67 m ²

2 x 30 x 3.75				=	225.00 m ²
2 x 30 x 3.75				=	225.00 m ²
80 km 1 x 30 x 3.75				=	112.50 m ²
13 x 3.75				=	48.75 m ²
39 x $\frac{3.75 + 4.50 + 3.75}{3}$				=	156.00 m ²
2 x 30 x 3.75				=	225.00 m ²
3 x 30 x 3.75				=	337.50 m ²
4 x 30 x 3.75				=	450.00 m ²
3 x 3.75				=	11.25 m ²
48 x $\frac{3.75 + 4.50 + 3.75}{3}$				=	192.00 m ²
2 x 30 x 3.75				=	225.00 m ²
2 x 30 x 3.75				=	225.00 m ²

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement			Contents of area
	No.	L.	B. D.	
26 x 3.75				= 97.50 m ²
41 x 3.75 + 4.50 + 3.75				= 164.00 m ²
3 x 30 x 3.75				= 337.50 m ²
2 x 30 x 3.75				= 225.00 m ²
11 x 3.75				= 41.25 m ²
18 x 3.75 + 4.30 + 3.75				= 70.80 m ²
3 x 30 x 3.75				= 337.50 m ²
4 x 30 x 3.75				= 450.00 m ²
2 x 30 x 3.75				= 225.00 m ²
5 x 30 x 3.75				= 562.50 m ²
1 x 30 x 3.75				= 112.50 m ²
29 x 3.75				= 108.75 m ²
84 x 3.75 + 4.50 + 3.75 + 3.90 + 3.75				= 330.12 m ²
1 x 30 x 3.75				= 112.50 m ²
16 x 3.75				= 60 m ²
38 x 3.75 + 4.6 + 3.75				= 153.27 m ²
3 x 30 x 3.75				= 337.50 m ²
2 x 30 x 3.75				= 225.00 m ²
5 x 30 x 3.75				= 562.50 m ²
25 x 3.75				= 93.75 m ²
35 x 3.75 + 4.20 + 3.75				= 136.50 m ²
5 x 30 x 3.75				= 562.50 m ²

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement			Contents of area
	No.	L.	B.	
	6	30	3.75	= 675.00 m ²
	5	30	3.75	= 562.50 m ²
	7	30	3.75	= 787.50 m ²
	3	30	3.75	= 337.50 m ²
	10	3.75		= 37.50 m ²
91 x	3.75 + 4.30 + 3.75 + 5.40 + 3.75	5		= 381.29 m ²
	5			
	5	30	3.75	= 562.50 m ²
	2	30	3.75	= 225.00 m ²
	3	30	3.75	= 337.50 m ²
16 x	$\frac{3.75 + 11.40}{2}$			= 118.00 m ²
				15650.7 m ²

(10) Providing and Laying
Semi Dense Bituminous

concrete with 100-120

22 x	$\frac{10.60 + 3.75}{2}$	x 0.025	= 3.946 m ³
3 x	30	x 3.75 x 0.025	= 8.438 m ³
2 x	30	x 3.75 x 0.025	= 5.625 m ³
5 x	30	x 3.75 x 0.025	= 14.063 m ³
2 x	30	x 3.75 x 0.025	= 5.625 m ³
25 x	3.75	x 0.025	= 2.344 m ³
2 x	30	x 3.75 x 0.025	= 5.625 m ³
4 x	30	x 3.75 x 0.025	= 11.25 m ³
2 x	30	x 3.75 x 0.025	= 5.625 m ³
10 x	3.75	x 0.025	= 0.938 m ³
34 x	$\frac{3.75 + 4.80 + 3.75}{3}$	x 0.025	= 3.485 m ³

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
$2 \times 30 \times 3.75 \times 0.025$				=	5.625 m^3
$2 \times 30 \times 3.75 \times 0.025$				=	5.625 m^3
$40 \times \frac{3.75 + 4.70 + 3.75}{3} \times 0.025$				=	4.067 m^3
$2 \times 30 \times 3.75 \times 0.025$				=	5.625 m^3
$1 \times 30 \times 3.75 \times 0.025$				=	2.813 m^3
$23 \times 3.75 \times 0.025$				=	2.156 m^3
$35 \times \frac{3.75 + 4.10 + 4.80 + 5.00 + 6.20 + 3.75}{6} \times 0.025$				=	4.317 m^3
$2 \times 30 \times 3.75 \times 0.025$				=	5.625 m^3
$2 \times 30 \times 3.75 \times 0.025$				=	5.625 m^3
$1 \times 30 \times 3.75 \times 0.025$				=	2.813 m^3
$13 \times 3.75 \times 0.025$				=	1.219 m^3
$39 \times \frac{3.75 + 4.50 + 3.75}{3} \times 0.025$				=	3.90 m^3
$2 \times 30 \times 3.75 \times 0.025$				=	5.625 m^3
$3 \times 30 \times 3.75 \times 0.025$				=	8.438 m^3
$4 \times 30 \times 3.75 \times 0.025$				=	11.25 m^3
$3 \times 3.75 \times 0.025$				=	8.438 m^3
$48 \times \frac{3.75 + 4.50 + 3.75}{3} \times 0.025$				=	4.8 m^3
$2 \times 30 \times 3.75 \times 0.025$				=	5.625 m^3
$2 \times 30 \times 3.75 \times 0.025$				=	5.625 m^3
$26 \times 3.75 \times 0.025$				=	2.438 m^3
$41 \times \frac{3.75 + 4.50 + 3.75}{3} \times 0.025$				=	4.10 m^3
$3 \times 30 \times 3.75 \times 0.025$				=	8.438 m^3

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
$2 \times 30 \times 3.75 \times 0.025$					$= 5.625 \text{ m}^3$
$11 \times 3.75 \times 0.025$					$= 8.438 \text{ m}^3$ 1.031 m^3
$18 \times \frac{3.75 + 4.30 + 3.25}{3} \times 0.025$					$= 1.77 \text{ m}^3$
$3 \times 30 \times 3.75 \times 0.025$					$= 8.438 \text{ m}^3$
$4 \times 30 \times 3.75 \times 0.025$					$= 11.25 \text{ m}^3$
$2 \times 30 \times 3.75 \times 0.025$					$= 5.625 \text{ m}^3$
$5 \times 30 \times 3.75 \times 0.025$					$= 14.063 \text{ m}^3$
$1 \times 30 \times 3.75 \times 0.025$					$= 2.813 \text{ m}^3$
$29 \times 3.75 \times 0.025$					$= 2.719 \text{ m}^3$
$84 \times \frac{3.25 + 4.50 + 3.25 + 3.90 + 3.75}{5} \times 0.025$					$= 8.253 \text{ m}^3$
$1 \times 30 \times 3.75 \times 0.025$					$= 2.813 \text{ m}^3$
$16 \times 3.75 \times 0.025$					$= 1.50 \text{ m}^3$
$38 \times \frac{3.75 + 4.6 + 3.75}{3} \times 0.025$					$= 3.832 \text{ m}^3$
$3 \times 30 \times 3.75 \times 0.025$					$= 8.438 \text{ m}^3$
$2 \times 30 \times 3.75 \times 0.025$					$= 5.625 \text{ m}^3$
$5 \times 30 \times 3.75 \times 0.025$					$= 14.063 \text{ m}^3$
$28 \times 3.75 \times 0.025$					$= 2.344 \text{ m}^3$
$35 \times \frac{3.75 + 4.20 + 3.75}{3} \times 0.025$					$= 3.413 \text{ m}^3$
$5 \times 30 \times 3.75 \times 0.025$					$= 14.063 \text{ m}^3$
$6 \times 30 \times 3.75 \times 0.025$					$= 16.875 \text{ m}^3$
$5 \times 30 \times 3.75 \times 0.025$					$= 14.063 \text{ m}^3$
$7 \times 30 \times 3.75 \times 0.025$					$= 19.688 \text{ m}^3$
$3 \times 30 \times 3.75 \times 0.025$					$= 8.438$

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	10	3.75		0.025	= 0.938 m ³
	71	3.75 + 4.30 + 3.75 + 5.40 + 3.75		0.025	= 9.532 m ³
		5			
	5	30	3.75	0.025	= 14.063 m ³
	2	30	3.75	0.025	= 5.625 m ³
	3	30	3.75	0.025	= 8.438 m ³
	16	3.75 + 11.00		0.025	= 12.95 m ³
					0.42388 m ³
					379.439 m ³

Deepa 09/02/2021
5.6

8/10/2021
10/02/2021

(11) Constⁿ of Sub-grade of
 • Earthen shoulder with
 • approved material -

$$2 \times 4 \times 30 \times 1.25 \times 0.30 = 90.00 \text{ m}^3$$

$$2 \times 3 \times 30 \times 1.25 \times 0.28 = 61.97 \text{ m}^3$$

$$2 \times 6 \times 30 \times 1.15 \times 0.30 = 124.20 \text{ m}^3$$

$$2 \times 17 \times 1120 \times 0.30 = 12.24 \text{ m}^3$$

$$2 \times 8 \times 30 \times 1.20 \times 0.30 = 172.80 \text{ m}^3$$

$$2 \times 6 \times 30 \times 1.15 \times 0.28 = 115.92 \text{ m}^3$$

$$2 \times 6 \times 30 \times 0.50 \times 0.27 = 48.60 \text{ m}^3$$

$$2 \times 5 \times 30 \times 1.10 \times 0.28 = 92.40 \text{ m}^3$$

$$2 \times 9 \times 30 \times 1.25 \times 0.28 = 189.00 \text{ m}^3$$

$$2 \times 6 \times 30 \times 1.20 \times 0.30 = 129.60 \text{ m}^3$$

$$2 \times 5 \times 30 \times 1.22 \times 0.29 = 106.14 \text{ m}^3$$

$$2 \times 4 \times 30 \times 1.23 \times 0.28 = 82.656 \text{ m}^3$$

$$2 \times 3 \times 30 \times 1.10 \times 0.27 = 53.46 \text{ m}^3$$

$$2 \times 3 \times 30 \times 0.50 \times 0.29 = 26.10 \text{ m}^3$$

$$2 \times 4 \times 30 \times 0.60 \times 0.25 = 36.00 \text{ m}^3$$

$$2 \times 5 \times 30 \times 0.95 \times 0.27 = 76.95 \text{ m}^3$$

$$2 \times 6 \times 30 \times 1.10 \times 0.30 = 118.80 \text{ m}^3$$

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
2x5x30x1.50x0.30					108.00m ³
2x4x30x1.15x0.30					82.80m ³
2x5x30x1.10x0.25					82.50m ³
2x6x30x1.25x0.30					135.00m ³
2x5x30x1.15x0.27					93.15m ³
2x4x30x1.10x0.28					73.92m ³
2x6x30x1.20x0.30					129.60m ³
2x8x30x1.20x0.28					161.28m ³
2x5x30x1.22x0.27					98.82m ³
2x4x30x1.20x0.30					86.40m ³
2x25x1.25x0.30					18.75m ³
					260.08m ³

12 Reinforced concrete

1/15 grade concrete

local stone of standard size

(i) 1cm stone — 6 Nos.

(ii) 200mm stone — 16 Nos.

13 Providing and fixing of retro-reflectised cautionary, mandatory and informative sign -

(i) 600mm equilateral triangle 26 Nos.

(ii) 600mm circular - 6 Nos.

(iii) 600mm x 450mm rectangle 10 Nos.

14 Providing and laying of hot applied thermoplastic compound 25mm thick including reflectorising glass.

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
2x 4x 30x 0.100				=	24.00m ²
2x 5x 30x 0.10				=	30.00m ²
2x 4x 30x 0.10				=	24.00m ²
2x 17x 0.10				=	3.40m ²
2x 6x 30x 0.10				=	36.00m ²
2x 8x 30x 0.10				=	48.00m ²
2x 5x 30x 0.10				=	30.00m ²
2x 6x 30x 0.10				=	36.00m ²
2x 7x 30x 0.10				=	42.00m ²
2x 5x 30x 0.10				=	30.00m ²
2x 8x 30x 0.10				=	48.00m ²
2x 6x 30x 0.10				=	36.00m ²
2x 5x 30x 0.10				=	30.00m ²
2x 8x 30x 0.10				=	48.00m ²
2x 5x 30x 0.10				=	30.00m ²
2x 8x 30x 0.10				=	48.00m ²
2x 4x 30x 0.10				=	24.00m ²
2x 7x 30x 0.10				=	42.00m ²
2x 8x 30x 0.10				=	48.00m ²
2x 7x 30x 0.10				=	42.00m ²
2x 9x 30x 0.10				=	54.00m ²
2x 6x 30x 0.10				=	36.00m ²
2x 6x 30x 0.10				=	36.00m ²
2x 3x 30x 0.10				=	18m ²
2x 25x 0.10				=	5m ²
					818.40m ²

(15) Providing and fixing of typical M.M.S.Y. infomatory

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Sign board with logo as per word specification - Providing & fixing logo & maintenance.					2 Nos.
Maintenance board -					1 No
					3 Nos.

(16) Brick masonry work in cement mortar 1:3 in parapet

$2 \times 3.50 \times 0.40 \times 0.75$	$= 2.10 \text{ m}^3$
$2 \times 4.00 \times 0.40 \times 0.60$	$= 1.92 \text{ m}^3$
$2 \times 4.00 \times 0.40 \times 1.30$	$= 4.16 \text{ m}^3$
$2 \times 3.00 \times 0.40 \times 0.70$	$= 1.68 \text{ m}^3$
$2 \times 3.50 \times 0.40 \times 1.20$	$= 2.88 \text{ m}^3$
$2 \times 2.40 \times 0.40 \times 0.65$	$= 1.25 \text{ m}^3$
$2 \times 6.00 \times 0.40 \times 0.50$	$= 2.40 \text{ m}^3$
$2 \times 2 \times 6.00 \times 0.40 \times 0.60$	$= 5.76 \text{ m}^3$
	22.15 m^3

(17) Plastering with cement-mortar -

for 1st culvert's parapet

F/W - $2 \times 3.50 \times 2.00$	$= 14.00 \text{ m}^2$
Side face - $4 \times 3.50 \times 0.75$	$= 10.50 \text{ m}^2$
Top - $2 \times 3.50 \times 0.40$	$= 2.80 \text{ m}^2$
Front face - $4 \times 0.40 \times 0.75$	$= 1.20 \text{ m}^2$

For IInd culvert's parapet

F/W - $2 \times 4.00 \times 2.00$	$= 16.00 \text{ m}^2$
Side face - $4 \times 4.00 \times 0.60$	$= 9.60 \text{ m}^2$
Top - $2 \times 4.00 \times 0.40$	$= 3.20 \text{ m}^2$

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Front face - $4 \times 0.40 \times 0.60 =$					0.96 m^2
For III rd culvert's parapet					
F/W - $2 \times 4.00 \times 2.00 =$					16.00 m^2
Side face - $4 \times 4.00 \times 1.30 =$					20.80 m^2
Top - $2 \times 4 \times 0.40 =$					3.20 m^2
Front face - $4 \times 0.40 \times 1.30 =$					2.08 m^2
For IV th culvert's parapet					
F/W - $2 \times 3.00 \times 2.00 =$					12.00 m^2
Side face - $4 \times 3.00 \times 0.70 =$					8.40 m^2
Top - $2 \times 3.00 \times 0.40 =$					2.40 m^2
Front face - $4 \times 0.40 \times 0.70 =$					1.12 m^2
For V th culvert's parapet					
F/W - $2 \times 2.00 \times 2.00 =$					8.00 m^2
Side face - $4 \times 3.00 \times 1.20 =$					14.4 m^2
Top - $2 \times 3.00 \times 0.40 =$					2.40 m^2
Front face - $4 \times 0.40 \times 0.20 =$					0.32 m^2
For VI th culvert's parapet					
F/W - $2 \times 2.40 \times 2.00 =$					9.60 m^2
Side face - $4 \times 2.40 \times 0.65 =$					6.24 m^2
Top - $2 \times 2.40 \times 0.40 =$					1.92 m^2
Front face - $4 \times 0.40 \times 0.8 =$					1.28 m^2
VII th culvert's parapet					
F/W - $2 \times 6.00 \times 2.00 =$					24.00 m^2
Side face - $4 \times 6.00 \times 0.50 =$					12.00 m^2
Top - $2 \times 6.00 \times 0.40 =$					4.80 m^2
Front face - $4 \times 0.40 \times 0.50 =$					0.80 m^2
VIII th & IX th culverts parapet					
F/W - $2 \times 2 \times 6.00 \times 2.00 =$					48.00 m^2

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Side face - $2 \times 4 \times 6.00 \times 0.60$					$28.80 m^2$
Top - $2 \times 2 \times 6.00 \times 0.40$					$5.60 m^2$
Front face - $2 \times 4 \times 0.40 \times 0.60$					$1.92 m^2$
					$303.70 m^2$
(18) Painting two coats on New concrete -					
Same as item (18) -					$303.70 m^2$
(19) Planting of Trees and their Maintenance for one year -					
					185 Nos.
Supd. 12/02/2021					

Abstract of Cost.

(1) Clearing and grubbing road land including uprooting 0.82 ha. Qty vide TMBP (3)					
item (1) @ Rs. 49524.68/ha					Rs. 40610.00
(2) Scarifying and existing bituminous road surface to a depth of 150 mm.					
$2459.96 m^2$ Qty vide TMBP (3-4) item (1)					
th $1537.50 m^2$ @ Rs. 15.40/ m^2					Rs. 23678.00
(3) Const ⁿ of granular Sub-base by providing well graded material of grading II					
$134.182 m^3$ Qty vide TMBP (4-5) item (1)					
@ Rs. 1909.25/ m^3					Rs. 256187.00

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
④ Providing, laying, spreading and compacting stone agg. with grade II -					
125.347 m ³ Qty vide TMBP (5-7) item ④					
@ Rs. 3581.98/m ³ —					Rs. 448990=00
⑤ Providing, laying, spreading and compacting stone agg. with grade III material					
805.27 m ³ Qty vide TMBP (7-9) item ⑤					
lt 803.58 m ³ @ Rs. 3324.49/m ³ -					Rs. 2671494=00
⑥ Providing and applying Primer coat with (SS-1) emulsion -					
10721.706 m ² Qty vide TMBP (9-10) item ⑥					
lt 10714.40 m ² @ Rs. 41.27/m ² -					Rs. 442181=00
as per ag. Limit 10714.35					
⑦ Providing and applying tack coat with bitumen emulsion over granular surface					
10721.706 m ² Qty vide TMBP (11-12) item ⑦					
lt 10714.40 m ² @ Rs. 14.00/m ² -					Rs. 149996=00
⑧ Providing, laying and rolling of close graded premix surfacing material of 20 mm thickness -					
10721.706 m ² Qty vide TMBP (12-14) item ⑧					
lt 10714.40 m ² @ Rs. 187.70/m ² -					Rs. 2011083=00
⑨ Providing and applying tack					

Continuation

Sch. XLV-Form No. 134					Contents of area
Particulars	Details of actual measurement				
	No.	L.	B.	D.	
coat with bitumen emulsion over bituminous surface -					
15650.72 m ² Qty vide TMBP (4-17) item (9)					217403=
lt 15528.75 @ Rs. 14.00/m ² - Rs. 367403=					367403=
(10) Providing and Laying Semi-Dense - Bituminous concrete with 100-120 -					
399.439 Qty vide TMBP (17-20) item (10)					
lt 388.219 m ³ @ Rs. 9130.84/m ³ - Rs. 3544766=					
(11) Const of Sub-grade and Earthen shoulders with approved material					
2607.08 m ³ Qty vide TMBP (21) item (11)					
item (11) @ Rs. 161.45/m ³ - Rs. 397167=					
(12) Reinforced cement concrete M15 grade kilometer local stone of standard design-					
(i) 10m stone -					
6 Nos. Qty vide TMBP (21) item (12i)					
@ Rs. 2164.87/No. - Rs. 12989=					
(ii) 200 m stone -					
16 Nos. Qty vide TMBP (21) item (12ii)					
@ Rs. 607.31/No - Rs. 9717=					
(13) Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign.					

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(i) 600 mm equilateral Δ					
26 Nos. Qty vide TMBP (21) item (i)					
@ Rs. 3359.59/No					Rs. 87349.00
(ii) 600 mm Circular					
6 Nos. Qty vide TMBP (21) item (ii)					
@ Rs. 4484.33/No					Rs. 26906.00
(iii) 600 mm x 450 mm \square					
10 Nos. Qty vide TMBP (21)					
item (iii) @ Rs. 4369.20/No					Rs. 43692.00
(14) Providing and laying of hot applied thermoplastic compound 2.5 mm thick					
818.40 m ² Qty vide TMBP (21-22)					
item (14) @ Rs. 735.75/m ²					Rs. 602138.00
(15) Providing and fixing of typical masonry infill sign board with logo and maintenance -					
3 Nos. Qty vide TMBP (23)					
item (15) @ Rs. 9213.89/No					Rs. 27642.00
(16) Brick masonry work in cement mortar 1:3 in parapet					
22.15 m ³ Qty vide TMBP (23) item (16)					
limit 20.520 m ³					
@ Rs. 6472.26/m ³					Rs. 132811.00
(17) Plastering with cement mortar (1:4)					
303.70 m ² Qty vide TMBP (23-25)					

Continuation

Scanned with CamScanner

Sch. XLV-Form No. 134					
Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
<u>Material Statement</u>					
① E/W	2460 m ³ @ Rs. 2378/m ³				
② For (a) S13 grading II					
(a) 26.5 mm to 9.5 mm agg.					
59.979 m ³ @ 550.85/m ³					33039.20
(b) 9.5 mm to 2.36 mm agg.					
134.182 m ³ @ Rs. 411.53/m ³					55220.56
(c) 2.36 mm below					
68.432 m ³ @ 116.85/m ³					7996.64
③ For WBM (grade II)					
(a) 63 mm to 45 mm agg.					
151.125 151.667 m ³ @ Rs. 427.69/m ³					64867.50
(b) Stone screening type B					
33.843 m ³ @ Rs. 345.52/m ³					11693.00
(c) Binding material					
10.027 m ³ @ Rs. 131.28/m ³					1316.20
④ For WBM gr. III					
(a) 53 mm to 22.4 mm					
972.331 m ³ @ Rs. 458.22/m ³					445542.50
(b) Stone screening					
192.859 m ³ @ Rs. 345.52/m ³					66637.50
⑤ For SS-1 emulsion - 9.017 MT					
⑥ Tack coat (RS-1) over granular surface					
3.214 MT					
⑦ Tack coat (RS-1) over bituminous surf					
- 3.416 MT					

Continuation

Sch. XLV-Form No. 134					
Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
<u>8 For Mass</u>					
(a) Bitumen (Vg10) - 18.728 MT					
(b) Stone crushed agg.					
289.283 m ³ @ 470.04/m ³					135977.00
<u>9 For SDBC</u>					
(a) Bitumen (Vg30) - 44.7927 MT					
(b) 9.5 mm to 4.75 mm agg.					
323.386 m ³ @ Rs. 528.941/m ³					171052.00
(c) 4.75 and below					
232.620 m ³ @ Rs. 202.91/m ³					47201.80
<u>10 For Brick masonry</u>					
(a) Bricks - 11075 Nos @ 5.17/No.					725.00
(b) Sand - 5.537 m ³ @ 150.50/m ³					835.00
					10124.50

Supd
12/02/2021
J.E

Supd
12/02/2021
सहायक अभिंता
ग्रामीण कार्य विभाग
कार्य अवर प्रमंडल, नौबतपुर

S. fee - 103713.00

Calculation by Roy.

- (1) Stone 2468.616 m³ @ 150/m³ = 370292.00
 (2) Bricks - 11075 No. / 70/ = 775.00
 (3) Sand - 5.537 m³ @ 75/m³ = 415.28
 (4) E/W. 2460.10 m³ @ 33/m³ = 81180.00
 452,662.00

B.F. - 1,28,50,144 = 00

Received Allotment - 1,29,03,100 = 00

32

Sch. XIV Form No. 134

1.54 on 9th April

Particulars	Details of actual measurement		Contents of area
	No.	Value	
		B = 1,28,50,144 = 00	
(1) J.F. - @ 2% -		2,57,005 = 00	Rs. 184139450
(2) C.G.S.T. - @ 1% -		1,28,502 = 00	
(3) S.G.S.T. - @ 1% -		1,28,502 = 00	
(4) L.Cess - @ 1% -		1,28,502 = 00	
(5) Roy.		4,52,662 = 00	
(6) S.Fee.		1,03,713 = 00	
(7) S.D.		6,42,508 = 00	
(8) BY cheque -		1,10,08,750 = 00	
Total -		1,28,50,144 = 00	

Passed for Rs. 1,28,50,144 = 00

(Rupees one crore twenty eight

Lakh fifty Thousand one hundred forty four) only.

Executive Engineer
Rural Works Deptt.

Work Division

20/3/21

20/3/2021

15R-N/19-20
हरिभायु ल भौस से लखनऊ जमानपुरा
भाभा की रिपोर्ट

Measurement Book

Schedule XLV-Form No. 134

EXECUTIVE ENGINEER
PALIGANJ

DIVISION

SUB-DIVISION

NAME OF A.E - SRI SHIV SHANKAR RAM

NAME OF AGENCY - S.B. ENGIN CON. NO. 13 - GAS

SHIV SHARMA
RDM
NAUGATPUR

26/11/20
Executive Engineer

Rural Works Deptt

Work Division Paligant

4/11/20
26/11/20

This M.B. Re-issued to
Smt. Deba J.E. Naugatpur

S.Rom.

15/11/20

सहायक अभिंता

ग्रामीण कार्य विभाग

कार्य अवर प्रमंडल, नौबतपुर

Sch, XLV-Form No. 134

EXECUTIVE ENGINEER
PALIGANT DIVISION

NAUGATPUR SUB-DIVISION

Measurement Book

No. 605

Name of Officer _____

Date of first entry _____

Date of last entry _____