

MBGSY-NDB-BRD-17 CHAPRA-2  
(NO OF ROAD-10)

MBNO  
3096

अनवर प्रधान मंत्री सरकार से अनवरत आवाज पत्रों  
होते हुए।

रकरा-11मा सं-285BD/18-19

DIVISION

सर्वेक्षक का नाम- सैदीय कुमार

SUB-DIVISION

जलमालपुर

जलमालपुर

MBGSY-NDB-BRD

MB.NO- 3096

## 2nd & Final bill

Sch. XLV-Form No. 134 **10**

| Particulars                                                                                                                                      | Details of actual measurement |   |   |   | Contents of area |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---|---|---|------------------|
|                                                                                                                                                  | No.                           | L | B | D |                  |
| N/W:- Construction of Road & c/s works from Anwal Prachan Mantri to Anwal Bazar - Anwar Piyemogawon hote bage under mmsy (HDB) at block jalalpur |                               |   |   |   |                  |
| N/Agency - Sri Sandeep Kumar                                                                                                                     |                               |   |   |   |                  |
| Agg. NO - 28/SB/2018-19                                                                                                                          |                               |   |   |   |                  |
| Date of start - 11.10.2018                                                                                                                       |                               |   |   |   |                  |
| Date of completion - 10.10.2019                                                                                                                  |                               |   |   |   |                  |
| Date of measured - 17.12.2021                                                                                                                    |                               |   |   |   |                  |
|                                                                                                                                                  |                               |   |   |   |                  |
|                                                                                                                                                  |                               |   |   |   |                  |
|                                                                                                                                                  |                               |   |   |   |                  |
|                                                                                                                                                  |                               |   |   |   |                  |
|                                                                                                                                                  |                               |   |   |   |                  |
|                                                                                                                                                  |                               |   |   |   |                  |

Items of work.

- ① Construction of embankment with material obtained from borrow pits with a lead upto 1000m & 100 m.

Earthwork calculation.

| S.No | change (m) | c/s Area (m <sup>2</sup> ) | mean c/s Area (m <sup>2</sup> ) | Dist (m) | Volume (m <sup>3</sup> ) |
|------|------------|----------------------------|---------------------------------|----------|--------------------------|
| 1    | 0          | 1.280                      | 0.640                           | 0.       | 0.00                     |
| 2    | 50         | 1.740                      | 1.510                           | 50       | 75.500                   |
| 3    | 100        | 2.580                      | 2.160                           | 50       | 108.00                   |
| 4    | 150        | 1.530                      | 2.055                           | 50       | 102.75                   |
| 5    | 200        | 4.840                      | 3.185                           | 50       | 159.25                   |
| 6    | 250        | 2.080                      | 3.460                           | 50       | 173.00                   |
| 7    | 300        | 2.490                      | 2.285                           | 50       | 114.25                   |
| 8    | 350        | 2.540                      | 2.515                           | 50       | 125.75                   |

Continuation

Qty c/s = 858.50 m<sup>3</sup>



| Particulars                                                | Details of actual measurement |                   |                   |     | Contents of area       |
|------------------------------------------------------------|-------------------------------|-------------------|-------------------|-----|------------------------|
|                                                            | No.                           | L                 | B                 | D   |                        |
| Sl. No chainage                                            | C/S Area                      | Mean C/S Area     | Dist              |     | volume                 |
|                                                            | (m)                           | (m <sup>2</sup> ) | (m <sup>2</sup> ) | (m) | (m <sup>3</sup> )      |
|                                                            |                               |                   | Qty BIF           |     | 858.50 m <sup>3</sup>  |
| 9                                                          | 400                           | 6.670             | 4.615             | 50  | 230.75                 |
| 10.                                                        | 450                           | 1.840             | 4.265             | 50  | 213.25                 |
| 11.                                                        | 500                           | 2.270             | 2.055             | 50  | 102.75                 |
| 12.                                                        | 550                           | 1.910             | 2.090             | 50  | 104.50                 |
| 13.                                                        | 600                           | 1.490             | 1.700             | 50  | 85.00                  |
| 14.                                                        | 650                           | 1.780             | 1.635             | 50  | 81.75                  |
| 15.                                                        | 700                           | 3.610             | 2.695             | 50  | 134.75                 |
| 16.                                                        | 750                           | 1.810             | 2.710             | 50  | 135.50                 |
| 17.                                                        | 800                           | 1.580             | 1.695             | 50  | 84.75                  |
| 18.                                                        | 850                           | 1.030             | 1.305             | 50  | 65.25                  |
| 19.                                                        | 885                           | 1.550             | 1.290             | 35  | 45.15                  |
| (Including cut) Total =                                    |                               |                   |                   |     | 2141.90 m <sup>3</sup> |
| Let's for G.S.B-I =                                        |                               |                   |                   |     | 342.74 m <sup>3</sup>  |
| " " W.B.M-3 =                                              |                               |                   |                   |     | 249.74 m <sup>3</sup>  |
| " " P.C.C =                                                |                               |                   |                   |     | 169.91 m <sup>3</sup>  |
| " " M.S.S =                                                |                               |                   |                   |     | 45.36 m <sup>3</sup>   |
| Net Qty of E/W =                                           |                               |                   |                   |     | 1334.15 m <sup>3</sup> |
| Let's for Subgrade & Earth shoulder =                      |                               |                   |                   |     | 404.69 m <sup>3</sup>  |
| Net Qty of E/W in subgrade =                               |                               |                   |                   |     | 929.46 m <sup>3</sup>  |
| Already Paid Qty =                                         |                               |                   |                   |     | 841.37 m <sup>3</sup>  |
| Qty to be paid =                                           |                               |                   |                   |     | 88.09 m <sup>3</sup>   |
| (1) 1000 m lead =                                          |                               |                   |                   |     | 26.43 m <sup>3</sup>   |
| (2) 100 m lead =                                           |                               |                   |                   |     | 61.66 m <sup>3</sup>   |
| (2) P.V. & applying Prime coat with bitumen emulsion SS-1. |                               |                   |                   |     |                        |
| 1x10 x 30.10 m x 3.75m =                                   |                               |                   |                   |     | 1125.00 m <sup>2</sup> |
| 1x10 x 30.10 m x 3.75m =                                   |                               |                   |                   |     | 1125.00 m <sup>2</sup> |
| Extra width at H. Curve,                                   |                               |                   |                   |     |                        |
| 2x5.60 m x 0.550 m =                                       |                               |                   |                   |     | 6.16 m <sup>2</sup>    |
| 2x 2.10 m x 3.10 m =                                       |                               |                   |                   |     | 12.10 m <sup>2</sup>   |
| Continuation Total =                                       |                               |                   |                   |     | 2268.16 m <sup>2</sup> |

| Particulars                                                                                    | Details of actual measurement |        |        |        | Contents of area |
|------------------------------------------------------------------------------------------------|-------------------------------|--------|--------|--------|------------------|
|                                                                                                | No.                           | L      | B      | D      |                  |
| (3) P.V & applying tack coat with bitumen emulsion RS-1                                        |                               |        |        |        |                  |
| 1x                                                                                             | 10x                           | 30.00m | 3.75m  |        | $= 1125.00m^2$   |
| 1x                                                                                             | 10x                           | 30.00m | 3.75m  |        | $= 1125.00m^2$   |
| Extra width at H-curve                                                                         |                               |        |        |        |                  |
| 2x                                                                                             | 5.60m                         | 0.550m |        |        | $= 6.16m^2$      |
| 2x                                                                                             | 2.00m                         | 3.00m  |        |        | $= 12.00m^2$     |
| Total                                                                                          |                               |        |        |        | $= 2268.16m^2$   |
| (4) P.V, laying and rolling of close-graded premix surfacing material of 20mm thickness        |                               |        |        |        |                  |
| 1x                                                                                             | 10x                           | 30.00m | 3.75m  |        | $= 1125.00m^2$   |
| 1x                                                                                             | 10x                           | 30.00m | 3.75m  |        | $= 1125.00m^2$   |
| Extra width at H-curve                                                                         |                               |        |        |        |                  |
| 2x                                                                                             | 5.60m                         | 0.550m |        |        | $= 6.16m^2$      |
| 2x                                                                                             | 2.00m                         | 3.00m  |        |        | $= 12.00m^2$     |
| Total                                                                                          |                               |        |        |        | $= 2268.16m^2$   |
| (5) Construction of sub-grade & earthen shoulder with approved material with a lead upto 100m. |                               |        |        |        |                  |
| For B.T. portion -                                                                             |                               |        |        |        |                  |
| Sides of WBM-3                                                                                 |                               |        |        |        |                  |
| 2x                                                                                             | 10x                           | 30.00m | 0.975m | 0.075m | $= 43.87m^3$     |
| 2x                                                                                             | 10x                           | 30.00m | 0.975m | 0.075m | $= 43.87m^3$     |
| Sides of G.S.B-I                                                                               |                               |        |        |        |                  |
| 2x                                                                                             | 10x                           | 30.00m | 1.50m  | 0.20m  | $= 138.00m^3$    |
| 2x                                                                                             | 10x                           | 30.00m | 1.50m  | 0.20m  | $= 138.00m^3$    |
| Qty of                                                                                         |                               |        |        |        | $= 363.74m^3$    |

Continuation

| Particulars                           | Details of actual measurement |   |   |           | Contents of area      |
|---------------------------------------|-------------------------------|---|---|-----------|-----------------------|
|                                       | No.                           | L | B | D         |                       |
|                                       |                               |   |   | Qty B/F = | 363.74 m <sup>2</sup> |
| For R.C.C. Porting.                   |                               |   |   |           |                       |
| Sides of WBM-3                        |                               |   |   |           |                       |
| 2 x 8 x 30.10 m x 0.450 m x 0.075 m = |                               |   |   |           | 1620 m <sup>2</sup>   |
| 2 x 1 x 20.10 m x 0.450 m x 0.075 m = |                               |   |   |           | 1.35 m <sup>2</sup>   |
| Sides of G.S.B.                       |                               |   |   |           |                       |
| 2 x 8 x 30.10 m x 0.450 m x 0.100 m = |                               |   |   |           | 21.60 m <sup>2</sup>  |
| 2 x 1 x 20.10 m x 0.450 m x 0.100 m = |                               |   |   |           | 1.80 m <sup>2</sup>   |
|                                       |                               |   |   | Total =   | 404.69 m <sup>2</sup> |
| (6) P.V. & fixing of R.C.C MIS        |                               |   |   |           |                       |
| Grade Kilometer Stones =              |                               |   |   |           | 02 No                 |
| (7) P.V. & fixing of R.C.C MIS        |                               |   |   |           |                       |
| Grade 200m stones =                   |                               |   |   |           | 04 No                 |
| (8) P.V. & fixing of typical          |                               |   |   |           |                       |
| mms & informing sign board            |                               |   |   |           |                       |
| (Maintenance board with logo)         |                               |   |   |           | 01 No                 |
| (9) P.V. & fixing of retro-           |                               |   |   |           |                       |
| reflective traffic sign               |                               |   |   |           |                       |
| board - 600mm equilateral             |                               |   |   |           |                       |
| & triangle =                          |                               |   |   |           | 04 No                 |
| (10) P.V. & fixing of 600mm           |                               |   |   |           |                       |
| circle traffic                        |                               |   |   |           |                       |
| sign board =                          |                               |   |   |           | 04 No                 |
| (11) P.V. & fixing 600mm x 450mm      |                               |   |   |           |                       |
| rectangular traffic                   |                               |   |   |           |                       |
| sign board =                          |                               |   |   |           | 02 No                 |

Continuation



| Particulars                                                                          | Details of actual measurement |          |                         |       | Contents of area                   |
|--------------------------------------------------------------------------------------|-------------------------------|----------|-------------------------|-------|------------------------------------|
|                                                                                      | No.                           | L        | B                       | D     |                                    |
| (12) P.V. & Laying of hot applied thermoplastic compound 2.5mm thick                 |                               |          |                         |       |                                    |
| For B.T. Parting                                                                     | 2                             | 10 x 30  | 0.04                    | 0.11  | $60.10 \text{ m}^2$                |
|                                                                                      | 2                             | 10 x 30  | 0.04                    | 0.11  | $60.10 \text{ m}^2$                |
|                                                                                      |                               |          |                         |       | Total = $120.20 \text{ m}^2$       |
| (13) Earth work in excavation for structure (Hume pipe Culvert - 1 x 600mm - 02 Nos) |                               |          |                         |       |                                    |
| For Head wall,                                                                       |                               |          |                         |       |                                    |
|                                                                                      | 2                             | 2 x 4.15 | 1.40                    | 1.47  | $24.16 \text{ m}^3$                |
| Below pipe,                                                                          |                               |          |                         |       |                                    |
|                                                                                      | 2                             | 1 x 5.78 | 1.07                    | 0.25  | $3.09 \text{ m}^3$                 |
|                                                                                      |                               |          |                         |       | Total = $37.25 \text{ m}^3$        |
| (14) P.V. & Laying First class bedding on well compacted local sand,                 |                               |          |                         |       |                                    |
|                                                                                      | 2                             | 1 x 5.78 | 1.07                    | 0.155 | $6.80 \text{ m}^3$                 |
| deduct for pipe,                                                                     |                               |          |                         |       |                                    |
|                                                                                      | 2                             | 1 x 5.78 | 0.122                   |       | $(-) = 2.54 \text{ m}^3$           |
|                                                                                      |                               |          |                         |       | Total = $4.26 \text{ m}^3$         |
| (15) P.V. & Laying P.C.C MIS in open foundation,                                     |                               |          |                         |       |                                    |
|                                                                                      | 2                             | 2 x 3.85 | 1.40                    | 0.15  | $3.23 \text{ m}^3$                 |
|                                                                                      |                               |          |                         |       | Total = $3.23 \text{ m}^3$         |
| (16) Brick masonry work in c.m (1:4) in substructure                                 |                               |          |                         |       |                                    |
| For Head wall,                                                                       |                               |          |                         |       |                                    |
|                                                                                      | 2                             | 2 x 3.85 | $\frac{1.25 + 0.40}{2}$ | 2.005 | $25.47 \text{ m}^3$                |
|                                                                                      |                               |          |                         |       | Continuation = $25.47 \text{ m}^3$ |
|                                                                                      |                               |          |                         |       | Qty 40 = $25.47 \text{ m}^3$       |

| Particulars.                         | Details of actual measurement |                                                                     |          |     | Contents of area         |
|--------------------------------------|-------------------------------|---------------------------------------------------------------------|----------|-----|--------------------------|
|                                      | No.                           | L                                                                   | B        | D   |                          |
|                                      |                               |                                                                     | Qty      | 8/F | $= 28.47 \text{ m}^2$    |
| For Parapet,                         |                               |                                                                     |          |     |                          |
|                                      |                               | $2 \times 2 \times 3.85 \text{ m} \times 0.600 \text{ m}$           |          |     | $= 9.69 \text{ m}^2$     |
| Less for pipe,                       |                               |                                                                     |          |     |                          |
|                                      |                               | $2 \times 2 \times 0.465 \text{ m} \times 0.61$                     |          |     | $= (-) 1.13 \text{ m}^2$ |
|                                      |                               |                                                                     | Total    |     | $= 28.03 \text{ m}^2$    |
| (17) Plastering & Leasing R.C.C pipe |                               |                                                                     |          |     |                          |
| HP3 of dia 600 mm.                   |                               |                                                                     |          |     |                          |
|                                      |                               | $2 \times 3 \times 2.50 \text{ m}$                                  |          |     | $= 15.00 \text{ m}.$     |
| (18) Plastering with cement mortar   |                               |                                                                     |          |     |                          |
| (1:4) on brickwork                   |                               |                                                                     |          |     |                          |
| Outer sides,                         |                               |                                                                     |          |     |                          |
|                                      |                               | $2 \times 2 \times 3.85 \text{ m} \times 1.00 \text{ m}$            |          |     | $= 15.40 \text{ m}^2$    |
| Inner sides,                         |                               |                                                                     |          |     |                          |
|                                      |                               | $2 \times 2 \times 3.85 \text{ m} \times 0.600 \text{ m}$           |          |     | $= 9.24 \text{ m}^2$     |
| Top,                                 |                               |                                                                     |          |     |                          |
|                                      |                               | $2 \times 2 \times 3.85 \text{ m} \times 0.400 \text{ m}$           |          |     | $= 6.16 \text{ m}^2$     |
| Ends,                                |                               |                                                                     |          |     |                          |
|                                      |                               | $2 \times 2 \times 2 \times 0.400 \text{ m} \times 0.600 \text{ m}$ |          |     | $= 1.92 \text{ m}^2$     |
|                                      |                               |                                                                     | Total    |     | $= 32.72 \text{ m}^2$    |
|                                      |                               |                                                                     | Qty incl |     | $= 28.04 \text{ m}^2$    |
| Note                                 |                               |                                                                     |          |     |                          |
| 13/11/21                             |                               |                                                                     |          |     |                          |
| (S.E)                                |                               |                                                                     |          |     |                          |

Continuation

| Particulars                             | Details of actual measurement |   |   |   | Contents of area |
|-----------------------------------------|-------------------------------|---|---|---|------------------|
|                                         | No.                           | L | B | D |                  |
| Abstract of Cst.                        |                               |   |   |   |                  |
| 1. Plv & fixing of working              |                               |   |   |   |                  |
| Benchmark pillars.                      |                               |   |   |   |                  |
| 01 No, vide TMDP-5                      |                               |   |   |   |                  |
| @ Rs 3878 = 27/No-B 3898 = 0            |                               |   |   |   |                  |
| 2. Plv & fixing of reference            |                               |   |   |   |                  |
| pillars.                                |                               |   |   |   |                  |
| 04 Nos, vide TMDP-5                     |                               |   |   |   |                  |
| @ Rs 1800 = 73/No-B 7203 = 0            |                               |   |   |   |                  |
| 3. clearing & grubbing                  |                               |   |   |   |                  |
| of road land.                           |                               |   |   |   |                  |
| 0.301 Haul, vide TMDP-6                 |                               |   |   |   |                  |
| @ Rs 48772 = 70/Haul-B 14,681 = 0       |                               |   |   |   |                  |
| 4. Box cutting - excavation             |                               |   |   |   |                  |
| for roadway in soil                     |                               |   |   |   |                  |
| 83.10 m <sup>3</sup> , vide TMDP-6      |                               |   |   |   |                  |
| @ Rs 77 = 65/m <sup>3</sup> B 6453 = 0  |                               |   |   |   |                  |
| 5(i) construction of embank.            |                               |   |   |   |                  |
| -met - with a lead                      |                               |   |   |   |                  |
| upto 100m.                              |                               |   |   |   |                  |
| 252.41 m <sup>3</sup> , vide TMDP-6     |                               |   |   |   |                  |
| 26.43 m <sup>3</sup> , vide TMDP-11     |                               |   |   |   |                  |
| 278.84 m <sup>3</sup>                   |                               |   |   |   |                  |
| @ Rs 155264/m <sup>3</sup> B 43,399 = 0 |                               |   |   |   |                  |
| 5(ii)                                   |                               |   |   |   |                  |
| 6. construction of embank-              |                               |   |   |   |                  |
| -met with a lead                        |                               |   |   |   |                  |
| upto 100 m.                             |                               |   |   |   |                  |
| 588.96 m <sup>3</sup> , vide TMDP-6     |                               |   |   |   |                  |
| 61.66 m <sup>3</sup> , vide TMDP-11     |                               |   |   |   |                  |
| 650.62 m <sup>3</sup>                   |                               |   |   |   |                  |
| Continuation                            |                               |   |   |   |                  |
| @ Rs 134 = 82/m <sup>3</sup> B 8717 = 0 |                               |   |   |   |                  |
| 40, Rs 1,63,351 = 0                     |                               |   |   |   |                  |

Continuation



| Particulars                           | Details of actual measurement |   |           |   | Contents of area |
|---------------------------------------|-------------------------------|---|-----------|---|------------------|
|                                       | No.                           | L | B         | D |                  |
|                                       |                               |   | 0.15, 0.1 |   | 1,63,351 = 0     |
| 6/8. Construction of granule          |                               |   |           |   |                  |
| Sub-base by providing                 |                               |   |           |   |                  |
| well graded material                  |                               |   |           |   |                  |
| 342.74 m <sup>3</sup> , vide TMDP-6   |                               |   |           |   |                  |
| ① Rs 2853 = 18/m <sup>3</sup> - B     |                               |   |           |   | 9,77,899 = 0     |
| 7/9 Plv. Laying, spreading            |                               |   |           |   |                  |
| & Compacting of                       |                               |   |           |   |                  |
| WBM-3                                 |                               |   |           |   |                  |
| 249.74 m <sup>3</sup> , vide TMDP-6   |                               |   |           |   |                  |
| ① Rs 3878 = 10/m <sup>3</sup> - B     |                               |   |           |   | 9,68,517 = 0     |
| 8/13 Construction of un-              |                               |   |           |   |                  |
| reinforced plain                      |                               |   |           |   |                  |
| curb concrete                         |                               |   |           |   |                  |
|                                       |                               |   |           |   |                  |
| Provided as per                       |                               |   |           |   |                  |
| technical specifications              |                               |   |           |   |                  |
| 169.91 m <sup>3</sup> , vide TMDP-7   |                               |   |           |   |                  |
| ① Rs 7676 = 58/m <sup>3</sup> - B     |                               |   |           |   | 13,04,328 = 0    |
| 9/16 Plv & fixing of typical          |                               |   |           |   |                  |
| manhole/infringement                  |                               |   |           |   |                  |
| sign board with logo.                 |                               |   |           |   |                  |
| 02 Nos, vide TMDP-7                   |                               |   |           |   |                  |
| 01 No, vide TMDP-13                   |                               |   |           |   |                  |
| 03 Nos                                |                               |   |           |   |                  |
| ① Rs 9730 = 48/No - B                 |                               |   |           |   | 29,191 = 0       |
| 10/10 Plv & applying Primer           |                               |   |           |   |                  |
| coat with bitumen                     |                               |   |           |   |                  |
| emulsion SS-1                         |                               |   |           |   |                  |
| 2268.16 m <sup>2</sup> , vide TMDP-11 |                               |   |           |   |                  |
| ① Rs 4776/m <sup>2</sup> - B          |                               |   |           |   | 1,08,781 = 0     |

Continuation

C10 Rs 35,52,067 = 0

| Particulars     | Details of actual measurement |   |   |                                       | Contents of area |
|-----------------|-------------------------------|---|---|---------------------------------------|------------------|
|                 | No.                           | L | B | D                                     |                  |
|                 |                               |   |   | SIF PS                                | 35,52,067=c      |
| <u>11</u><br>11 |                               |   |   | plv & applying turc                   |                  |
|                 |                               |   |   | coat with bitumen                     |                  |
|                 |                               |   |   | emulsion PS-1                         |                  |
|                 |                               |   |   | 2268.16 m <sup>2</sup> , vide TMBD-12 |                  |
|                 |                               |   |   | @ PS 16.209/m <sup>2</sup> -PS        | 36,495=c         |
| <u>12</u><br>12 |                               |   |   | plv, laying & rolling                 |                  |
|                 |                               |   |   | of close-graded                       |                  |
|                 |                               |   |   | Pavement surfacing                    |                  |
|                 |                               |   |   | material 200 mm thick                 |                  |
|                 |                               |   |   | 2268.16 m <sup>2</sup> , vide TMBD-12 |                  |
|                 |                               |   |   | @ PS 231.181/m <sup>2</sup> -PS       | 5,24,353=c       |
| <u>13</u><br>13 |                               |   |   | continuation of sub-                  |                  |
|                 |                               |   |   | grade & earthwork                     |                  |
|                 |                               |   |   | shoulder with                         |                  |
|                 |                               |   |   | approved material                     |                  |
|                 |                               |   |   | with a lead upto                      |                  |
|                 |                               |   |   | 1000m.                                |                  |
|                 |                               |   |   | 404.69 m <sup>3</sup> , vide TMBD-13  |                  |
|                 |                               |   |   | @ PS 15.2=381 m <sup>3</sup> -PS      | 63,690=c         |
| <u>14</u><br>14 |                               |   |   | plv & fixing of R.C.C                 |                  |
|                 |                               |   |   | mis grade kilometre                   |                  |
|                 |                               |   |   | stones                                |                  |
|                 |                               |   |   | 02 Nos, vide TMBD-13                  |                  |
|                 |                               |   |   | @ PS 2801=87/NO-PS                    | 5604=c           |
| <u>15</u><br>15 |                               |   |   | plv & fixing of R.C.C                 |                  |
|                 |                               |   |   | mis grade 200 m                       |                  |
|                 |                               |   |   | stones                                |                  |
|                 |                               |   |   | 04 Nos, vide TMBD-13                  |                  |
|                 |                               |   |   | @ PS 663=31/NO-PS                     | 2653=c           |
| Continuation    |                               |   |   |                                       |                  |
|                 |                               |   |   | 40 PS                                 | 41,84,862=c      |

| Particulars         | Details of actual measurement |   |   |                                      | Contents of area |
|---------------------|-------------------------------|---|---|--------------------------------------|------------------|
|                     | No.                           | L | B | D                                    |                  |
|                     |                               |   |   | B/F, Ps                              | 41,84,862=00     |
| <del>16</del><br>17 |                               |   |   | plv & fixing of                      |                  |
|                     |                               |   |   | reflective traffic                   |                  |
|                     |                               |   |   | sign board - 600mm                   |                  |
|                     |                               |   |   | unilateral & single.                 |                  |
|                     |                               |   |   | 04 Nos, vide TMBP-13                 |                  |
|                     |                               |   |   | ① Ps 1766=61/Ho-Ps                   | 70662=00         |
| <del>17</del><br>18 |                               |   |   | plv & fixing of 600mm                |                  |
|                     |                               |   |   | circles traffic sign.                |                  |
|                     |                               |   |   | 04 Nos, vide TMBP-13                 |                  |
|                     |                               |   |   | ① Ps 1834=77/Ho-Ps                   | 7339=00          |
| <del>18</del><br>19 |                               |   |   | plv & fixing of                      |                  |
|                     |                               |   |   | 600mm x 450mm                        |                  |
|                     |                               |   |   | rectangle                            |                  |
|                     |                               |   |   | traffic sign board                   |                  |
|                     |                               |   |   | 02 Nos, vide TMBP-13                 |                  |
|                     |                               |   |   | ① Ps 1827=79/Ho-Ps                   | 3656=00          |
| <del>19</del><br>20 |                               |   |   | plv & laying off                     |                  |
|                     |                               |   |   | heat applied thermo.                 |                  |
|                     |                               |   |   | -blastic compound                    |                  |
|                     |                               |   |   | 2.5 mm thick                         |                  |
|                     |                               |   |   | 120.00 m <sup>2</sup> , vide TMBP-14 |                  |
|                     |                               |   |   | ① Ps 860=56/m <sup>2</sup> -Ps       | 1,03,267=00      |
| <del>20</del><br>21 |                               |   |   | earth work in excavation             |                  |
|                     |                               |   |   | for structure                        |                  |
|                     |                               |   |   | (Hume pipe culvert)                  |                  |
|                     |                               |   |   | (1x600mm - 02 Nos)                   |                  |
|                     |                               |   |   | 37.25 m <sup>3</sup> , vide TMBP-14  |                  |
|                     |                               |   |   | ① Ps 254=55/m <sup>3</sup> -Ps       | 9482=00          |
|                     |                               |   |   | ① Ps                                 | 43,15,672=00     |

Continuation



| Particulars         | Details of actual measurement |   |                                     | Contents of area |
|---------------------|-------------------------------|---|-------------------------------------|------------------|
|                     | No.                           | L | B                                   |                  |
|                     |                               |   | BIF, Ps                             | 43,15,672=0      |
| <del>21</del><br>22 |                               |   | Plv & Laying First                  |                  |
|                     |                               |   | class bedding                       |                  |
|                     |                               |   | on well compacted                   |                  |
|                     |                               |   | sand.                               |                  |
|                     |                               |   | 4.26 m <sup>3</sup> , vide TMBP-14  |                  |
|                     |                               |   | @ Ps 386 = 68/m <sup>2</sup> Ps     | 16472=0          |
| <del>22</del><br>23 |                               |   | Plv & Laying R.C.C                  |                  |
|                     |                               |   | mis in open                         |                  |
|                     |                               |   | foundation                          |                  |
|                     |                               |   | 3.23 m <sup>2</sup> , vide TMBP-14  |                  |
|                     |                               |   | @ Ps 5908 = 66/m <sup>2</sup> Ps    | 19,085=0         |
| <del>23</del><br>24 |                               |   | Brick masonry work                  |                  |
|                     |                               |   | in c.m (1:4)                        |                  |
|                     |                               |   | In substructure.                    |                  |
|                     |                               |   | 28.03 m <sup>3</sup> , vide TMBP-15 |                  |
|                     |                               |   | @ Ps 5624 = 44/m <sup>2</sup> Ps    | 1,57,653=0       |
| <del>24</del><br>25 |                               |   | Plv & Laying R.C.C                  |                  |
|                     |                               |   | Pipe NB 3 of dia                    |                  |
|                     |                               |   | 600 mm.                             |                  |
|                     |                               |   | 15.0 m, vide TMBP-15                |                  |
|                     |                               |   | @ Ps 1566 = 07/m <sup>2</sup> Ps    | 23,491=0         |
| <del>25</del><br>26 |                               |   | Plastering with c.s.p               |                  |
|                     |                               |   | mortar (1:4) on                     |                  |
|                     |                               |   | brickwork.                          |                  |
|                     |                               |   | 28.04 m <sup>2</sup> , vide TMBP-15 |                  |
|                     |                               |   | @ Ps 157 = 84/m <sup>2</sup> Ps     | 4426=0           |
|                     |                               |   | 40 Ps                               | 45,21,974=0      |

Continuation

