

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग
कार्य प्रमंडल सोनपुर

पत्रांक.....108.....सोनपुर, दिनांक.....25/1/2021.....
प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल सोनपुर।

सेवा में,

नोडल पदाधिकारी (3054),
ग्रामीण कार्य विभाग
बिहार, पटना।

विषय:— बिहार ग्रामीण पथ अनुरक्षण निति-2018 के तहत स्वीकृत योजना में
आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषयक ग्रामीण कार्य विभाग, कार्य प्रमंडल सोनपुर के अन्तर्गत बिहार
ग्रामीण पथ अनुरक्षण निति-2018 के तहत स्वीकृत योजना के क्रियान्वयन हेतु आवंटन की
मांग विहित प्रपत्र में तैयार कर भेजी जा रही है।

अतः अनुरोध है कि उपर्युक्त योजना में आवंटन उपलब्ध कराने की कृपा की
जाये।

अनु०:—उपयोगिता प्रमाण-पत्र।

विश्वासभाजन

25/1/2021

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल सोनपुर
25/1/2021

FORM GER 19-A

(See Government of India's Decision (I) below Rule-150
Form of Utilization Certificate up to the month of **January-2021**

PIU:- E.E.,R.W.D. Works Division Sonapur.

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in lacs Rs.)	Amount Received (in lac Rs.)	Particulars
1	2	3	4	5
1	Construction of Rural Roads Under Bihar Rural Road Maintenance Policy 2018		1978.71752	Certified that out of Rs 1978.71752 lakh received during the years 2020-21 in favour of E.E.R.W.D. works division Sonapur a sum of Rs 1416.84998 Lakh has been utilized for the purpose of Bihar Rural Road Maintenance Policy 2018 Scheme as given in the margin for which it was sanctioned and that the balance of Rs 561.89754 Lakh remaining unutilized at the end of the period under report.

Certified that I have satisfied that the condition of which the grants-in-aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually for the purpose for which it was sanctioned.

Kind of Checks:-

- Words have been supervised be Executive/superintending Engineer.
 - Periodical inspection has been conducted by Executive Engineer/ superintending Engineer.
 - Construction material has been tested.
 - Measurements have been recorded in the MBS and test conducted by the Assistant Engineer/ Executive Engineer.
 - All other nodal formalities have been observed.
- 3 physical Progress achieved-
- Construction of Road Works.
 - Construction of CD works

[Signature]
D.A.O.
25.01.21

R.W.D. Works Division Sonpur.

[Signature]
EXECUTIVE ENGINEER

R.W.D. Works Division Sonpur.

25/1/2021


Requisition Formate for Scheme Head - MR-3054 Under Bihar Rural Road Maintenance Policy 2018 (In Rectification and surface Renewal)																		
Division Name:- Rural Works Department, Works Division- Sonpur																		
Sl.No	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (In Lac)		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (In Km)	Thickness of Bitumen Layer (In mm)	Value of Bitumen Content in %	Previous Total Allotted Amount (In Lac)	Upto date expenditure as per MIS (In Lac)	Requisition against Work Done (In Lac)	Remarks
					Length (in Km.)	Amount (In Lac)	Initial Rectification on with Surface Renewal (In Lac)	5 Years Routine Maintenance (In Lac)										
1	RM/SA/SON/20/0012	Sunderpur Pitch Road To Yadurampur Hukraha	31306402088	668 & 10.02.20	2.590	75.244	74.998	28.62025	45/MSO/2020-21	30.08.2021	-	0	0.00	0.00	0.00	0.00	0.00	
2		Sonpur Rewaghat Road To Magarpaluran	31306402084		4.950	125.6	124.864	54.78			-	1830	25.00	5.05	62.10000	62.10000	61.60	
3		Dariyapur To Rampur Anant	31306402022		5.640	136.225	136.057	55.69			-	0	0.00	0.00	0.00	0.00	0.00	
TOTAL																	61.00000	


 D.A.O
 R.W.D Works Div- Sonpur


 Executive Engineer
 R.W.D Works Div- Sonpur
 29/12-21

File :C:\Users\BRRDA72\Downloads\Chandra bhushan pr\19121819.Xls, Section No. :90, Eqn : $Y = 0 * X^2 + 0.816$

Name of Customer :Chandra Bhushan Prasad, Name of Work/ Road :Sonpur Rewaghat Road To Magarpal nuran,



Date	Time	Section	Length	Bumps	Speed	OR	IRI	TEGORY	Latitude	ongitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
19/ 12/ 20	17: 35: 10	90	0.1	100	0	1000	1064	G	25.79361	85.15505	Normal
19/ 12/ 20	17: 36: 0	90	0.1	110	0	1100	1146	G	25.79364	85.15402	Normal
19/ 12/ 20	17: 36: 56	90	0.1	220	0	2200	2044	G	25.79363	85.15306	Normal
19/ 12/ 20	17: 37: 0	90	0.1	220	10.1	2200	2044	G	25.79354	85.15204	Speed Breaker
19/ 12/ 20	17: 37: 32	90	0.1	120	10.1	1200	1228	G	25.79344	85.15104	Normal
19/ 12/ 20	17: 38: 0	90	0.1	140	20.2	1400	1391	G	25.79343	85.15007	Normal
19/ 12/ 20	17: 38: 7	90	0.1	130	30.3	1300	1309	G	25.79356	85.14906	Normal
19/ 12/ 20	17: 38: 7	90	0.1	250	20.2	2500	2288	G	25.79404	85.1482	Curve
19/ 12/ 20	17: 39: 0	90	0.1	160	10.1	1600	1554	G	25.79399	85.14747	Normal
19/ 12/ 20	17: 39: 17	90	0.1	110	20.2	1100	1146	G	25.79375	85.147	Curve
19/ 12/ 20	17: 39: 17	90	0.1	160	10.1	1600	1554	G	25.79294	85.1463	Curve
19/ 12/ 20	17: 39: 53	90	0.1	90	20.2	900	983	G	25.7921	85.14606	Normal
19/ 12/ 20	17: 40: 0	90	0.1	120	20.2	1200	1228	G	25.79122	85.14588	Normal
19/ 12/ 20	17: 40: 0	90	0.1	90	30.3	900	983	G	25.79031	85.14547	Normal
19/ 12/ 20	17: 40: 28	90	0.1	70	20.2	700	820	G	25.78958	85.14497	Normal
19/ 12/ 20	17: 40: 28	90	0.1	60	30.3	600	738	G	25.78881	85.14441	Normal
19/ 12/ 20	17: 41: 3	90	0.1	270	20.2	2700	2452	G	25.788	85.14396	Normal
19/ 12/ 20	17: 41: 3	90	0.1	220	30.3	2200	2044	G	25.7871	85.1438	Normal
19/ 12/ 20	17: 41: 3	90	0.1	170	30.3	1700	1636	G	25.78614	85.14379	Culvert
19/ 12/ 20	17: 41: 39	90	0.1	160	30.3	1600	1554	G	25.78529	85.14362	Normal
19/ 12/ 20	17: 41: 39	90	0.1	240	20.2	2400	2207	G	25.78436	85.143	Normal
19/ 12/ 20	17: 42: 13	90	0.1	240	10.1	2400	2207	G	25.78346	85.14298	Normal
19/ 12/ 20	17: 49: 16	90	0.1	310	12.5	3100	2778	G	25.79513	85.14805	Normal
19/ 12/ 20	17: 49: 51	90	0.1	240	20.2	2400	2207	G	25.79587	85.1486	Normal
19/ 12/ 20	17: 50: 0	90	0.1	100	10.1	1000	1064	G	25.79675	85.14887	Normal
19/ 12/ 20	17: 50: 27	90	0.1	200	10.1	2000	1880	G	25.79753	85.14934	Normal
19/ 12/ 20	17: 51: 2	90	0.1	230	10.1	2300	2125	G	25.7973	85.1503	Normal
19/ 12/ 20	17: 51: 2	90	0.1	220	10.1	2200	2044	G	25.79725	85.15128	Speed Breaker
19/ 12/ 20	17: 52: 13	90	0.1	270	18.5	2700	2452	G	25.79734	85.15229	Speed Breaker
19/ 12/ 20	17: 52: 48	90	0.1	190	10.1	1900	1799	G	25.79682	85.15301	Normal
19/ 12/ 20	17: 53: 23	90	0.1	280	10.1	2800	2533	G	25.7967	85.15394	Normal
19/ 12/ 20	17: 53: 23	90	0.1	300	10.1	3000	2696	G	25.79672	85.155	Normal
19/ 12/ 20	17: 54: 0	90	0.1	280	10.1	2800	2533	G	25.79619	85.15554	Normal
19/ 12/ 20	17: 54: 34	90	0.1	200	10.1	2000	1880	G	25.79527	85.15569	Speed Breaker

$$Y = 0 * X^2 + 0.816 * X + 249$$

$$X = 2571$$

$$Y = 2346$$

(R) RURAL ROAD

Good Average Poor

<4000 4001-5000 >5001

Machine ID=S0395

IRI Average 1830

19/ 12/ 20 17: 55: 9	90	0.1	230	10.1	2300	2125 G	25.79434	85.15576	Normal
19/ 12/ 20 18: 3: 0	90	0.1	240	20.3	2400	2207 G	25.79821	85.15492	Normal
19/ 12/ 20 18: 3: 23	90	0.1	180	10.1	1800	1717 G	25.79806	85.15391	Normal
19/ 12/ 20 18: 4: 0	90	0.1	380	10.1	3800	2208 G	25.79803	85.1529	Normal
19/ 12/ 20 18: 5: 0	90	0.1	380	12.6	3800	1865 G	25.79788	85.15192	Normal
19/ 12/ 20 18: 5: 9	90	0.1	240	10.1	2400	2207 G	25.79806	85.15103	Normal
19/ 12/ 20 18: 5: 44	90	0.1	100	20.2	1000	1064 G	25.79807	85.14997	Normal
19/ 12/ 20 18: 6: 0	90	0.1	120	10.1	1200	1228 G	25.79893	85.14985	Speed Breaker
19/ 12/ 20 18: 6: 19	90	0.1	190	10.1	1900	1799 G	25.79983	85.15002	Normal
19/ 12/ 20 18: 7: 30	90	0.1	320	15.3	3200	2860 G	25.80071	85.15024	Normal
19/ 12/ 20 18: 8: 5	90	0.1	210	10.1	2100	1962 G	25.80106	85.14946	Normal
19/ 12/ 20 18: 8: 5	90	0.1	210	10.1	2100	1962 G	25.80102	85.14842	Normal
19/ 12/ 20 18: 9: 0	90	0.1	240	10.1	2400	2207 G	25.80094	85.14742	Normal
19/ 12/ 20 18: 15: 9	90	0.1	180	18.5	1800	1717 G	25.80135	85.14981	Speed Breaker
19/ 12/ 20 18: 15: 44	90	0.1	270	10.1	2700	2452 G	25.80217	85.15035	Normal
19/ 12/ 20 18: 16: 19	90	0.07	180	12.5	2571	2346 G	25.8027	85.15069	Normal

Lab Job number :90

Date :19-12-2020

Name of Customer :Chandra Bhushan Prasad

Name of Work/ Road :Sonpur Rewaghat Road To Magarpal nuran

Sr.no	Location of test(in km)	Corrected U.I value(mm/km)	Road catagory
-------	----------------------------	-------------------------------	---------------

2	0.1	1064 G
3	0.2	1146 G
4	0.3	2044 G
5	0.4	2044 G
6	0.5	1228 G
7	0.6	1391 G
8	0.7	1309 G
9	0.8	2288 G
10	0.9	1554 G
11	1	1146 G
12	1.1	1554 G
13	1.2	983 G
14	1.3	1228 G
15	1.4	983 G
16	1.5	820 G
17	1.6	738 G
18	1.7	2452 G
19	1.8	2044 G
20	1.9	1636 G
21	2	1554 G
22	2.1	2207 G
23	2.2	2207 G
24	2.3	2778 G
25	2.4	2207 G
26	2.5	1064 G
27	2.6	1880 G
28	2.7	2125 G
29	2.8	2044 G
30	2.9	2452 G
31	3	1799 G
32	3.1	2533 G
33	3.2	2696 G
34	3.3	2533 G
35	3.4	1880 G
36	3.5	2125 G
37	3.6	2207 G
38	3.7	1717 G
39	3.8	2208 G
40	3.9	1865 G
41	4	2207 G
42	4.1	1064 G
43	4.2	1228 G
44	4.3	1799 G

45	4.4	2860 G
46	4.5	1962 G
47	4.6	1962 G
48	4.7	2207 G
49	4.8	1717 G
50	4.9	2452 G
51	5	2346 G