

कार्यपालक अभियंता का कार्यालय

ग्रामीण कार्य विभाग, कार्य प्रमंडल, जमुई

पत्रांक - 273²⁰²/जमुई, दिनांक - 8.2.2021

प्रेषक :- कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, जमुई।

सेवा में,
नोडल पदाधिकारी,
"नई अनुरक्षण नीति 2018"(3054-MR)
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय :- 3054 (MR) नई अनुरक्षण नीति 2018 के अन्तर्गत निर्माण कराये गये योजनाओं के विरुद्ध में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में सूचित करना है कि 3054 (MR) नई अनुरक्षण नीति 2018 के अंतर्गत संलग्न सूची में अंकित पथों में कालीकरण का कार्य पूर्ण हो चुका है। प्रमंडल के द्वारा कराये गये कार्य के भुगतान हेतु कुल 393.98 (तीन करोड़ तिरानवे लाख अठानवे हजार रुपये) मात्र आवंटन की अधियाचना विहित प्रपत्र में भर कर समर्पित की जाती है।

अतः अनुरोध है कि शीघ्र आवंटन उपलब्ध कराने की कृपा की जाय।

अनु0: यथोक्त।

विश्वासभाजन

amb 8/2/21

कार्यपालक अभियंता

ग्रामीण कार्य विभाग, कार्य प्रमंडल,

Nitin 08.2.21 जमुई

RWD Works Division, Jamui

Requisition Format for Scheme Head- MR (3054) Under Bihar Rural Road " New Manitenance Policy 2018" (Initial Rectification and Surface Renewal)

Name of Division:-Jamui

S.N	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (A.A) Letter No. & Date	Administrative Approval (A.A)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI in MM/KM	Thickness of Bitumen Layer (in MM)	Value of Bitumen Content (in %)	Previous Total Alloted Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (K.M)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20 Jamui/06	Jamu-Kawakol Road - Khalari via Sakdari	NEA22000753	3232, 29.07.19	8.780	326.789	177.25735	69.95563	04 MBD/ 2019-20	24.10.20	---	3297	25	5.011	0	0	177.25	BT Completed
2	MR-N/19-20 Jamui/08	Gokhula To Mathurapur Road	28411032489	3232, 29.07.19	8.500	301.392	170.98481	69.54081	05 MBD/ 2019.20	24.10.20	---	3197	25	5.001	0	0	170.98	BT Completed
3	MR-N/19-20 Jamui/08	L056 - Maina to Mandra (VR56)	20804102099	3232, 29.07.19	2.086	81.332	45.75640	18.03858	05 MBD/ 2019.20	24.10.20	---	3114	25	5.001	0	0	45.75	BT Completed
																	393.98	

imb
9/2/21
Executive Engineer
RWD Works Division, Jamui

Nida
8.2.21


Name of Road- Gokhula To Mathurapur Road

Sec No.-35

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
5/2/21	12:1:0	35	0.1	370	0	3700	3405	G	24.946548	86.2743	Normal
5/2/21	12:1:12	35	0.1	370	10.1	3700	3405	G	24.945727	86.2928	Normal
5/2/21	12:1:47	35	0.1	340	10.1	3400	3156	G	24.944823	86.3013	Speed Breaker
5/2/21	12:2:0	35	0.1	360	10.1	3600	3322	G	24.944273	86.347	Normal
5/2/21	12:2:22	35	0.1	320	10.1	3200	2991	G	24.943377	86.3282	Normal
5/2/21	12:2:22	35	0.1	320	10.1	3200	2991	G	24.943377	86.3282	Normal
5/2/21	12:3:0	35	0.1	300	10.1	3000	2825	G	24.942477	86.313	Normal
5/2/21	12:3:33	35	0.1	350	10.1	3500	3239	G	24.94154	86.3248	Normal
5/2/21	12:4:8	35	0.1	300	10.1	3000	2825	G	24.940928	86.3602	Normal
5/2/21	12:4:8	35	0.1	380	10.1	3800	3487	G	24.94008	86.3988	Normal
5/2/21	12:5:0	35	0.1	330	10.1	3300	3073	G	24.939195	86.4275	Normal
5/2/21	12:5:19	35	0.1	310	10.1	3100	2908	G	24.938305	86.4175	Normal
5/2/21	12:5:19	35	0.1	360	10.1	3600	3322	G	24.93755	86.3703	Culvert
5/2/21	12:6:0	35	0.1	310	20.2	3100	2908	G	24.936968	86.2978	Normal
5/2/21	12:8:15	35	0.1	390	20.2	3900	3570	G	24.93624	86.244	Normal
5/2/21	12:8:15	35	0.1	380	10.1	3800	3487	G	24.936102	86.1447	Normal
5/2/21	12:9:0	35	0.1	320	10.1	3200	2991	G	24.936062	86.437	Normal
5/2/21	12:9:26	35	0.1	340	10.1	3400	3156	G	24.935932	85.999545	Normal
5/2/21	12:9:26	35	0.1	350	10.1	3500	3239	G	24.93497	85.999545	Normal
5/2/21	12:10:1	35	0.1	380	10.1	3800	3487	G	24.934145	85.999865	Normal
5/2/21	12:10:1	35	0.1	340	20.2	3400	3156	G	24.93338	86.302	Normal
5/2/21	12:10:36	35	0.1	340	20.2	3400	3156	G	24.932438	86.318	Normal
5/2/21	12:10:36	35	0.1	360	20.2	3600	3322	G	24.931555	86.37	Normal
5/2/21	12:11:0	35	0.1	390	20.2	3900	3570	G	24.930702	86.807	Normal
5/2/21	12:11:12	35	0.1	390	20.2	3900	3570	G	24.92993	86.1278	Normal
5/2/21	12:11:12	35	0.1	340	20.2	3400	3156	G	24.929078	86.1515	Normal
5/2/21	12:12:0	35	0.1	380	10.1	3800	3487	G	24.928155	86.1413	Normal
5/2/21	12:12:22	35	0.1	390	10.1	3900	3570	G	24.927247	86.1262	Normal
5/2/21	12:13:0	35	0.1	370	10.1	3700	3405	G	24.926358	86.116	Normal
5/2/21	12:13:0	35	0.1	340	20.2	3400	3156	G	24.925558	86.1615	Normal
5/2/21	12:13:33	35	0.1	340	10.1	3400	3156	G	24.92479	86.2153	Normal
5/2/21	12:14:8	35	0.1	380	10.1	3800	3487	G	24.923957	86.2305	Speed Breaker
5/2/21	12:14:8	35	0.1	350	20.2	3500	3239	G	24.923463	86.3215	Normal

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
5/2/21	12:14:8	35	0.1	380	20.2	3800	3487	G	24.922832	86.3855	Normal
5/2/21	12:14:43	35	0.1	380	30.3	3800	3487	G	24.921897	86.3905	Normal
5/2/21	12:15:0	35	0.1	370	30.3	3700	3405	G	24.92097	86.3905	Normal
5/2/21	12:15:0	35	0.1	360	20.2	3600	3322	G	24.92013	86.4007	Normal
5/2/21	12:15:19	35	0.1	380	30.3	3800	3487	G	24.91999	86.502	Normal
5/2/21	12:15:19	35	0.1	390	10.1	3900	3570	G	24.91955	86.5487	Normal
5/2/21	12:16:0	35	0.1	380	10.1	3800	3487	G	24.91863	86.5218	Speed Breaker
5/2/21	12:16:29	35	0.1	370	10.1	3700	3405	G	24.917703	86.5202	Normal
5/2/21	12:16:29	35	0.1	370	20.2	3700	3405	G	24.91681	86.5353	Normal
5/2/21	12:17:0	35	0.1	300	20.2	3000	2825	G	24.915893	86.5302	Normal
5/2/21	12:17:4	35	0.1	380	20.2	3800	3487	G	24.914988	86.5168	Normal
5/2/21	12:17:40	35	0.1	390	10.1	3900	3570	G	24.91407	86.502	Normal
5/2/21	12:18:0	35	0.1	360	10.1	3600	3322	G	24.913192	86.4882	Normal
5/2/21	12:18:15	35	0.1	380	20.2	3800	3487	G	24.912337	86.5235	Normal
5/2/21	12:18:15	35	0.1	370	20.2	3700	3405	G	24.911918	86.4493	Normal
5/2/21	12:18:15	35	0.1	370	20.2	3700	3405	G	24.911918	86.4493	Normal
5/2/21	12:18:15	35	0.1	360	20.2	3600	3322	G	24.911255	86.3972	Normal
5/2/21	12:19:0	35	0.1	270	20.2	2700	2577	G	24.910978	86.3113	Normal
5/2/21	12:19:0	35	0.1	380	30.3	3800	3487	G	24.91062	86.2188	Normal
5/2/21	12:19:0	35	0.1	330	30.3	3300	3073	G	24.910257	86.1195	Normal
5/2/21	12:19:25	35	0.1	280	20.2	2800	2659	G	24.910235	86.15	Normal
5/2/21	12:20:1	35	0.1	270	10.1	2700	2577	G	24.909418	86.37	Normal
5/2/21	12:20:1	35	0.1	270	10.1	2700	2577	G	24.909418	86.37	Normal
5/2/21	12:20:1	35	0.1	220	10.1	2200	2163	G	24.908542	86.638	Normal
5/2/21	12:20:36	35	0.1	360	10.1	3600	3322	G	24.907643	86.892	Normal
5/2/21	12:21:0	35	0.1	300	10.1	3000	2825	G	24.90672	86.101	Normal
5/2/21	12:21:11	35	0.1	350	10.1	3500	3239	G	24.905823	86.908	Normal
5/2/21	12:21:47	35	0.1	310	10.1	3100	2908	G	24.904922	86.69	Normal
5/2/21	12:22:0	35	0.1	310	20.2	3100	2908	G	24.904092	86.37	Normal
5/2/21	12:22:22	35	0.1	330	10.1	3300	3073	G	24.903205	86.3	Normal
5/2/21	12:22:22	35	0.1	330	10.1	3300	3073	G	24.903205	86.3	Normal
5/2/21	12:22:22	35	0.1	320	10.1	3200	2991	G	24.90232	85.99973	Normal
5/2/21	12:23:0	35	0.1	390	20.2	3900	3570	G	24.9017	85.999208	Normal
5/2/21	12:23:0	35	0.1	380	10.1	3800	3487	G	24.902142	85.998282	Normal
5/2/21	12:23:32	35	0.1	330	20.2	3300	3073	G	24.90273	85.997525	Normal
5/2/21	12:23:32	35	0.1	380	20.2	3800	3487	G	24.903377	85.996885	Normal

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
5/2/21	12:24:8	35	0.1	360	10.1	3600	3322	G	24.90365	85.995942	Normal
5/2/21	12:24:8	35	0.1	340	30.3	3400	3156	G	24.90384	85.995	Normal
5/2/21	12:24:8	35	0.1	300	30.3	3000	2825	G	24.904077	85.993938	Normal
5/2/21	12:24:8	35	0.1	300	30.3	3000	2825	G	24.904077	85.993938	Normal
5/2/21	12:24:43	35	0.1	320	20.2	3200	2991	G	24.90428	85.992928	Normal
5/2/21	12:24:43	35	0.1	380	20.2	3800	3487	G	24.90428	85.992928	Normal
5/2/21	12:25:0	35	0.1	360	20.2	3600	3322	G	24.904478	85.991985	Normal
5/2/21	12:25:18	35	0.1	380	30.3	3800	3487	G	24.904682	85.99101	Normal
5/2/21	12:25:18	35	0.1	370	30.3	3700	3405	G	24.904875	85.99003	Normal
5/2/21	12:25:54	35	0.1	340	10.1	3400	3156	G	24.905022	85.989057	Normal
5/2/21	12:26:0	35	0.1	350	20.2	3500	3239	G	24.904808	85.988047	Normal
5/2/21	12:26:0	35	0.1	250	20.2	2500	2411	G	24.904808	85.988047	Normal
5/2/21	12:26:0	35	0.1	280	30.3	2800	2659	G	24.904553	85.987087	Normal
5/2/21	12:26:29	35	0.1	390	30.3	3900	3570	G	24.90428	85.98611	Speed Breaker
5/2/21	12:26:29	35	0.1	340	10.1	3400	3156	G	24.90403	85.985168	Normal
5/2/21	12:27:4	35	0.1	270	10.1	2700	2577	G	24.904272	85.984545	Normal
			8.5								


 Executive Engineer
 RWD, Works Division
 Jamul

Name of Customer : Ashok and co. Niwas PVT LTD
 Name of Work/ Road : Gokhula To Mathurapur Road
 Lab Job number :
 Date : 05-02-2021
 Section No. : 35


Test Date : 05-01-2021 Road Name : Gokhula To Mathurapur Road
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 35 Side :
 Start E No : Interval
 Weather : UIV-Range : 1163 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 86 0.1 ± 1000 m
 End Location : Equation : $Y = 0 \cdot X^2 + 0.828 \cdot X + 341.6$

Print

Generate Report and Graph

Redraw Graph

Map View



mil 9/2/21
 Executive Engineer
 RWD, Works Division
 Jamul