

Name of Road - Hussepur Chauk Sewanaura Taluk

M.R.-IX-3054

MBND-683

Measurement Book

Schedule XLV-Form No. 134

Executive Engineer
Rural Works Department
Works Div. Marhaura

DIVISION

Approved

SUB-DIVISION

Chandra Bhushan PD.

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	Abstract of Cost				
1.40.1:-	1	clay and Gravel			
		Road (road by road)			
		including uprooting			
		wild vegetation grass			
		et - Comp - 100.			
		V.P. No. 01 in T.Y.B.			
		0.48 ha CR - 49496 = 70 / LR-237588			
1.40.02:-	2	Construct of Subgrade			
		and earthen shoulder			
		with approved material			
		obtained from borrow			
		et - Comp - 70.			
		V.P. No. 07 in T.Y.B.			
		974.526 4 ³ R - 176 = 964 ³ R - 172452 = 0			
1.40.03:-	3	Construct of granular			
		sub base by porous			
		well graded material			
		et - Comp - 100.			
		V.P. No. 02 in T.Y.B.			
		67.009 4 ³ R - 2281 = 71 4 ³ R - 152895 = 0			
1.40.4:-		CR 4 G-6 2:-			
		Porous layer / layer / space			
		on compacted stone			
		aggregate et - 100.			
		V.P. No. 04 in T.Y.B.			
		67.226 4 ³ R - 4543 = 9078 285126 = 0			
		67.185 4248.50 R, 633590 = 0			
		634231 = 0			

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					634231 R-633590=0
140.5:-	WB of G.B. 3 (By modulation)				
	Providing laying space				
	and compacting stone				
	aggregate at the				
	V.P. No. 06 in T.Y.B.				
101.635	4	2	0	3795	= 25488 - 385527
140.06:-	Prime Coat (low price)				
	Providing and applying				
	Prime Coat with				
	bitumen emulsion				
	at the				
	V.P. 40.06 in T.Y.B.				
1355.13	4	2	0	40	= 96488 55506=00
140.07:-	Tack Coat:-				
	Providing and applying				
	Tack Coat with bitumen				
	emulsion (RS-1) using emul.				
	distributor at the rate				
	0.25 to 0.30 kg at the				
	V.P. No. 06 in this T.Y.B.				
1355.13	4	2	0	13	= 90420 - 18836=00
140.08:-	Providing laying and body				
	of close-grade premix				
	surfacing material 20 mm				
	th. Composed 13.20 mm				
	0.90 mm (Type B) at the				
	V.P. 40.06 in T.Y.B.				

Continuation

R-1093459=00
10941002.

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					1094100.2. R-1093459.00
1355.13 $\frac{1}{2}$ R - 222 = 19 $\frac{1}{2}$ R - 30/096 = 00					
J. No. 09 - Tack Coat - Providing and applying tack coat with bitumen emulsion (RS-1) using emulsion distributer at the rate of 0.20 to 0.25 kg. per Sq. Meter et fl.					
V. P. No. 07 in T. Y. B.					
9022.50 $\frac{1}{2}$ R - 11 = 66 $\frac{1}{2}$ R - 105202 = 00					
J. No. 10 - Providing laying semi dense bituminous concrete with 100-120 T/H bit type HMA providing et - Comp fl.					
V. P. No. 07 in T. Y. B.					
225.560 $\frac{1}{2}$ R - 10893 = 90 $\frac{1}{2}$ R - 2457228 = 00					
J. No. 11 - Kilometer Stone - Reinforced Concrete M/S good kilobite local stone of standard design et - Comp fl.					
(11) Kilometer Stone - V. P. No. 08 in T. Y. B.					
03 Nos R - 2244 = 91 R - 6735 = 00					
J. No. 12 - 200 mm stone.					
10 Nos R - 629 = 66 R - 6296 = 00					
					R-3970016.00

3970657.20

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					3970652- Rs 39700/6=00
J. No. 12:- Retro-reflectorised Traffic Signs Providing and erecting direction and Place identification retro-reflectorised at -- Comp. H.C.					
V.P. No. 08 in T.Y.B.					
1-92 4 ² Rs - 12320 = 84 4 ² Rs - 23656 = 00					
J. No. 14:- Providing and fixing of retro-reflectorised Conformity, roundelay and motorway signs as per IRC-67 standard on campus at H.C.					
V.P. No. 05 in T.Y.B.					
20 No. Rs - 3631 = 38 Rs - 72628 = 00					
J. No. 15:- 600 mm circular					
Vide P. No. 08 in T.Y.B.					
08 No. Rs - 3730 = 73 Rs - 29846 = 00					
J. No. 16:- 600 mm x 450 mm rect. sign.					
Vide P. No. 08 in T.Y.B.					
13 No. Rs - 3601 = 61 Rs - 46821 = 00					
J. No. 17:- Planting of trees by the road side (Aromatisers)					
0-60 m long at -- H.C.					
V.P. No. 08 in T.Y.B.					
118 No. Rs - 850 = 30 Rs - 94435 = 00					
					Rs 4237402 = 00

Continuation

4238043=00

Allocation Received - 4688228 = Nil
 Lt. No. - 84 Dt - 26-11-2020

14

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					4238043 = R-4237402 = 00
S. 10.18 - Provisioning and laying of hot applied thermo Plastic Compound - some 15 ft. irregularly shaped lady glass beads etc. etc. V.P. 10.08 in T.M.B.					
481-20 M ² @ 735 = 40 y @ 353874 = 00					
S. 10.19 - Provisioning and laying of typical M.H.G.S.T. inter sign board with logo as per 40 RD etc. etc. V.P. 10.08 in T.M.B.					
02 Nos. @ 9291 = 09 B @ LR - 18582 = 00					4610499 = R-4609858 = 00
Add 12 P. GST — R - 553260					553186 = 00
Add 1 P. Cess — R - 46105 = 00					46098 = 00
					5209864 = R-5209142 = 00
Less 10 P. Below — R - 5209862 = 00					520914 = 00
					R-4688228 = 00 4688878 =
File 08/11/2020 J.E. Amolam 8/11/2020 A.E. 19/11/20					

Continuation