

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, औरंगाबाद

Email ID:-eerwdaurangabad1 @gmail.com

Mob:- 8986915333

पत्रांक...437/21...

औरंगाबाद/दिनांक...12/02/21...

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, औरंगाबाद

सेवा में,

नोडल पदाधिकारी (MR 3054)
ग्रामीण कार्य विभाग
पटना, बिहार

विषय :- नई अनुरक्षण नीति-2018MR (3054) योजना के अंतर्गत पथ में कराये गये कार्य के विरुद्ध आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में सूचित करना है कि नई अनुरक्षण नीति-2018 MR (3054) योजना के अंतर्गत पथ में कराये गये कार्य के लिए संवेदक को भुगतान करने हेतु अधियाचना विहित प्रपत्र में भरकर आवश्यक कार्यवाही हेतु समर्पित की जाती है।

अनु :- यथोक्त।

विश्वास भाजन

[Signature]
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, औरंगाबाद
12/02/21

OFFICE OF EXECUTIVE ENGINEER, RURAL WORKS DEPARTMENT, WORKS DIVISION, Aurangabad

Requisition Format for Scheme Head- MR(3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division:- Aurangabad

Sl no.	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No & Date	Administrative		Agreement Amount		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in km)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	RM/AU/AUR/19/0024	Amba nabhnagar Road - Chakua	10602802022	3140/22.07.2019	6.5	203.08	122.37	12.05	74MIBD-2019-20 20.02.2020	19.11.2020	17.12.2020	3401	25MM	5.041%	61.18500	61.18500	61.18500	Comp.
2	RM/AU/AUR/19/0030	Deo - Bahola	10602802105	3140/22.07.2019	6.52	211.88	130.92	59.68	58MIBD-2019-20 04.02.2020	03.11.2020	21.12.2020	3349	25MM	5.012%	65.46000	65.46000	65.46000	Comp.
3	RM/AU/AUR/19/0030	GT Rd Deo More - Rasalpur	10602802115	3140/22.07.2019	2.62	92.14	57.95	24.22	58MIBD-2019-20 04.02.2020	03.11.2020	17.12.2020	2875	25MM	5.063%	34.77000	34.77000	21.18000	Comp.
4	RM/AU/AUR/19/0031	Khairawan - Barawan	10602802121	3140/22.07.2019	2.07	76.02	48.85	18.91	61MIBD-2019-20 05.02.2020	04.11.2020	17.12.2020	3335	25MM	5.000%	29.31000	29.31000	19.54000	Comp.
5	RM/AU/AUR/19/0015	Deo Jeevabigha - Eroura	10602902011	3140/22.07.2019	1.56	59.49	39.87	13.60	78MIBD-2019-20 20.02.2020	19.11.2020	17.12.2020	3199	25MM	5.014%	23.92200	23.92200	15.94800	Comp.
6	RM/AU/AUR/19/0033	AURANGABAD NABINAGAR ROAD - SORI	NEA22000214	3140/22.07.2019	2.2	71.85	44.54	20.04	80MIBD-2019-20 20.02.2020	19.11.2020	18.12.2020	2961	25MM	5.000%	26.72600	26.72600	17.81400	Comp.
7	RM/AU/AUR/19/0033	Aurangabad Nabhnagar - Sonbarsa Khaira	10602802096	3140/22.07.2019	1.49	53.57	37.18	15.96	80MIBD-2019-20 20.02.2020	19.11.2020	28.11.2020	2988	25MM	5.000%	20.26800	20.26800	15.15000	Comp.
8	RM/AU/AUR/19/0034	Aurangabad Nabhnagar Rd. Charan Vajjapur Rajpur	10602802097	3140/22.07.2019	4.84	157.38	95.33	9.23	64MIBD-2019-20 05.02.2020	04.11.2020	18.12.2020	2404	25MM	5.000%	57.19800	57.19800	38.13200	Comp.
9	RM/AU/AUR/19/0034	Charan Mali Road - Sanoura Khamba	10602802103	3140/22.07.2019	2.57	89.38	55.76	24.65	64MIBD-2019-20 05.02.2020	04.11.2020	18.12.2020	3012	25MM	5.000%	33.45600	33.45600	22.30400	Comp.
10	RM/AU/AUR/19/0010	Khaira to Gram Sonahi Road	10602901035	3140/22.07.2019	2.05	78.8	50.88	19.97	84MIBD-2019-20 25.02.2020	24.11.2020	13.11.2020	3548	25MM	5.011%	0.00000	0.00000	50.88000	Comp.
11	RM/AU/AUR/19/0027	Basudev Kenal to Tamsli village	10602901031	3140/22.07.2019	2.3	76.08	47.32	20.92	62MIBD-2019-20 05.02.2020	04.11.2020	18.12.2020	2934	25MM	5.017%	28.39200	28.39200	18.92800	Comp.
12	RM/AU/AUR/19/0027	Amba Jiwa Bigha Road to Chorrha	10602901012	3140/22.07.2019	5.5	175.66	109.15	48.86	62MIBD-2019-20 05.02.2020	04.11.2020	24.12.2020	3837	25MM	5.093%	54.57500	54.57500	54.57500	Comp.
13	RM/AU/AUR/19/0036	AURANGABAD NABINAGAR ROAD SATTAR	NEA22000221	3140/22.07.2019	1.6	56.81	35.7	15.35	68MIBD-2019-20 08.02.2020	07.02.2020	28.11.2020	2655	25MM	5.195%	21.42000	21.42000	14.38000	Comp.
14	RM/AU/AUR/19/0032	Modernisation & Const of NH-2 Dadpi to deojara Rd via Mahawan art Rd	10602803009	3140/22.07.2019	6.8	258.417	153.52	63.19	69MIBD-2019-20 10.02.2020	09.11.2020	08.12.2020	2770	25MM	5.000%	76.76000	76.76000	76.76000	Comp.

15	RM/AU/AUR/ 19/0028	G.T. Road to Narkappi	10602802400	3140/22.07.2019	4.1	165.66	110.98	42.81	80MBD-2019-20 20.02.2020	19.11.2020	17.12.2020	3016	25MM	5.000%	55.49000	55.49000	55.49000	Comp.
16	RM/AU/AUR/ 19/0009	Nabinagar Road - Kunrwa	10602902029	3140/22.07.2019	3.32	118.96	76.06	30.93	82MBD-2019-20 20.02.2020	19.11.2020	18.12.2020	2986	25MM	5.042%	45.63600	45.63600	30.42400	Comp.
17	RM/AU/AUR/ 19/0028	Const of Rd from Madanpur NH-2 Ghorghat more to Ghorghat thawni Rd	10602801016	3140/22.07.2019	5	246.1	174.29	47.12	65MBD-2019-20 05.02.2020	04.11.2020	17.12.2020	2276	25MM	5.000%	87.14500	87.14500	87.14500	Comp.
18	RM/AU/AUR/ 19/0034	AURANGABAD NABINAGAR ROAD - GHAMHARIA	NEA22000211	3140/22.07.2019	1.6	50.44	31.92	13.36	64MBD-2019-20 05.02.2020	04.11.2020	18.12.20	3103	25MM	5.000%	19.15200	19.15200	12.76800	Comp.
19	RM/AU/AUR/ 19/0024	Const of Rd from Amba Nabinagar to persawan	10602801003	3140/22.07.2019	2.5	88.42	55.36	24.09	74MBD-2019-20 20.02.2020	19.11.2020	24.12.2020	2492	25MM	5.012%	33.21600	33.21600	22.14400	Comp.
20	RM/AU/AUR/ 19/0006	Const of Inda bigha pokhar to sokhya talab via western portion of naugrah	10602803011	3140/22.07.2019	3.8	148.32	97.33	36.07	05.02.2020 66MBD-2019-20	04.11.2020	03.11.2020	2125	25.00MM	5.009%	68.24400	65.24400	32.08600	Comp.
21	RM/AU/AUR/ 19/0012	L029 - T01 G.T.ROAD TO KUSA (TRACK29)	10602802064	3140/22.07.2019	5.76	203.59	130.86	52.30	20.02.2020 76MBD-2019-20	19.11.2020	19.12.2020	3071	25.00MM	5.020%	0.00000	0.00000	130.86000	Comp.
22	RM/AU/AUR/ 19/0036	Manjhiyawa Jsoiya Via Ankorha Railway Station raad	10602901065	3140/22.07.2019	7.4	274.03	175.78	70.63	08.02.2020 68MBD-2019-20	07.11.2020	20.11.2020	2574	25.00MM	5.077%	123.04600	123.04600	52.73400	Comp.
23	RM/AU/AUR/ 19/0032	GT Road - Narkappi	10602902016	3140/22.07.2019	3.85	139.12	88.96	36.22	10.02.2020 69MBD-2019-20	09.11.2020	17.11.2020	3225	25.00MM	5.096%	71.16800	71.16800	17.79200	Comp.
24	RM/AU/AUR/ 19/0031	khiriyawanpirthu - chei nawada	NEA22000208	3140/22.07.2019	6	314.39	223.55	56.35	05.02.2020 61MBD-2019-20	04.11.2020	26.11.2020	2556	25.00MM	5.002%	156.48500	156.48500	67.06500	Comp.
TOTAL																1009.916		

Divisional Accounts Officer
Rural Works Department, works Division,
Aurangabad

Executive Engineer
Rural Works Department
Works Division, Aurangabad

Name Of Road Aurangabad Navinagar Rd. - Charan Vaijaipur Rajpur

Date	Time	Section	Length	Bumps	Speed	OR		CATEGORY	IRI	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	UIV	ROAD				
18/12/20	18:58:34	68	0.1	200	30.3	2000	2404	G	3.3	24.762948	84.242542	Normal
18/12/20	18:58:34	68	0.1	200	30.3	2000	2404	G	3.3	24.762818	84.243568	Normal
18/12/20	18:59:0	68	0.1	190	40.4	1900	2290	G	3.16	24.762658	84.244528	Normal
18/12/20	18:59:9	68	0.1	160	30.3	1600	1950	G	2.74	24.762473	84.245622	Normal
18/12/20	18:59:9	68	0.1	240	20.2	2400	2858	G	3.85	24.761707	84.245487	Normal
18/12/20	18:59:9	68	0.1	190	30.3	1900	2290	G	3.16	24.760858	84.24513	Normal
18/12/20	18:59:44	68	0.1	200	20.2	2000	2404	G	3.3	24.759958	84.24473	Normal
18/12/20	19:0:0	68	0.1	150	30.3	1500	1836	G	2.6	24.7591	84.244225	Normal
18/12/20	19:1:0	68	0.1	110	30.3	1100	1382	G	2.02	24.758262	84.24382	Normal
18/12/20	19:1:0	68	0.1	120	30.3	1200	1495	G	2.16	24.757598	84.243753	Normal
18/12/20	19:1:30	68	0.1	230	20.2	2300	2745	G	3.72	24.756738	84.243502	Normal
18/12/20	19:1:30	68	0.1	220	30.3	2200	2631	G	3.58	24.755827	84.243518	Normal
18/12/20	19:2:5	68	0.1	300	20.2	3000	3540	G	4.66	24.754922	84.243585	Speed Breaker
18/12/20	19:2:5	68	0.1	300	30.3	3000	3540	G	3.66	24.754028	84.243602	Normal
18/12/20	19:2:5	68	0.1	220	30.3	2200	2631	G	3.58	24.753047	84.243618	Normal
18/12/20	19:2:40	68	0.1	160	30.3	1600	1950	G	2.74	24.75216	84.24377	Normal
18/12/20	19:2:40	68	0.1	210	20.2	2100	2518	G	3.44	24.751323	84.24409	Normal
18/12/20	19:3:0	68	0.1	280	20.2	2800	3313	G	4.4	24.750402	84.243905	Speed Breaker
18/12/20	19:3:16	68	0.1	260	20.2	2600	3086	G	3.13	24.749622	84.243635	Normal
18/12/20	19:5:2	68	0.1	290	0	2900	3426	G	3.53	24.748952	84.243163	Normal
18/12/20	19:5:37	68	0.1	210	20.2	2100	2518	G	3.44	24.749248	84.242272	Normal
18/12/20	19:5:37	68	0.1	170	30.3	1700	2063	G	2.88	24.749582	84.241295	Normal
18/12/20	19:6:0	68	0.1	190	20.2	1900	2290	G	3.16	24.749527	84.24047	Normal
18/12/20	19:6:12	68	0.1	200	20.2	2000	2404	G	3.3	24.749448	84.239528	Normal
18/12/20	19:6:47	68	0.1	100	40.4	1000	1268	G	1.87	24.750143	84.237658	Normal
18/12/20	19:10:19	68	0.1	220	20.2	2200	2631	G	3.58	24.75064	84.237658	Normal
18/12/20	19:12:40	68	0.1	280	10.1	2800	3313	G	3.4	24.75152	84.237693	Normal
18/12/20	19:16:47	68	0.1	190	20.2	1900	2290	G	3.16	24.751032	84.237693	Normal
18/12/20	19:18:33	68	0.1	130	30.3	1300	1609	G	2.31	24.750135	84.237592	Normal
18/12/20	19:18:33	68	0.1	200	20.2	2000	2404	G	3.3	24.749728	84.23848	Speed Breaker
18/12/20	19:19:8	68	0.1	210	20.2	2100	2518	G	3.44	24.749357	84.240437	Normal
18/12/20	19:19:44	68	0.1	220	20.2	2200	2631	G	3.58	24.74964	84.241143	Normal
18/12/20	19:19:44	68	0.1	140	30.3	1400	1722	G	2.45	24.749342	84.242053	Normal
18/12/20	19:20:0	68	0.1	160	30.3	1600	1950	G	2.74	24.749007	84.243047	Normal
18/12/20	19:20:19	68	0.1	290	10.1	2900	3426	G	3.53	24.74873	84.24404	Normal
18/12/20	19:20:19	68	0.1	250	20.2	2500	2972	G	3.99	24.74818	84.244427	Normal
18/12/20	19:21:0	68	0.1	210	20.2	2100	2518	G	3.44	24.747355	84.243988	Normal
18/12/20	19:21:0	68	0.1	230	30.3	2300	2745	G	3.72	24.74657	84.243518	Normal
18/12/20	19:21:0	68	0.1	230	30.3	2300	2745	G	3.72	24.745692	84.243047	Normal

$$Y = 0 * X^2 + 1.136 * X + 132.5$$

$$X = 2000$$

$$Y = 2404$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

18/12/20
30

21/12/20

18/12/20	19:21:29	68	0.1	200	30.3	2000	2404	G	3.3	24.744863	84.242677	Normal
18/12/20	19:21:29	68	0.1	180	30.3	1800	2177	G	3.02	24.743942	84.242423	Normal
18/12/20	19:21:29	68	0.1	190	30.3	1900	2290	G	3.16	24.743032	84.242153	Normal
18/12/20	19:21:29	68	0.1	210	20.2	2100	2518	G	3.44	24.742132	84.241952	Normal
18/12/20	19:22:5	68	0.1	220	10.1	2200	2631	G	3.58	24.74163	84.242272	Normal
18/12/20	19:22:5	68	0.1	220	30.3	2200	2631	G	3.58	24.74075	84.242153	Normal
18/12/20	19:22:40	68	0.1	300	30.3	3000	3540	G	3.66	24.739768	84.24202	Normal
18/12/20	19:22:40	68	0.1	290	10.1	2900	3426	G	3.53	24.737738	84.242508	Normal
18/12/20	19:23:51	68	0.1	240	20.2	2400	2858	G	3.85	24.737545	84.24348	Normal
18/12/20	19:24:0	68	0.1	240	20.2	2400	2858	G				

Total Length

4.8

[Signature]
18/12/20
J.E

[Signature]
18.12.20
A.E

[Signature]
21/12/20
E.E

Name of Customer : Ram Nandan Singh
 Name of Work/ Road : Aurangabad Navinagar Rd - C
 Lab Job number : 68
 Date : 18-12-2020
 Section No. : 68


Test Date : 28-04-2010 Road Name : Aurangabad Navinagar Rd - C
 Machine No : 377 Road Type : (R) RURAL ROAD
 Start S No : 78 Side : Navinagar Interval
 Start E No : 125
 Weather : Normal UV Range : 268 To 5000 1000 mm/km
 Start Location : 24 762948 84 Dist Range : 0 To 49 0.1 * 1000 m
 End Location : 24 737545 84 Equation : $Y = 0 * X^2 + 1.136 * X + 132.5$

Print

Generate Report and Graph

Redraw Graph

Map View



18/12/20
 3.2

nh

Ymh
 21/12/20



OM SAI CONSULTANTS

(AN ISO 9001:2015 & ISO/IEC 17025:2017 CERTIFIED NABL ACCREDITED LAB)
Address:- Bank of India Colony, Near Jai Shree Gas Godown, South D/33,
P.O.-R.V. College Roje Bazar, Patna-800014, Contact No. +919472909287
Email- omsaiconsultantspatna@gmail.com

Rep. No: OSC/17/01

TEST REPORT

Issue To:
EXECUTIVE ENGINEER
R.W.D., Works Division,
Aurangabad

Report No: OSC/BR/160620/26

Date of Receiving: 16/11/2020

Testing Period: 16/11/2020 TO 18/11/2020

Date of Reporting: 18/11/2020

Project Name: CONSTRUCTION OF ROAD FROM AURANGABAD NABINAGAR ROAD TO CHARAN VIA JAIPUR

Sample Description Semi Dense Bituminous Concrete (S.D.B.C.)

Sample Condition: Good (Packed in Bag).

BITUMEN CONTENT TEST

S. No.	Test Parameter	Test Method	Result	Requirements MORTH Specification Table- 500-7	Conformity
1.	Binder Content (%)	IRC SP-11	5.08	5.0 Min.	Yes

-----End of Report-----

Checked By

Authorized Signatory

The result listed refers only to the tested samples and applicable parameters endorsement of product is neither inferred nor implied.
The liability of our Lab. is limited to the invoiced amount.
Samples will be destroyed after 90 days from the date of issue of test report.
This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

NABL ACCREDITED
LABORATORY