

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, औरंगाबाद

Email ID:- eerwdaurangabad1@gmail.com

Mob:- 8986915333

पत्रांक... 49.12.3130

औरंगाबाद/दिनांक... 24/12/20

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, औरंगाबाद

सेवा में,

नोडल पदाधिकारी (MR 3054)
ग्रामीण कार्य विभाग
पटना, बिहार

विषय :- नई अनुरक्षण नीति-2018MR (3054) योजना के अंतर्गत पथ में कराये गये कार्य के विरुद्ध आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में सूचित करना है कि नई अनुरक्षण नीति-2018 MR (3054) योजना के अंतर्गत पथ में कराये गये कार्य के लिए संवेदक को भुगतान करने हेतु अधियाचना विहित प्रपत्र में भरकर आवश्यक कार्यवाही हेतु समर्पित की जाती है।

अनु :- यथोक्त।

विश्वास भाजन

24/12/20
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, औरंगाबाद
(H.M.)
24/12/20

OFFICE OF EXECUTIVE ENGINEER, RURAL WORKS DEPARTMENT, WORKS DIVISION, Aurangabad

Requisition Format for Scheme Head- MR(3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division:- Aurangabad

Sl no.	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No & Date	Administrative		Agreement Amount		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allotted Amount (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in km)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	RM/AU/AUR/19/0024	Amba nabinagar Road - Chakua	10602802022	3140/22.07.2019	6.5	203.08	122.37	12.05	74MBD-2019-20 20.02.2020	19.11.2020	17.12.2020	3401	25MM	5.041%	0.00000	0.00000	122.37	Comp.
2	RM/AU/AUR/19/0030	Deo - Bahlola	10602802105	3140/22.07.2019	6.52	211.88	130.92	59.68	58MBD-2019-20 04.02.2020	03.11.2020	21.12.2020	3210	25MM	5.012%	0.00000	0.00000	130.92	Comp.
3	RM/AU/AUR/19/0030	GT Rd Deo More - Rasalpur	10602802115	3140/22.07.2019	2.62	92.14	57.95	24.22	58MBD-2019-20 04.02.2020	03.11.2020	17.12.2020	2875	25MM	5.063%	0.00000	0.00000	57.95	Comp.
4	RM/AU/AUR/19/0031	Khairiawan - Bariawan	10602802121	3140/22.07.2019	2.07	76.02	48.85	18.91	61MBD-2019-20 05.02.2020	04.11.2020	17.12.2020	3335	25MM	5.010%	0.00000	0.00000	48.85	Comp.
5	RM/AU/AUR/19/0015	Deo Narayanpur Rd. - Erki	10602802112	3140/22.07.2019	0.82	34.18	23.26	7.33	78MBD-2019-20 20-02-2020	19.11.2020	17.12.2020	3199	25MM	5.010%	0.00000	0.00000	23.26	Comp.
6	RM/AU/AUR/19/0015	Deo Jeevabigha - Eroura	10602902011	3140/22.07.2019	1.56	59.49	39.87	13.60	78MBD-2019-20 20-02-2020	19.11.2020	17.12.2020	3199	25MM	5.014%	0.00000	0.00000	39.87	Comp.
7	RM/AU/AUR/19/0033	AURANGABAD NABINAGAR ROAD - SORI	NEA22000214	3140/22.07.2019	2.2	71.85	44.54	20.04	80MBD-2019-20 20.02.2020	19.11.2020	18.12.2020	2961	25MM	5.080%	0.00000	0.00000	44.54	Comp.
8	RM/AU/AUR/19/0033	Aurangabad Navinagar - Sonbarsa Khaira	10602802096	3140/22.07.2019	1.49	53.57	33.98	15.96	80MBD-2019-20 20.02.2020	19.11.2020	28.11.2020	2988	25MM	5.005%	0.00000	0.00000	37.61	Comp.
9	RM/AU/AUR/19/0034	Aurangabad Navinagar Rd. Charan Vajipur Rajpur	10602802097	3140/22.07.2019	4.84	157.38	95.33	9.23	64MBD-2019-20 05.02.2020	04.11.2020	18.12.2020	2404	25MM	5.000%	0.00000	0.00000	95.33	Comp.
10	RM/AU/AUR/19/0034	Charan Mali Road - Sanoura Khamba	10602802103	3140/22.07.2019	2.57	89.38	55.76	24.65	64MBD-2019-20 05.02.2020	04.11.2020	18.12.2020	3012	25MM	5.000%	0.00000	0.00000	55.76	Comp.
11	RM/AU/AUR/19/0010	Khaira to Gram Sonahi Road	10602901035	3140/22.07.2019	2.05	78.8	50.88	19.97	84MBD-2019-20 25.02.2020	24.11.2020	13.11.2020	3549	25MM	5.011%	0.00000	0.00000	50.88	Comp.
12	RM/AU/AUR/19/0018	Khetpura Neura Road - Matihar	10602802063	3140/22.07.2019	0.8	29.96	19.75	7.09	83MBD-2019-20 24.02.2020	23.11.2020	24.12.2020	3230	25MM	5.031%	0.00000	0.00000	19.75	Comp.
13	RM/AU/AUR/19/0027	Basudev Kenal to Tamsho village	10602901031	3140/22.07.2019	2.3	76.08	47.32	20.92	62MBD-2019-20 05.02.2020	04.11.2020	18.12.2020	2934	25MM	5.017%	0.00000	0.00000	47.32	Comp.
14	RM/AU/AUR/19/0027	Amba Jiwa Bigha Road to Choraha	10602901012	3140/22.07.2019	5.5	175.66	109.15	48.86	62MBD-2019-20 05.02.2020	04.11.2020	24.12.2020	3012	25MM	5.093%	0.00000	0.00000	109.15	Comp.

17/11/2020
T. B. Rao

OFFICE OF EXECUTIVE ENGINEER, RURAL WORKS DEPARTMENT, WORKS DIVISION, Aurangabad

Requisition Format for Scheme Head- MR(3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division:- Aurangabad

Sl no.	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No & Date	Administrative		Agreement Amount		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allotted Amount (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in km)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
15	RM/AU/AUR/19/0036	AURANGABAD NABINAGAR ROAD - SATTAR	NEA22000221	3140/22.07.2019	1.6	56.81	35.7	15.35	68MBD-2019-20 08.02.2020	07.02.2020	28.11.2020	2655	25MM	5.195%	0.00000	0.00000	35.7	Comp.
16	RM/AU/AUR/19/0032	Modernnition & Const of NH-2 Dadpi to deojara Rd via Mahuwan art Rd	10602803009	3140/22.07.2019	6.8	258.417	153.52	63.19	69MBD-2019-20 10.02.2020	09.11.2020	08.12.2020	2770	25MM	5.000%	0.00000	0.00000	153.52	Comp.
17	RM/AU/AUR/19/0028	G.T. Road to Narkappi	10602802400	3140/22.07.2019	4.1	165.66	110.98	37.89	80MBD-2019-20 20.02.2020	19.11.2020	17.12.2020	3016	25MM	5.000%	0.00000	0.00000	110.98	Comp.
18	RM/AU/AUR/19/0009	Nabinagar Road - Kunrwa	10602902029	3140/22.07.2019	3.32	118.96	76.06	30.93	82MBD-2019-20 20.02.2020	19.11.2020	18.12.2020	2986	25MM	5.042%	0.00000	0.00000	76.06	Comp.
19	RM/AU/AUR/19/0028	Const of Rd from Madanpur NH-2 Ghorghat more to Ghorghat thawai Rd	10602801016	3140/22.07.2019	5	246.1	174.29	47.12	65MBD-2019-20 05.02.2020	04.11.2020	17.12.2020	2276	25MM	5.000%	0.00000	0.00000	174.29	Comp.
20	RM/AU/AUR/19/0034	AURANGABAD NABINAGAR ROAD - GHAMHARIA	NEA22000211	3140/22.07.2019	1.6	50.44	31.92	13.36	64MBD-2019-20 05.02.2020	04.11.2020	18.12.20	3103	25MM	5.000%	0.00000	0.00000	31.92	Comp.
21	RM/AU/AUR/19/0024	Const of Rd from Amba Nabinagar to persawan	10602801003	3140/22.07.2019	2.5	88.42	55.36	24.09	74MBD-2019-20 20.02.2020	19.11.2020	24.12.2020	2425	25MM	5.012%	0.00000	0.00000	55.36	Comp.
TOTAL																	1526.47	

Divisional Accounts Officer
Rural Works Department, works Division,
Aurangabad

Executive Engineer
Rural Works Department
Works Division, Aurangabad

Name of Road Khaira to Gram Sonahi Road

Date	Time	Section	Length	Bumps	Speed	OR		CATEGORY	IRI	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	U/V	ROAD				
13/ 11/ 20	6: 54: 19	80	0.1	300	20.2	3000	3540	G	3.66	24.775608	84.284057	Normal
13/ 11/ 20	6: 54: 19	80	0.1	290	30.3	2900	3426	G	3.53	24.775565	84.28313	Normal
13/ 11/ 20	6: 55: 30	80	0.1	290	20.2	2900	3426	G	3.53	24.776623	84.282053	Normal
13/ 11/ 20	6: 55: 30	80	0.1	300	10.1	3000	3540	G	3.66	24.777568	84.281835	Normal
13/ 11/ 20	6: 57: 0	80	0.1	360	20.2	3500	4022	G	3.46	24.781015	84.28202	Normal
13/ 11/ 20	6: 57: 16	80	0.1	390	20.2	3300	3920	G	3.85	24.781898	84.282188	Normal
13/ 11/ 20	6: 57: 51	80	0.1	350	30.3	3500	4008	G	3.33	24.78374	84.282473	Normal
13/ 11/ 20	6: 58: 0	80	0.1	260	30.3	2600	3086	G	3.13	24.78466	84.282658	Normal
13/ 11/ 20	6: 58: 0	80	0.1	290	30.3	2900	3426	G	3.53	24.78558	84.282777	Normal
13/ 11/ 20	7: 0: 12	80	0.1	320	30.3	3200	3767	G	3.93	24.785418	84.282777	Normal
13/ 11/ 20	7: 0: 47	80	0.1	240	40.4	2400	2858	G	3.85	24.78453	84.282658	Normal
13/ 11/ 20	7: 1: 0	80	0.1	270	40.4	2700	3199	G	3.26	24.7837	84.282473	Normal
13/ 11/ 20	7: 1: 0	80	0.1	320	40.4	3200	3767	G	3.93	24.782758	84.282288	Normal
13/ 11/ 20	7: 1: 0	80	0.1	320	40.4	3200	3767	G	3.93	24.781843	84.282188	Normal
13/ 11/ 20	7: 1: 22	80	0.1	330	30.3	3300	3881	G	3.06	24.780927	84.282003	Normal
13/ 11/ 20	7: 1: 22	80	0.1	360	30.3	3100	3922	G	3.46	24.779935	84.281852	Normal
13/ 11/ 20	7: 1: 22	80	0.1	310	30.3	3100	3654	G	3.8	24.779092	84.28175	Normal
13/ 11/ 20	7: 1: 22	80	0.1	310	30.3	3100	3654	G	3.8	24.779092	84.28175	Normal
13/ 11/ 20	7: 2: 0	80	0.1	360	10.1	3200	3910	G	3.46	24.778203	84.28182	Normal
13/ 11/ 20	7: 2: 0	80	0.1	390	10.1	2700	3010	G	3.85	24.777332	84.281935	Normal
13/ 11/ 20	7: 2: 33	80	0.1	240	30.3	2400	2858	G	3.85	24.776455	84.28207	Normal
Total Length			2									

$$Y = 0 * X^2 + 1.136 * X + 132.5$$

$$X = 3005$$

$$Y = 3549$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

S. K. K. K. K.
J.E 13.11.20

12.11.20
A.E

21/11/20
E'E

Steco Analyzer

Name of Customer : M/S SHAKTI CONSTRUCTION
Name of Work/ Road : Khairi to Gram Sonahi Road
Lab Job number : 01
Date : 13-11-2020
Section No. : 80


Test Date : 13-11-2020 Road Name : Khairi to Gram Sonahi Road
Machine No : 377 Road Type : (R) RURAL ROAD
Start S No : 681 Side : Barun Interval
Start E No : 702
Weather : Normal IIV Range : 1858 To 5000 1000 mm/km
Start Location : 24.775608 64 Dist Range : 0 To 21 01 ~ 1000 m
End Location : 24.776455 64 Equation : $Y = 0 \cdot X^2 + 1.136 \cdot X + 132.5$

Print

Generate Report and Graph

Redraw Graph

Map View



[Signature]
13.11.20

[Signature]
21/11/20

OM SAI TESTING AND RESEARCH LABORATORY

2nd floor maheswari complex fraser road patna

PIN CODE 800001

BITUMEN CONTENT TEST OF EMI-DENSE BITUMINOUS CONCRETE

Name of Road: KHAIRA TO GRAM SONAHI ROAD UNDER SCHEME MR 3054

TYPE OF MATERIAL : SEMI-DENSE BITUMINOUS CONCRETE

DATE OF COLLECTION 7-Nov-20

DATE OF TESTING 10-Nov-20

SAMPLE NC 1,2,3

Chainage & Section:

S.NO.	Observations	0+540 KM	1+310 KM	1+751 KM
		1	2	3
1	Wt. of Mix taken before extration	500	500	500
2	Wt. of filter paper before extration	5.97	6.02	6.00
3	Wt. of Mix after extration	471.81	472.21	471.83
4	Wt. of filter paper after extration	7.35	7.26	7.35
5	Wt. of filler collected from extract after allowing for seting	1.58	1.31	1.380
6	Wt. of filler collected in filter paper	1.38	1.24	1.35
7	Wt. of Aggregate + Filler collected after extration	474.77	474.76	474.6
8	Percantage of Bitumen (in the Mix) $\frac{(A-G) \times 100}{A}$	5.05	5.048	5.09
LAYER		Value		
SEMI-DENSE BITUMINOUS CONCRETE		Avg. Value	5.011%	

Checked By

Tested By

