



कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, मधौरा।

E-Mail - eerwd.marhaura@yahoo.com

31/12/2020

पत्रांक:- 2105

मधौरा/दिनांक:-

प्रेषक:-

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, मधौरा।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार ग्रामीण पथ विकास अभिकरण, बिहार, पटना।

विषय:-शीर्ष MR-3054 योजनान्तर्गत बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत स्वीकृत पथ में आवंटन मॉग के संबंध में।

प्रसंग:- नवदीय के पत्रांक:-113 अनु0, दिनांक:-10-01-2020

नमस्कार,

उपरोक्त विषयक प्रासंगिक पत्र के संबंध में कहना है कि इस कार्य प्रमंडल, अंतर्गत शीर्ष-3054 (MR-3054) अंतर्गत बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत संवेदक शिवकॉन इस्टेट प्रा0लि0 द्वारा किये गये पथ का अधियाचना उक्त प्रासंगिक पत्र द्वारा प्राप्त विहित प्रपत्र में भरकर आवंटन हेतु अधियाचना सादर समर्पित की जा रही है।

अतः अनुरोध है कि अधियाचना प्रपत्र में दर्शाये गये राशि कॉलम सं0-18 के अनुरूप पथ में आवंटन उपलब्ध कराने की कृपा की जाय ताकि संवेदक शिवकॉन इस्टेट प्रा0लि0 द्वारा किये गये पथ में मुग्तान किया जा सकें।

अनु0-1) अधियाचना प्रपत्र।

2) 19 ए प्रपत्र।

3) नापी पुस्त की छाया प्रति।

4) BUMP Indicator Report

विश्वासभाजन

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, मधौरा।


31/12/20

31/12/20

FORM GER-19-A
(See Government of India 'S Decision (I) below Rule -150)
Form of Utilization Certificate up to the Month of DECEMBER-2020
PIU:- Executive Engineer RWD Works Division, Marhaura

SL No	Name of Scheme	Sanction No& Date with Amount (in Lacs Rs.)	Amount Received (in lacs Rs.)	Particulars
1	Construction of Rural Roads under MR-3054 (New Maintenance Policy-2018)	सचिव ब्राडा के पत्रांक-84 (अनु0) दिनांक-26-11-20	1707.03412	Certified that out of Rs- 1707.03412 Lacs received during the Years, 2018-19 & 2019-20, 2020-21 in favour of E.E., R.W.D. Works Division Marhaura Sum of Rs- 1702.85133 Lacs has been utilized for the Purpose of MR-3054 New Maint. Policy-2018 Scheme as given in the margin for Which it was Sanctioned and that the balance of Rs-4.18279 Lacs remaining unutilized at CFMS the end of the period under report.


31/12/2020
Divisional Account Officer
R.W.D. (W) Division Marhaura


31/12/2020
कार्यपालक अभियन्ता
Executive Engineer
R.W.D. (W) Division Marhaura

Requisition Formate for Scheme Head - MR(3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)


Name of works Division:- Rural Work Department, Work Division, Marhaura.

S. No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No & Date	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in Km.)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Years Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-5019-20 Marhaura/16	PIRARI TO DAMODARPUR PATH	31306402065	LL No-3074 Dt-17-07-19	10.520	338.41500	2,15,80,540	99,94,778	10/MR- 3054/MSD/ 2020-21	03-03-2021	-----	2833.78	25 mm	5%	0.00000	215.50000	215.50000	Work Incomplete
Total:-																	215.50000	

1. Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed.
2. Up-to-date Physical Progress has been Uploaded in MIS.

कायपालक अभियन्ता
Executive Engineer
ग्रामीण कार्य विभाग
Rural Work Department
कार्य विभाग, मरहौरा
Work Division, Marhaura
3/10/21

File : C:\Users\Asst IT Manager\Documents\BUMP\SHIVCON\31121244.Xls. Section No. :82. Eqn : $Y = 0 * X^2 +$
Name of Customer : Shivcon Estate Pvt. Ltd., Name of Work/ Road : Pirari - Damodarpur, Lab Job number :82



31/12/20
कायपालक अभियन्ता
ग्रा० कार्य वि० काय मन्त्रालय
महाराष्ट्र सरकार

Date	Time	Section	Length	Bumps	Speed	OR	IRI CATEGORY		Latitude	Longitude	Event			
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD						
31/12/20	11:24:26	82	0.1	320	10.1	3200	2860	G	25.91762			$Y = 0 * X^2 + 0.816 * X + 249$		
31/12/20	11:25:0	82	0.1	320	30.3	3200	2860	G	25.91816	84.76207	Normal	X = 2900		
31/12/20	11:25:2	82	0.1	380	20.2	3800	2981	G	25.91869	84.761245	Normal	Y = 2615		
31/12/20	11:25:2	82	0.1	310	20.2	3100	2710	G	25.91923	84.760437	Normal			
31/12/20	11:25:37	82	0.1	310	20.2	3100	2778	G	25.91978	84.759645	Normal			
31/12/20	11:26:0	82	0.1	360	20.2	3600	3186	G	25.92033	84.75882	Normal	(R) RURAL ROAD		
31/12/20	11:26:12	82	0.1	310	20.2	3100	2710	G	25.92084	84.757995	Normal	Good	Average	Poor
31/12/20	11:26:12	82	0.1	360	10.1	3600	3186	G	25.92152	84.757188	Normal	<4000	4001-5000	>5001
31/12/20	11:26:47	82	0.1	250	20.2	2500	2352	G	25.92243	84.756885	Normal			
31/12/20	11:31:0	82	0.1	310	0	3100	2726	G	25.92277	84.756918	Curve			
31/12/20	11:31:30	82	0.1	360	20.2	3600	3186	G	25.92277	84.757592	Normal			
31/12/20	11:31:30	82	0.1	360	20.2	3600	3186	G	25.92266	84.758568	Normal			
31/12/20	11:32:0	82	0.1	370	20.2	3700	3268	G	25.92249	84.759595	Normal			
31/12/20	11:32:5	82	0.1	350	20.2	3500	3104	G	25.92249	84.760555	Normal			
31/12/20	11:32:5	82	0.1	380	20.2	3800	3349	G	25.92256	84.761582	Normal			
31/12/20	11:32:40	82	0.1	370	20.2	3700	3268	G	25.92256	84.762608	Normal			
31/12/20	11:33:16	82	0.1	400	0	4000	3512	G	25.92245	84.763552	Curve			
31/12/20	11:34:26	82	0.1	310	0	3100	2778	G	25.92155	84.763687	Speed Breaker			
31/12/20	11:34:26	82	0.1	370	10.1	3700	3268	G	25.92066	84.763888	Speed Breaker			
31/12/20	11:45:0	82	0.1	280	0	2800	2533	G	25.91995	84.764292	Normal			
31/12/20	11:45:28	82	0.1	270	10.1	2700	2500	G	25.94608	84.76983	Normal			
31/12/20	11:46:3	82	0.1	360	10.1	3600	3186	G	25.94538	84.769308	Curve			
31/12/20	11:46:3	82	0.1	360	10.1	3600	3186	G	25.94461	84.769493	Normal			
31/12/20	11:47:0	82	0.1	250	10.1	2500	2336	G	25.94389	84.769763	Curve			
31/12/20	12:2:2	82	0.1	370	10.1	3700	3084	G	25.94303	84.769848	Normal			
31/12/20	12:3:0	82	0.1	350	10.1	3500	3336	G	25.94535	84.769443	Curve			
31/12/20	12:3:0	82	0.1	380	10.1	3800	3349	G	25.94555	84.76847	Normal			
31/12/20	12:3:32	82	0.1	290	10.1	2900	2747	G	25.94573	84.767525	Normal			
31/12/20	12:4:7	82	0.1	390	10.1	3900	3747	G	25.94572	84.766515	Speed Breaker			
31/12/20	12:4:7	82	0.1	240	10.1	2400	2207	G	25.9459	84.765555	Normal			
31/12/20	12:5:0	82	0.1	380	0	3800	3349	G	25.94591	84.764562	Normal			
31/12/20	12:5:17	82	0.1	440	10.1	4400	3839	G	25.94569	84.763855	Normal			
31/12/20	12:6:0	82	0.1	420	10.1	4200	3676	G	25.94542	84.76313	Normal			
31/12/20	12:6:28	82	0.1	340	10.1	3400	3023	G	25.94549	84.762137	Curve			
31/12/20	12:6:28	82	0.1	290	10.1	2900	3063	G	25.94628	84.7618	Normal			
31/12/20	12:7:3	82	0.1	420	20.2	4200	3676	G	25.94714	84.76182	Curve			
31/12/20	12:7:3	82	0.1	250	20.2	2500	1736	G	25.94733	84.760842	Normal			
31/12/20	12:7:38	82	0.1	410	10.1	4100	3594	G	25.94746	84.759865	Normal			
31/12/20	12:7:38	82	0.1	410	10.1	4100	3594	G	25.94769	84.758855	Culvert			

31/12/20	12:8:0	82	0.1	310	10.1	3100	2410	G	25.94791	84.757928	Normal			
31/12/20	12:9:24	82	0.1	360	0	3600	3186	G	25.94811	84.75616	Normal			
31/12/20	12:10:0	82	0.1	330	0	3300	2941	G	25.94725	84.755942	Normal			
31/12/20	12:10:35	82	0.1	320	10.1	3200	2860	G	25.94638	84.755892	Normal			
31/12/20	12:11:0	82	0.1	260	20.2	2600	2002	G	25.94543	84.755723	Culvert			
31/12/20	12:11:10	82	0.1	350	20.2	3500	3104	G	25.94458	84.755588	Normal			
31/12/20	12:11:10	82	0.1	360	20.2	3600	3186	G	25.94367	84.755285	Normal			
31/12/20	12:11:45	82	0.1	280	20.2	2800	2533	G	25.94284	84.75503	Normal			
31/12/20	12:12:0	82	0.1	300	20.2	3000	2696	G	25.9419	84.754797	Normal			
31/12/20	12:12:0	82	0.1	370	20.2	3700	3268	G	25.94105	84.754662	Normal			
31/12/20	12:12:20	82	0.1	280	20.2	2800	2533	G	25.94017	84.754545	Speed Breaker			
31/12/20	12:12:20	82	0.1	340	20.2	3400	3023	G	25.93929	84.754275	Normal			
31/12/20	12:12:20	82	0.1	320	30.3	3200	2860	G	25.93843	84.754208	Normal			
31/12/20	12:14:28	82	0.1	300	10.1	3000	2960	G	25.93911	84.751565	Speed Breaker			
31/12/20	12:15:4	82	0.1	330	10.1	3300	2721	G	25.93973	84.75079	Speed Breaker			
31/12/20	12:20:21	82	0.1	280	10.1	2800	2533	G	25.95082	84.748938	Normal			
31/12/20	12:21:0	82	0.1	330	0	3300	2941	G	25.95166	84.749157	Normal			
31/12/20	12:21:31	82	0.1	420	10.1	4200	3676	G	25.95256	84.749057	Normal			
31/12/20	12:22:0	82	0.1	320	10.1	3200	2792	G	25.95347	84.749175	Normal			
31/12/20	12:22:7	82	0.1	410	20.2	4100	3594	G	25.95438	84.749292	Normal			
31/12/20	12:22:7	82	0.1	340	20.2	3400	3023	G	25.95524	84.749393	Normal			
31/12/20	12:31:5	82	0.1	320	10.1	3200	2860	G	25.95006	84.7568	Speed Breaker			
31/12/20	12:32:0	82	0.1	390	10.1	3900	3247	G	25.94919	84.756582	Normal			
31/12/20	12:32:16	82	0.1	300	10.1	3000	2144	G	25.94834	84.756212	Normal			
31/12/20	12:33:26	82	0.1	440	0	4400	3839	G	25.94749	84.755975	Normal			
31/12/20	12:33:26	82	0.1	360	20.2	3600	3186	G	25.9466	84.755908	Normal			
31/12/20	12:33:26	82	0.1	280	30.3	2800	2533	G	25.94577	84.75579	Culvert			
31/12/20	12:34:2	82	0.1	360	20.2	3600	3186	G	25.94484	84.755638	Normal			
31/12/20	12:34:2	82	0.1	300	30.3	3000	2696	G	25.94399	84.755437	Normal			
31/12/20	12:34:2	82	0.1	240	30.3	2400	2207	G	25.94315	84.7551	Culvert			
31/12/20	12:34:37	82	0.1	360	20.2	3600	3186	G	25.94224	84.754898	Normal			
31/12/20	12:35:0	82	0.1	410	20.2	4100	3594	G	25.94134	84.75468	Speed Breaker			
31/12/20	12:35:12	82	0.1	280	20.2	2800	2533	G	25.94046	84.754578	Normal			
31/12/20	12:35:12	82	0.1	310	20.2	3100	2778	G	25.93961	84.754377	Speed Breaker			
31/12/20	12:35:12	82	0.1	260	20.2	2600	2370	G	25.93875	84.754242	Normal			
31/12/20	12:36:0	82	0.1	430	20.2	4300	3757	G	25.93782	84.75414	Normal			
31/12/20	12:36:0	82	0.1	430	20.2	4300	3757	G	25.93694	84.754192	Normal			
31/12/20	12:36:23	82	0.1	420	20.2	4200	3676	G	25.93612	84.754225	Normal			
31/12/20	12:36:23	82	0.1	280	20.2	2800	2533	G	25.93519	84.75414	Normal			
31/12/20	12:36:58	82	0.1	350	20.2	3500	3104	G	25.93433	84.754225	Normal			

31/12/20	12:37:0	82	0.1	340	20.2	3400	3023	G	25.93343	84.754242	Normal			
31/12/20	12:37:0	82	0.1	350	20.2	3500	3104	G	25.93251	84.754175	Normal			
31/12/20	12:37:33	82	0.1	340	20.2	3400	2655	G	25.93161	84.754175	Speed Breaker			
31/12/20	12:38:0	82	0.1	380	20.2	3800	3349	G	25.93074	84.75441	Normal			
31/12/20	12:38:9	82	0.1	410	20.2	4100	3594	G	25.92987	84.754645	Normal			
31/12/20	12:38:9	82	0.1	330	20.2	3300	2573	G	25.92907	84.75507	Speed Breaker			
31/12/20	12:38:44	82	0.1	340	20.2	3400	3023	G	25.92832	84.755707	Normal			
31/12/20	12:39:0	82	0.1	390	20.2	3900	3431	G	25.92751	84.756077	Normal			
31/12/20	12:39:0	82	0.1	330	20.2	3300	2941	G	25.92688	84.756598	Curve			
31/12/20	12:39:19	82	0.1	400	20.2	4000	3512	G	25.92603	84.756515	Normal			
31/12/20	12:39:19	82	0.1	280	30.3	2800	2533	G	25.9251	84.75643	Normal			
31/12/20	12:39:54	82	0.1	240	30.3	2400	2207	G	25.92422	84.756615	Normal			
31/12/20	12:40:0	82	0.1	310	20.2	3100	2778	G	25.92329	84.75675	Normal			
31/12/20	12:40:0	82	0.1	390	20.2	3900	3247	G	25.92243	84.756918	Normal			
31/12/20	12:40:30	82	0.1	360	20.2	3600	3002	G	25.9215	84.756918	Normal			
31/12/20	12:41:5	82	0.1	450	10.1	4500	3920	G	25.92083	84.757205	Normal			
31/12/20	12:41:5	82	0.1	400	20.2	4000	3328	G	25.9203	84.75803	Normal			
31/12/20	12:41:5	82	0.1	350	20.2	3500	2736	G	25.91977	84.758872	Normal			
31/12/20	12:41:40	82	0.1	330	20.2	3300	2757	G	25.91924	84.759645	Normal			
31/12/20	12:42:0	82	0.1	300	30.3	3000	2696	G	25.91868	84.76047	Normal			
31/12/20	12:42:0	82	0.1	260	30.3	2600	2370	G	25.91818	84.761228	Normal			
31/12/20	12:42:15	82	0.1	420	30.3	4200	3676	G	25.91765	84.762053	Normal			
31/12/20	12:42:15	82	0.1	280	20.2	2800	2533	G	25.9171	84.762878	Normal			
31/12/20	12:42:51	82	0.1	390	20.2	3900	3247	G	25.91647	84.763552	Normal			
31/12/20	12:43:0	82	0.1	260	20.2	2600	2370	G	25.91568	84.763232	Normal			
31/12/20	12:43:26	82	0.1	290	20.2	2900	2615	G	25.91479	84.762827	Normal			
31/12/20	12:43:26	82	0.002	150	363.6	2900	2615	G	25.91479	84.762827	Normal			


 कार्यपालक अभियन्ता
 ग्रा० कार्य वि० का. नं. ७२
 मद्रास शरण

Lab Job number :82

Date :12/31/2020

Name of Customer :Shivcon Estate Pvt. Ltd.

Name of Work/ Road :Pirarl - Damodarpur

Sr.no	Location of test(In km)	Corrected U.I value(mm/km)		Road category
2	0.1		2860	G
3	0.2		2860	G
4	0.3		2981	G
5	0.4		2710	G
6	0.5		2778	G
7	0.6		3186	G
8	0.7		2710	G
9	0.8		3186	G
10	0.9		2352	G
11	1		2726	G
12	1.1		3186	G
13	1.2		3186	G
14	1.3		3268	G
15	1.4		3104	G
16	1.5		3349	G
17	1.6		3268	G
18	1.7		3512	G
19	1.8		2778	G
20	1.9		3268	G
21	2		2533	G
22	2.1		2500	G
23	2.2		3186	G
24	2.3		3186	G
25	2.4		2336	G
26	2.5		3084	G
27	2.6		3336	G
28	2.7		3349	G
29	2.8		2747	G
30	2.9		3747	G
31	3		2207	G
32	3.1		3349	G
33	3.2		3839	G
34	3.3		3676	G
35	3.4		3023	G
36	3.5		3063	G
37	3.6		3676	G
38	3.7		1736	G
39	3.8		3594	G
40	3.9		2410	G
41	4		3186	G
42	4.1		2941	G
43	4.2		2860	G
44	4.3		2002	G
45	4.4		3104	G
46	4.5		3186	G
47	4.6		2533	G
48	4.7		2696	G
49	4.8		3268	G
50	4.9		2533	G
51	5		3023	G
52	5.1		2860	G
53	5.2		2960	G
54	5.3		2721	G



कायंपालक अभियन्ता
 ग्रा० कार्य वि० काय प्रमपक्ष
 मदीरा गण

Sr.no	Location of test(In km)	Corrected U.I value(mm/km)		Road category
55	5.4		2533	G
56	5.5		2941	G
57	5.6		3676	G
58	5.7		2792	G
59	5.8		3594	G
60	5.9		3023	G
61	6		2860	G
62	6.1		3247	G
63	6.2		2144	G
64	6.3		3839	G
65	6.4		3186	G
66	6.5		2533	G
67	6.6		3186	G
68	6.7		2696	G
69	6.8		2207	G
70	6.9		3186	G
71	7		3594	G
72	7.1		2533	G
73	7.2		2778	G
74	7.3		2370	G
75	7.4		3757	G
76	7.5		3757	G
77	7.6		3676	G
78	7.7		2533	G
79	7.8		3104	G
80	7.9		3023	G
81	8		3104	G
82	8.1		2655	G
83	8.2		3349	G
84	8.3		3594	G
85	8.4		2573	G
86	8.5		3023	G
87	8.6		3431	G
88	8.7		2941	G
89	8.8		3512	G
90	8.9		2533	G
91	9		2207	G
92	9.1		2778	G
93	9.2		3247	G
94	9.3		3002	G
95	9.4		3920	G
96	9.5		3328	G
97	9.6		2736	G
98	9.7		2757	G
99	9.8		2696	G
100	9.9		2370	G
101	10		3676	G
102	10.1		2533	G
103	10.2		3247	G
104	10.3		2370	G
105	10.4		2615	G
106	10.5		2615	G

कायपालक अभियन्ता
प्रति कार्य वि० कार्य प्रगति-उल
महोदय, गोरखा