Vig (अवरका वि1949 p.m.Gr. S.4 Road to Shansun MARY S MEASUREMENT BOOK Schedule XLV-Form No. 134 3 Soms Const DIVISION SUB-DIVISION

1-ston Alc Bill
Sch. XLV-Form No. 134
Particulars Details of actual measurement Contents No. L. B. D. Of area
Abstract of cost
1. constroj Bench
mark
Vide TMB Pg- 1
- Oty = 0.47 Km
@ 5703.79 km
= Ry 2681.00
2. Cleaning I.
and whould
ing Road Land-
Vide TMB Pg- 2. Rty= 0.33 hect
Orlice Tolland
@ 5 1161. 75 hect = Q, 16883.00
@ 5 1161. 75 hect = R 16883.00
=R 16883.00
= R1 16883.00 = R1 16883.00
=R1 16883.00 3- Const ⁿ of sub-nrade and earther shoulder
= R1 16883.00 = R1 16883.00
=R1 16883.00 3- Const ⁿ of sub-wrade and earther shoulders with approved materials obtained from
=R1 16883.00 3- Const ⁿ of sub-wrade and earther shoulders with approved materials obtained from vide TMB Pg- 2
=R1 16883.00 3- Const ⁿ of sub-wrade and earther shoulders with approved materials obtained from vide TMB Pg- 2 Qty=887-0 m ³
=R1 16883.00 3- Const ⁿ of sub-wrade and earther shoulders with approved materials obtained from vide TMB Pg- 2
=R1 16883.00 3- Const ⁿ of sub-wrade and earther shoulders with approved materials obtained from vide TMB Pg- 2 Qty=887-0 m ³ © 183.51 m ³
= Ry 16883.00 3- Const ⁿ of sub-wade and earther shoulders with approved materials obtained from vide TMB Pg- 2 Qty=887.0 m ³ = Ry 181124.00
=R1 16883.00 3- Const ⁿ of sub-nrade and earther shoulders with approved materials obtained from ~- vide TMB Pg- 2 Qty=887.0 m ³ @ 183.51 m ³ =R1 181124.00
= Ry 16883.00 3- Const ⁿ of sub-wade and earther shoulders with approved materials obtained from vide TMB Pg- 2 Qty=887.0 m ³ = Ry 181124.00

	LV-Form No. 134 Details of actual measurement Contents
Particu	lars No. L. B. D. of area
	vide TMB Pg- 3
	vide TMB Pg- 3 Q1y2 381 40 & m3
	@1759.05/m3
	-Re 57090
	585412
5.	const ⁿ of embank-
	ment with abbroved
	materials -
	1000 m Jead
	Vide TMB Pg - 4.
	Qty= 305-21m3
	@175.22 m3 = R1 53479.
	15 27 m 2 KJ 539 79.
	100m Jead
6 *	vide TMB Pg - 4
	Q1y= 712-16 m3
	@139.79 m3 = Ry 99553
-	110
7.	Providing and fixing
	of typical minusy
A	informatory sign
	boards -
V	vide TOB Pg- 4
	Oty= 2 Nos.
	@9487.84 each
The second second	
	=RJ 18976
	=K3 18976

7

Sch. XLV-Form No. 134

	,				
Particulars	Details of actual measurement				Contents
- Treature	No.	L.	B.	D.	of area
				200	or di ca
				Rego	142592.00
,	to t	1 6 3	-0-12	101 7	043598.00
_ Lep	0.02	198	m 1		
				Ret	00
Agy	eem	entl		V 3	958108.0
0	1		1	C) 13	192.0
	3773		1/1		
		1	T		75879160
VI.	1999				
OM		100			957916.00
4/11	V	DA	A	13	
7		Ve	4	no	
	1	019	1120	174174	
9/0	X	1 21	J.C		
Ma	DI			1	
1010			477	TITA	
120				Me	
P				29/1	42020
					10
6	138	3-11	32)		The same of the sa
			3	01	00 KR3-001
100	dy y	15.10	333		
		-	33		
	usda	20.75			
	1				