

कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग कार्य प्रमंडल, भागलपुर

पत्रांक..... 32 अनु

भागलपुर/दिनांक :- 08 / 01 / 2021

प्रेषक,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, भागलपुर

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार ग्रामीण पथ विकास अभिकरण, (ब्राडा)
बिहार, पटना।

विषय : MR-3054 New Maintennace Policy -2018 के अन्तर्गत आवंटन की अधियाचना के संबंध में।

महाशय,

उपर्युक्त विषयक के संबंधित एम0आर0 योजना अंतर्गत संवेदक द्वारा कराए गये कार्यों के भुगतान हेतु विहित प्रपत्र में अधियाचित राशि रू0 64,00,000/- () मात्र का आवंटन उपलब्ध कराने की कृपा की जाय। ताकि संवेदक को भुगतान किया जा सके।

अनु0:- 1. अधियाचना प्रपत्र
2. IRI Report

विश्वासभाजन

कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल, भागलपुर

Requisition OF MR -3054 Bihar Rural Road Maintenance Policy-2018

Sl No.	Package No	Name of Road	Project ID As Per MIS	Administrative Approval (AA) Letter no & Date	Administrative Approval		5 Year Routine Maintenance (in Lakh)	Agreement No Date	Date of Completion As per Agreement	Actual Date Of Completion	Value Of Bit (in mm/Km)	Thickness of Bitumen Layer (in Ym)	Value of Bitumen Content In Percentage	Previous total allotted Amount	Up-to Date Expenditure As Per MIS	Requisition Against Work Done	Remarks
					Length	Amount (in Lakh)											
1	MR-N/19-20 Bhagalpur /13	Repair Of Road From Mirjanhat to Nadiyama PMGSY [Mohanpur] to Hazudh	NEA220000441	Ltr No-5983 dated 30.10.2019	2.970 km	114.929	66.43	15/MBD-2020-21	16.09.2020	19.12.2020	3.98	25 mm	5.25%	NIL	54.00	64.00	

Executive Engineer
RWD/WT Division, Bhagalpur

K. S. Singh

Lab Job number :64

Date :19-12-2020

Name of Customer :Amarpur Construction Company Pvt. Ltd.

Name of Work/ Road :Mirzanhat - Nadiama PMGSY (Mohanpur) To Hazudih


Sr.no	Location of test(in km)	Corrected U.I value(mm/km)	Road catagory
1	0.1	3659	G
2	0.2	3562	G
3	0.3	2787	G
4	0.4	2593	G
5	0.5	2497	G
6	0.6	2593	G
7	0.7	2593	G
8	0.8	2787	G
9	0.9	2690	G
10	1	3562	G
11	1.1	2690	G
12	1.2	2593	G
13	1.3	3756	G
14	1.4	3756	G
15	1.5	3659	G
16	1.6	3756	G
17	1.7	2593	G
18	1.8	2497	G
19	1.9	3466	G
20	2	3756	G
21	2.1	3853	G
22	2.2	3659	G
23	2.3	3756	G
24	2.4	3562	G
25	2.5	3369	G
26	2.6	2787	G
27	2.7	2593	G
28	2.8	2593	G


19/12/20
20


19.12.20
LPR

19/12/2020


29	2.9	2884	G
30	3	2981	G
31	3.1	3078	G
32	3.2	3466	G
33	3.3	3659	G
34	3.4	2981	G
35	3.5	3175	G
36	3.6	2884	G
37	3.7	2787	G
38	3.8	3466	G
39	3.9	3466	G
40	4	3756	G
41	4.1	2981	G
42	4.2	3466	G
43	4.3	2497	G
44	4.4	3175	G
45	4.5	3853	G
46	4.6	2593	G
47	4.7	3466	G
48	4.8	3756	G
49	4.9	3756	G
50	5	2497	G
51	5.1	2690	G
52	5.2	3272	G


 19/12/20
 ME


 19.12.020
 ARE


 19/12/20

File : F:\bump integrator\64\19121624.Xls. Section No. : 64. Eqn : $Y = 0 * X^2 + 0.969 * X + 74.60$
 Name of Customer : Amarpur Construction Company Pvt. Ltd.. Name of Work/ Road : Mirzanhat - Nadiama PMGSY



Dr. R. K. Singh
 19.12.2019

A. E.
 19.12.2019

Dr. R. K. Singh
 19.12.2019

Name of Customer: Amur Construction Company
 Name of Work: Muzakher - Modona PMGSY
 Road: 64
 Lab Job number: 64
 Date: 19/12/2020
 Section No: 64


Print Generate Report and Graph

Test Date:	19-12-2020	Road Name:	Muzakher - Modona PMGSY
Machine No:	302	Road Type:	(R) RURAL ROAD
Start S No:		Side:	
Start E No:		Interval:	
Worker:		UNY Range:	1497 To 5000 mm/km
Start Location:	0140 07 09294	Dist Range:	0 To 53 01 - 1000 m
End Location:	549 87 10067	Equation:	$Y = 0.0 \times X^2 + 0.963 \times X + 74.60$

Redraw Graph

Map View

File: F:\bump integrator\64\19121524\Xs. Section No: 64. Ego: $Y = 0.0 \times X^2 + 0.963 \times X + 74.60$
 Name of Customer: Amur Construction Company Pvt. Ltd. Name of Work: Road Muzakher - Modona PMGSY



19/12/2020

19-12-2020
19/12

19/12/2020

File : F:\bump integrator\64\19121624.Xls, Section No. 64, Eqn : $Y = 0 \cdot X^2 + 0.969 \cdot X + 74.60$



19/11/20

19.12.20

147C

19/12/20

Name of Customer : Amarpur Construction Company Pvt. Ltd.
Name of Work/ Road : Mirzanahar - Nadiama PMGSY (Mohanpur) To Hazudih

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	mm/km	OR	UV	CATEGORY ROAD	IRI	Latitude	Longitude	Event
19/12/20	11:19:31	64	0.1	370	0	3700	3659	3659	G	4.8	25.123143	87.09294	Normal
19/12/20	11:20:06	64	0.1	360	10.1	3600	3662	3662	G	4.69	25.12234	87.09291	Normal
19/12/20	11:20:06	64	0.1	280	20.2	2800	2787	2787	G	3.77	25.121418	87.09269	Normal
19/12/20	11:20:41	64	0.1	260	30.3	2600	2593	2593	G	3.53	25.11078	87.09269	Normal
19/12/20	11:21:00	64	0.1	250	30.3	2500	2497	2497	G	3.42	25.11977	87.09236	Normal
19/12/20	11:21:16	64	0.1	260	30.3	2600	2593	2593	G	3.53	25.11897	87.09213	Normal
19/12/20	11:21:16	64	0.1	280	40.4	2800	2787	2787	G	3.53	25.11806	87.09191	Normal
19/12/20	11:21:16	64	0.1	270	20.2	2700	2690	2690	G	3.77	25.11723	87.0918	Normal
19/12/20	11:21:52	64	0.1	360	20.2	3600	3562	3562	G	3.65	25.11653	87.09183	Normal
19/12/20	11:22:00	64	0.1	270	30.3	2700	2690	2690	G	3.65	25.11565	87.09229	Normal
19/12/20	11:22:27	64	0.1	380	20.2	3800	3756	3756	G	4.92	25.11408	87.09263	Normal
19/12/20	11:22:27	64	0.1	380	20.2	3800	3756	3756	G	4.92	25.11443	87.09263	Normal
19/12/20	11:23:27	64	0.1	380	10.1	3800	3756	3756	G	4.92	25.11341	87.09332	Curve
19/12/20	11:23:27	64	0.1	370	20.2	3700	3659	3659	G	4.8	25.11259	87.09439	Speed Breaker
19/12/20	11:23:38	64	0.1	380	20.2	3800	3756	3756	G	4.92	25.11175	87.09425	Normal
19/12/20	11:23:38	64	0.1	260	20.2	2600	2593	2593	G	3.53	25.11078	87.09411	Normal
19/12/20	11:24:13	64	0.1	350	20.2	3500	3466	3466	G	3.42	25.10994	87.09398	Normal
19/12/20	11:24:48	64	0.1	380	20.2	3800	3756	3756	G	4.58	25.10908	87.09416	Normal
19/12/20	11:25:00	64	0.1	390	30.3	3900	3853	3853	G	4.92	25.10821	87.09414	Normal
19/12/20	11:25:23	64	0.1	370	20.2	3700	3659	3659	G	5.03	25.10772	87.09483	Normal
19/12/20	11:25:23	64	0.1	380	20.2	3800	3756	3756	G	4.8	25.10756	87.0957	Normal
19/12/20	11:25:23	64	0.1	360	20.2	3600	3562	3562	G	4.92	25.1069	87.09596	Normal
19/12/20	11:26:00	64	0.1	340	20.2	3400	3369	3369	G	4.69	25.10616	87.09558	Normal
19/12/20	11:26:00	64	0.1	280	20.2	2800	2787	2787	G	4.46	25.10529	87.09514	Curve
19/12/20	11:26:34	64	0.1	260	20.2	2600	2593	2593	G	3.77	25.10452	87.09486	Normal
19/12/20	11:26:34	64	0.1	290	30.3	2900	2884	2884	G	3.53	25.10364	87.0946	Normal
19/12/20	11:27:00	64	0.1	300	30.3	3000	2981	2981	G	3.88	25.10276	87.09437	Normal
19/12/20	11:27:00	64	0.1	310	20.2	3100	3078	3078	G	4	25.10187	87.09445	Normal
19/12/20	11:27:45	64	0.1	350	10.1	3500	3466	3466	G	4.12	25.10015	87.09396	Normal
19/12/20	11:28:00	64	0.1	370	10.1	3700	3659	3659	G	4.58	25.09925	87.09371	Speed Breaker

Y = 0 * X + 2 + 0.969 * X + 74.60
X = 3300
Y = 3272
(R) RURAL ROAD
Good Average Poor
<4000 4001-5000 >5001

19/12/20

19/12/20

19/12/20

19/12/20	11:28:20	64	0.1	300	0	3000	2961	G	4	25.09859	87.09292	Normal
19/12/20	11:29:0	64	0.1	320	10.1	3200	3175	G	4.23	25.09769	87.0928	Normal
19/12/20	11:29:0	64	0.1	290	10.1	2900	2884	G	3.88	25.09682	87.09262	Normal
19/12/20	11:29:30	64	0.1	280	20.2	2800	2787	G	3.77	25.09599	87.09239	Normal
19/12/20	11:30:0	64	0.1	350	20.2	3500	3466	G	4.58	25.09499	87.0921	Normal
19/12/20	11:30:6	64	0.1	350	20.2	3500	3466	G	4.58	25.09424	87.09252	Normal
19/12/20	11:30:6	64	0.1	380	30.3	3800	3756	G	4.92	25.09364	87.09252	Normal
19/12/20	11:30:6	64	0.1	300	30.3	3000	2981	G	4	25.09345	87.09357	Normal
19/12/20	11:30:41	64	0.1	350	30.3	3500	3466	G	4.58	25.09322	87.0944	Normal
19/12/20	11:31:0	64	0.1	250	40.4	2500	2497	G	3.42	25.0929	87.09533	Normal
19/12/20	11:31:0	64	0.1	320	30.3	3200	3175	G	4.23	25.09258	87.0963	Curve
19/12/20	11:31:16	64	0.1	390	20.2	3900	3853	G	5.03	25.09235	87.09723	Curve
19/12/20	11:31:16	64	0.1	260	30.3	2600	2593	G	3.53	25.0924	87.09819	Normal
19/12/20	11:31:16	64	0.1	350	30.3	3500	3466	G	4.58	25.09275	87.09886	Normal
19/12/20	11:33:2	64	0.1	380	0	3800	3756	G	4.92	25.09367	87.09916	Normal
19/12/20	11:33:2	64	0.1	380	20.2	3800	3756	G	4.92	25.09417	87.09993	Normal
19/12/20	11:33:37	64	0.1	250	10.1	2500	2497	G	3.42	25.09497	87.10044	Normal
19/12/20	11:34:0	64	0.1	270	10.1	2700	2690	G	3.65	25.09561	87.10057	Normal
19/12/20	11:34:13	64	0.1	330	0	3300	3272	G	4.35	25.09649	87.10087	Normal

19/12/20

19.12.2020
A.E

19/12/20

FORM GFR 19-A

(See Government of India's Decision (I) below Rule- 150
Form of Utilization Certificate up to the month - January '2021
MR-3054 Bihar Rural Road Maintenance Policy-2018

PIU - R.W.D. Works Division Bhagalpur.

SL. No.	Name of Scheme	Sanction No. & Date with	Amount (in lacs Rs.)	Amount Received (in Lacs Rs.)	Particulars
1.	Construction of Rural Roads under:- MR-3054 Bihar Rural Road Maintenance Policy-2018				Certified that out of Rs 3,87,06,204=00 Lacs rec during the years 20-21 in favor of Ex. Engineer, Bihar, Bhagalpur a sum of Rs. 3,19,07,130 =00 lacs been utilized for the purpose of MR 3054 Scheme given in the margin for which it was sanctioned and the balance of Rs. 67,99,074.00 remaining unutilized at the end of the period under.
	Total			3,87,06,204	

2. Certified that I have satisfied may self that the conditions on which the grants in aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kinds of Checks exercised-

- Works have been supervised by Executive Engineer/Superintending Engineer
- Periodical inspection has been conducted by Executive engineer/Superintending Engineer
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer / Executive Engineer
- All other codal formalities have been observed.

3. Physical Progress achieved-

- Construction of Road Works
- Construction of C.D. Works

Signature
D.A.O. 6/1/21
Works Division
Rural Work Department

Signature
Executive Engineer
Works Division
Rural Work Department

Signature
6/1/21