

प्रमाणित किया जाता है कि इस मापीयुक्त
में मशीन द्वारा दिये हुए कुल 100 (एक सौ)
पन्ने हैं, जिनमें M.M.G.S.Y. मंद आन्तरिक
जीतापुर से खूदरा भाया समुहता दीलत
वस्ती पत्र का मापी लेने हेतु श्री वदन
प्रसाद सिंह, सहायक अभियन्ता, कार्य अवत
प्रमंडल - मोहानिया के नाम पर निर्गत
किया जाता है।


कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग
कार्य प्रमंडल मोहानिया
मापी
5/12/19

Reissued to Sr. Bhole Basai
Gupta J. E. Sect. R. W. D. Moha
nia


5/12/19
A.C.

Sch. XLV - Form No. 134
M.M.G.S.Y.

Executive Engineer DIVISION

R.W.D. Work Division Mohania

कार्य अवत प्रमंडल - मोहानिया SUB-DIVISION

पत्र का नाम - जीतापुर से खूदरा भाया समुहता
दीलत वस्ती

सहायक अभियन्ता - श्री वदन प्रसाद सिंह

कार्य अवत प्रमंडल - मोहानिया

संवेदक का नाम - कुदरा कन्स्ट्रक्शंस लि०

Measurement Book

No. 379
19-20

Name of officer _____

Date of first entry _____

Date of last entry _____

Record Entry.

1

Name of Work—
Situation of Work—
Agency by which work is executed—
Date of Measurement—
No. and date of agreement

(These four lines should be repeated at the commencement of the measurement relating to each work)

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Name of work - Const.					
of Road from Sitapur					
to Khurdara, under MMGSY.					
Agency - Kudra construction					
Ltd.					
Agreement No-SBD 43/2019-20					
Date of work order 26.10.19					
Date of completion 25.10.20					
(1) P/R and Fixing bench					
mark pillar & Ref.					
Pillar complete as					
per T.S. — 2.20km					
(2) clearing and grubbing					
road land complete					
as per T.S.					
2200.00 x 3.50 m = 7700.00m ²					
= 0.77 Hect.					
(3) P/R and Fixing					
of typical MMGSY					
Informatory S.B.					
& citizen S.B. — 2 Nos.					

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
			B.F	P. 10	8,10,311=00
(15) P/V and applying					
Primer coat with -					
bitumen emulsion					
S-S-1'					
vide & m B item 2, Pg 31					
32 — = 7500.00 m ²					
e R 50.57/m ² B. 379,275=00					
(16) P/V and applying					
Tack coat with -					
bitumen emulsion					
R-S-1.					
vide & m B item 3,					
Pg 32 — 7500.00 m ²					
e R 16.93/m ² B. 126,925=00					
(17) P/V laying and					
rolling of close graded					
graded Premix -					
surfacing material					
20 mm thick.					
vide & m B item 4					
Pg 32 — 7500.00 m ²					
e R 241.25/m ² B. 18,13,125=00					
e to B. 13,129,686=00					

Continuation

Continuation