

प्रमाणित किया जाता है कि—
 इस मापी-पुस्तिका में दर्शा हुआ—
 कुल 100 (एक सौ) पन्ना मात्र है,
 जिसे सहायक अभियंता, ग्रामीण कार्य
 विभाग, मधुका के नाम से निर्गत
 किया जाता है।

12/8/20

कार्यपालक अभियन्ता
 ग्रामीण कार्य विभाग
 कार्य प्रमंडल, मधुका

12/8/20

Sch. XLV-Form No. 134

मधुका DIVISION

मधुका SUB-DIVISION

MMGSY के कन्वर्टर ड्रमरेड पत्र ले
 ड्रमरेड ।

MEASUREMENT BOOK

No. 1435

Name of Officer सहायक अभियंता,

ग्राम कार्य विभाग, मधुका

Date of first entry

Date of last entry

1.

Name of work -

Situation of work -

Agency by which work is executed -

Date of measurement -

No. and date of agreement.

(These four lines should be repeated at the commencement of the measurements relating to each work).

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		Est on A/c bill			
2/1/21 —	Buraith path to Buraith				
	under mangoes (50)				
Agency —	Shyams Baidon Pvt. Ltd.				
Agreement no —	615307/2019-20				
Agreement value —	Rs. 13032270/-				
Date of work start —	17.8.2020				
Date of completion —	16.8.2021				
By —	24.8.2020				

1. p/v & fixing of typical wassy					
informational sign board					
with logo					2 x 10
2. Setting out of marking					
benchmark & reference pillar					2 x 10
3. clearing & grubbing road land					
etc.					
	2 x	8 x	25 x	3 m	1200 m ²
	2 x	8 x	25 x	3 m	1200 m ²
	2 x	8 x	25 x	3 m	1200 m ²
	2 x	8 x	25 x	3 m	1200 m ²
	2 x	8 x	25 x	3 m	1200 m ²
	2 x	8 x	25 x	3 m	1200 m ²
	2 x	2 x	25 x	3 m	300 m ²

Continuation

7500 m²
or 0.75 hectareKumar
24.8.20

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
				12/1/12	1285920 =
6/5 cont. of G.S.B. with materials grade of I					
1256.25 m ³ wide turn p-4					
37.50 m ³ wide turn p-5					
1293.75 m ³ @ B 3423 = 72/m ³					B 4429412 =
7/6 p/v laying spreading and compacting into grade III					
534.381 m ³ wide turn p-4					
28.125 m ³ wide turn p-6					
562.506 m ³ @ B 4428 = 32/m ³					B 2490957 =
8/7 p/v & applying primer coat with bitumen emulsion (SS1)					
4682.50 m ² wide turn p-7					
@ B 51 = 91/m ²					B 243328 =
9/8 p/v & applying tack coat with bitumen emulsion (R ₃₀)					
4682.50 m ² wide turn p-7					
@ B 17 = 33/m ²					B 83578 =
10/9 p/v laying & rolling 20 mm thick over B ₃₀ surface					
4682.50 m ² wide turn p-7					
@ B 241 = 96/m ²					B 1134188 =
11/16 p/v in excavation for reinforcement at structure					
48.60 m ³ wide turn p-10					
@ B 336 = 38/m ³					B 16348 =

Continuation of B 9683731 =

Continuation