## कार्यपालक अभियंता का कार्यालय, ग्रामीण कार्य विभाग, कार्य प्रमंडल, अरवल।

पत्रांकः 32 /

अरवल, दिनांक 12-01-2021

प्रेषक,

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, अरवल।

सेवा में.

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव, बिहार ग्रामीण पथ विकास अभिकरण, पटना।

विषय :- मुख्यमंत्री ग्राम सम्पर्क योजना (SC) के वित्तीय वर्ष 2020-21 में व्यय हेतु निधि के आवंटन के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि मुख्यमंत्री ग्राम सम्पर्क योजना (SC) के वित्तीय वर्ष 2020-21 में राशि आवन्टित किया जाय। आवंटन की अधियाचना से संबंधित प्रतिवेदन संलग्न कर समर्पित की जा रही है।

अनु0 — यथोक्त। (आवन्टन की मॉग हेतु प्रपत्र)

> विश्वासम्पूजन कार्यपालक अभियंता. ग्रामीण कार्य विभाग. कार्य प्रमुडल अरवल।

### FORM GFR 19-A

(Government of India's Decision (1) below Rules-150 Form of Utilization Certificate up to the month of January- 2020

### MUKHYA MANTRI GRAM SAMPARK YOJANA (SC)

STATE - BIHAR PIU - E.E, R.W.D, WORKS DIVISION, ARWAL

SI No	Name of Scheme	Sanction number and date with Amount (In Rs. Lacs)	Amount Received (In Rs. Lacs)	Particulars
I.	Construction of Rural Ronds under MMGSY (SC)	Up to March 2020 78 dt 15.05.2020 92 dt 03.06.2020 123 dt 13.08.2020 132 dt 27.08.2020 147 dt 09.09.2020 154 dt 18.09.2020 169 dt 29.09.2020 190 dt 07.12.2020	1319.62290 20.00000 76.89493 65.28290 20.39019 70.11685 169.77314 44.49747 40.64590	Certified that out of 1827.22428 Lacs received during the year 2020 & 2021 in favor of Engineer - in- chief, RWD, Bihar, Patna a sum of 1623.94749 Lacs has been utilized for the purpose of MMGSY (SC) Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 203.27679 Lacs remaining unutilized at the end of the period under:
	Total		1827,22428	

- 2. Certified that I have satisfied myself that the conditions on which the grant in aid was sanctioned have been duly fulfilled / are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.
  Kinds of Checks exercised:-
  - (i) Works has been supervised by Executive Engineer / Superintending Engineer.
  - (ii) Periodical Inspection has been conducted by Executive Engineer / Superintending Engineer
  - (iii) Construction Materials have been tested.
  - (iv) Measurements have been recorded in the MB and test checks conducted by the Assistant.
  - (v) All other codal formalities have been observed.

Memo No 32_	
-------------	--

Dated 12-01-2021

Copy forwarded to Secretary- Cum- Empowered Officer (BRRADA), Patna for taking necessary action,

Rural Works Department Works Division, Arwal. Executive Engineer Rural Works Department, Works Division, Arwal.

## Rural Works Department

# MMGSY (SC.) Allotment Requisition Format

ŵ		_	ы [			=			ž ž		Z mic
2019-20		2019-20	2019-20		hd		Year			of Divisi	
Chhapara Pmgsy Arwal Jehanabad Road to Kajichak			Road to Bhuapur. Biku Bigha to Prasadi English To		ū			Name of Road		Name of Division: - Key D. Vector of the Control of	
Construction & Co.	M/x Man	Constituent of co.	M/s. Man Kamakhya	Construction & Co.	NI/s. Man Kumukhya		-		Xalife of Continuous	Control	STREET, STREET
1.350			1,420		1.030		V.	(in some	Length	Administrative Sunction	
	10,95249 25.49894 25.49894 25.49894		87.67000		82,190		æ.	Carper a water a T	Λοιοιαπ	tranvé	
			1.420 87.67000 74.49611		1.030 82.190 70.93061		-4.		Mann Work	Agreement Amitunt (In Lucs)  Main Work   Mainten	
			15.87422		6.91660		×		Maintenance	rement Amount (In Lacs)	
			7.16716		40,44398		*	0	(In Lass)	Allidmeni Received	
			7.16716		40,44398			(m Excs)		Tatal Lapendrimous per MIS	
			7,16716		40,44398 40,44398				14.450.00	NesionsValue of Measonment (ex Laps)	
	24,75550	73.36661			65 24431 24.80033 Complete				The state of the s	Manufacol Manufacol	
	29,46056			210012	24.89033		- contra		199	Dengind (in Lacs)	
	73.36661 66.19945 Complete 54.95950 29.46056 Complete				Company	Commission				Remark	

Works have been Supervised by the Authority concerened

Rural Works Department Work Division Arwal

Executive Engineer
Rural Works Department
Rural Works Division Arwal

Carbled trait

All reports of laboratory test have been received and found satisfactory. All Works have been done as per specification of estimate and Agreement