

MMGS) SC असक वरामाताताप्रसुम  
PMGS) खजातना टालातय प्रसुम

Schedule XLV-Form No 134

33-330/19

ST. B. DIVISION

संस्कृत-सुसर्ग-होमः

**SUB-DIVISION**

# Measurement Book

मार्गप्रत्यक्षसूत्रा - १५३/२०७७ - २०



प्रमाणित किया जाता है कि  
इस मापी पुस्तक में मुद्रित रूप से  
पन्ने हैं जो प्री प्रिन्ट शरी प्रसाद  
राम सुहायक अभियन्ता ग्रामीण  
कार्य विभाग काय अवर प्रमंडल  
रानी राज के नाम से निवेदित किया  
जाता है।

कार्यपालक अभियन्ता  
ग्रामीण कार्य विभाग  
कार्य प्रमंडल-कारदिसगल  
26/2  
26/09/19

Sch. XLV—Form No. 134

C.C. 602602 DIVISION  
M.C. 188344 SUB-DIVISION

**Measurement Book**

No. 143.  
20/9.20

Name of Officer \_\_\_\_\_

Date of first entry \_\_\_\_\_

Date of last entry \_\_\_\_\_

Particulars	Details of actual measurement				Contents or area
	No.	L.	B.	D.	
- bar in substructure					
- do all cast.					
0-20 mT note p-14					
@ 71013.53/mT					14,203=00
(19/34) prov. and laying					
heaving course do all cast					
0-58 m - note p-14					
@ 15322.56/m <sup>3</sup>					8848=00
(20/8) prov. laying w.d.m. 42-3					
with stone screening do all cast					
227.25 m - note p-15					
@ 4784.50/m <sup>3</sup>					10,87,278=00
(21/12) Cont. of 4m reinforcement					
plain cement concrete pavement					
msc do all cast					
60.60 m <sup>2</sup> - note p-15					
@ 8236.77/m <sup>2</sup>					4,99,148=00
(22/9) prov. and applying prime					
coat (SS-1) do all cast					
2651.25 m <sup>2</sup> - note p-17					
@ 55.72/m <sup>2</sup>					1,47,728=00
(23/10) prov. and applying tack					
coat (PS-1) do all cast					
2651.25 m <sup>2</sup> - note p-17					
@ 18.91/m <sup>2</sup>					50,130=00
(24/11) prov. laying and					
rolling mix & seal surface					
do all cast					
2651.25 m <sup>2</sup> - note p-17					
@ 260.74/m <sup>2</sup>					6,91,287=00
(25/13) laying brick paving					
on prepared do all cast					
100.00 m <sup>2</sup> - note p-18					
@ 500.11/m <sup>2</sup>					50,011=00
(26/14) prov. and fixing					

Continuation



Sch. XLV—Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
- m m b sy Informatory sign					
board - do - all comp.					
01 Has - vide p - 18					
① 12027.43 / each				B 12	027 = 00
(27/15) prov. and fixing m m b sy					
Citizen information board					
do - all comp.					
02 Has - vide p - 18					
① 12027.43 / each				B 24	055 = 00
(28/16) prov. and fixing of retro					
reflective paint - do - do					
02 Has - vide p - 18					
① 10058.51 / each				B 20	117 = 00
(29/17) prov. and fixing of retro					
reflective paint - do - do					
01 Has - vide p - 18					
① 10058.51 / each				B 10	058 = 00

(30/18) prov. and fixing Direction					
and place identification - do					
do - all comp.					
03 Has - vide p - 18					
① 12737.67 / each				B 38	219 = 00
(31/19) prov. and fixing Kilometer					
stone - do - all comp.					
01 Has - vide p - 18					
① 2508.26 / each				B 25	08 = 00
(32/20) prov. 200 m Stone					
post - do - all comp.					
04 Has - vide p - 19					
① 681.20 / each				B 27	25 = 00
(33/21) Road marking with					
hot applied - do - all comp.					
141.40 m <sup>2</sup> limit + do - p - 18					
+ 40.0 m <sup>2</sup> @ 850.80 / m <sup>2</sup>				B 119	112 = 00
(34/22) prov. and laying of hot					
applied thermoplastic -					

Continuation

