

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल बाँका - 1

पत्रांक 56

बाँका/

दिनांक 15.01.2021

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल बाँका - 1

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव
बिहार ग्रामीण पथ विकास अभिकरण पटना।

विषय : -गैर योजना मद शीर्ष 3054 एम0आर0 योजना अन्तर्गत आवंटन के संबंध में।

महाशय,

उपर्युक्त विषयक से संबंधित एम0आर0 योजना अन्तर्गत संवेदक द्वारा कराए गये कार्यों के भुगतान हेतु विहित प्रपत्र में अधियाचित राशि रूपया **148.72106/-**लाख का आवंटन उपलब्ध कराने की कृपा की जाय। ताकि संवेदक को भुगतान किया जा सके।

अनु0:-

1. अधियाचनाप्रपत्र
2. IRI Report

विश्वासभाजन


कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल बाँका-1

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल बाँका - 1

पत्रांक

बाँका /

दिनांक

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल बाँका - 1

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव
बिहार ग्रामीण पथ विकास अभिकरण पटना।

विषय : -गैर योजना मद शीर्ष 3054 एम0आर0 योजना अन्तर्गत आवंटन के संबंध में।

महाशय,

उपर्युक्त विषयक से संबंधित एम0आर0 योजना अन्तर्गत संवेदक द्वारा कराए गये कार्यों के भुगतान हेतु विहित प्रपत्र में अधियाचित राशि रूपया **148.72106**-लाख का आवंटन उपलब्ध कराने की कृपा की जाय। ताकि संवेदक को भुगतान किया जा सके।

अनु0:-

1. अधियाचनाप्रपत्र
2. IRI Report

विश्वासभाजन

8/1 ✓

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल बाँका-1

ज्ञापांक- /बाँका, 56

दिनांक-15.01.2021

प्रतिलिपि-मुख्य अभियंता-4, ग्रामीण कार्य विभाग, बिहार पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित।

15-01-21

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल बाँका-1

Name of Division : Banka-I

Requisition format for Scheme Head - MR 3054 Under Bihar Rural Road Maintenance Policy 2018 (In Rectification and Surface Renewal)

SL.No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (In Lac)		Agreement No. & Date	Date of Completion as per Agreement	Actual of Completion Date	Value of IRI (In Km)	Thickness of Bitumen Layer (In mm)	Value of Bitumen Content in %	Previous Total Allotted Amount (In Lac)	Up to date expenditure as per MIS (In Lac)	Requisition Against work done (In Lac)	Remarks
					Length (In Km.)	Amount (In Lac)	Initial Rectification on Surface Renewal (In Lac)	5 Years Routine Maintenance (In Lac)										
1	MR-N/20-21 BANKA-I/17	Banda Belhar PWD Road (Bodhina More) to Bishampur	27351036034	6274 & 02.12.2019	4.620	167.028	123.17996	51.12323	6 MBD / 2020-21	03-05-2021	10-12-2020	3.75	25	5	55.09900	55.099	68.08096	Completed
		Belhar Sahelgang RCD Road (Pachrukhi more) to Pasa	20703501006	6274 & 02.12.2019	9.050	393.658	286.84906	98.74345	6 MBD / 2020-21	03-05-2021	06-12-2020	3.55	25	5	138.12800	138.128	148.72106	Completed

Executive Engineer
Rural Works Department
Works Division Banka-I

S.R. Divisional Account Officer

R.W.D. (W) Div. Banka-01

Name of Customer : Anil Kumar Singh

Name of Work/ Road : Belhar Sahebganj RCD Road (Pachrukhi more) to Pasia

Date	Time	Section	Length	Bumps	Speed	OR		CATEGORY	IRI	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	UIV	ROAD				
14-12-2020	17: 0: 0	32	0.1	320	20.2	3200	3141	G	3.09	28.66604	77.18153	Normal
14-12-2020	17: 0: 0	32	0.2	330	20.2	3300	3226	G	3.38	28.66680	77.18190	Normal
14-12-2020	17: 0: 18	32	0.3	330	30.3	3300	3220	G	3.39	28.66770	77.18229	Normal
14-12-2020	17: 0: 18	32	0.4	340	20.2	3400	3320	G	3.39	28.66848	77.18268	Normal
14-12-2020	17: 1: 0	32	0.5	340	20.2	3400	3394	G	3.79	28.66941	77.18311	Normal
14-12-2020	17: 1: 28	32	0.6	340	20.2	3400	3383	G	3.73	28.67001	77.18370	Normal
14-12-2020	17: 1: 28	32	0.7	370	30.3	3700	3641	G	3.09	28.66995	77.18468	Normal
14-12-2020	17: 2: 0	32	0.8	370	30.3	3700	3614	G	3.09	28.66991	77.18563	Normal
14-12-2020	17: 3: 35	32	0.9	320	30.3	3200	3147	G	3.37	28.66991	77.18573	Normal
14-12-2020	17: 3: 35	32	1	390	30.3	3900	3899	G	3.3	28.66991	77.18563	Normal
14-12-2020	17: 4: 10	32	1.1	300	20.2	3000	2978	G	3.3	28.66991	77.18562	Normal
14-12-2020	17: 4: 10	32	1.2	340	10.1	3400	3394	G	3.79	28.66991	77.18562	Speed Breaker
14-12-2020	17: 4: 45	32	1.3	360	30.3	3600	3562	G	3.99	28.66991	77.18562	Normal
14-12-2020	17: 4: 45	32	1.4	380	30.3	3800	3720	G	3.39	28.66991	77.18562	Normal
14-12-2020	17: 4: 45	32	1.5	320	30.3	3200	3147	G	3.37	28.66991	77.18562	Normal
14-12-2020	17: 5: 21	32	1.6	340	30.3	3400	3305	G	3.78	28.66960	77.18756	Normal
14-12-2020	17: 17: 6	32	1.7	340	30.3	3400	3394	G	3.79	28.66974	77.18662	Normal
14-12-2020	17: 17: 42	32	1.8	340	20.2	3400	3327	G	3.78	28.66978	77.18566	Normal
14-12-2020	17: 17: 42	32	1.9	330	10.1	3300	3226	G	3.38	28.66984	77.18468	Normal
14-12-2020	17: 18: 17	32	2	390	10.1	3900	3899	G	3.3	28.66992	77.18355	Speed Breaker
14-12-2020	17: 18: 17	32	2.1	390	10.1	3900	3888	G	3.38	28.66996	77.18438	Normal
14-12-2020	17: 18: 17	32	2.2	330	30.3	3300	3126	G	3.38	28.66991	77.18540	Normal
14-12-2020	17: 19: 0	32	2.3	360	30.3	3600	3562	G	3.99	28.66985	77.18636	Normal
14-12-2020	17: 19: 0	32	2.4	320	10.1	3200	3147	G	3.37	28.66972	77.18734	Normal
14-12-2020	17: 19: 0	32	2.5	370	20.2	3700	3641	G	3.09	28.66947	77.18835	Normal
14-12-2020	17: 19: 0	32	2.6	330	30.3	3300	3226	G	3.38	28.66925	77.18921	Normal
14-12-2020	17: 19: 28	32	2.7	320	30.3	3200	3147	G	3.37	28.66899	77.19019	Normal
14-12-2020	17: 19: 28	32	2.8	380	30.3	3800	3720	G	3.39	28.66869	77.19130	Normal
14-12-2020	17: 19: 28	32	2.9	320	10.1	3200	3136	G	3.3	28.66844	77.19199	Normal
14-12-2020	17: 20: 3	32	3	390	20.2	3900	3869	G	3.3	28.66869	77.19103	Normal
14-12-2020	17: 20: 3	32	3.1	320	30.3	3200	3147	G	3.37	28.66895	77.19000	Normal
14-12-2020	17: 20: 3	32	3.2	310	20.2	3100	3068	G	3.37	28.66921	77.18904	Normal
14-12-2020	17: 20: 38	32	3.3	310	10.1	3100	3018	G	3.37	28.66947	77.18808	Speed Breaker
14-12-2020	17: 20: 38	32	3.4	320	30.3	3200	3147	G	3.37	28.66968	77.18707	Normal
14-12-2020	17: 21: 0	32	3.5	300	30.3	3000	2978	G	3.3	28.66975	77.18596	Normal
14-12-2020	17: 24: 10	32	3.6	370	30.3	3700	3641	G	3.09	28.66984	77.18500	Normal
14-12-2020	17: 26: 0	32	3.7	370	30.3	3700	3641	G	3.09	28.66989	77.18397	Normal
14-12-2020	17: 26: 31	32	3.8	350	30.3	3500	3473	G	3.89	28.66998	77.18394	Normal
14-12-2020	17: 27: 6	32	3.9	320	20.2	3200	3136	G	3.3	28.66991	77.18490	Speed Breaker
14-12-2020	17: 27: 6	32	4	370	10.1	3700	3641	G	3.09	28.66987	77.18598	Normal
14-12-2020	17: 27: 41	32	4.1	380	10.1	3800	3720	G	3.39	28.66980	77.18697	Normal
14-12-2020	17: 27: 41	32	4.2	370	10.1	3700	3641	G	3.09	28.66961	77.18798	Normal
14-12-2020	17: 28: 0	32	4.3	330	30.3	3300	3126	G	3.38	28.66938	77.18889	Normal
14-12-2020	17: 28: 17	32	4.4	370	30.3	3700	3641	G	3.09	28.66911	77.18990	Normal

$$Y = 0 * X^2 + 0.789 * X + 100.5$$

$$X = 6800$$

$$Y = 5465$$

(B) BITUMINOUS CONC.

Good Average Poor
<2000 2000-3000 >3000

14-12-2020	17: 28: 17	32	4.5	360	10.1	3600	3562	G	3.99	28.66884	77.19088	Speed Breaker
14-12-2020	17: 28: 52	32	4.6	390	20.2	3900	3879	G	3.3	28.66854	77.19187	Normal
14-12-2020	17: 29: 27	32	4.7	330	30.3	3300	3136	G	3.3	28.66856	77.19146	Normal
14-12-2020	17: 29: 27	32	4.8	360	30.3	3600	3562	G	3.99	28.66882	77.19045	Normal
14-12-2020	17: 30: 3	32	4.9	360	30.3	3600	3568	G	3.99	28.66906	77.18956	Normal
14-12-2020	17: 30: 3	32	5	350	10.1	3500	3484	G	3.89	28.66933	77.18857	Normal
14-12-2020	17: 30: 3	32	5.1	330	20.2	3300	3247	G	3.37	28.66958	77.18764	Normal
14-12-2020	17: 30: 38	32	5.2	300	20.2	3000	2978	G	3.3	28.66972	77.18658	Normal
14-12-2020	17: 41: 32	32	5.3	370	30.3	3700	3641	G	3.09	28.66983	77.18519	Normal
14-12-2020	17: 42: 0	32	5.4	370	30.3	3700	3638	G	3.09	28.66989	77.18409	Normal
14-12-2020	17: 43: 30	32	5.5	330	30.3	3300	3215	G	3.7	28.66991	77.18562	Normal
14-12-2020	17: 43: 30	32	5.6	340	20.2	3400	3375	G	3.78	28.66991	77.18562	Normal
14-12-2020	17: 44: 3	32	5.7	340	20.2	3400	3335	G	3.78	28.66991	77.18562	Normal
14-12-2020	17: 44: 3	32	5.8	360	10.1	3600	3562	G	3.99	28.66962	77.18754	Normal
14-12-2020	17: 44: 3	32	5.9	350	10.1	3500	3484	G	3.89	28.66925	77.18852	Normal
14-12-2020	17: 44: 38	32	6	350	20.2	3500	3464	G	3.89	28.66889	77.18943	Speed Breaker
14-12-2020	17: 44: 38	32	6.1	350	20.2	3500	3482	G	3.89	28.66849	77.19040	Bridge
14-12-2020	17: 45: 0	32	6.2	300	30.3	3000	2958	G	3.3	28.66810	77.19138	Normal
14-12-2020	17: 54: 19	32	6.3	380	30.3	3800	3720	G	3.39	28.66982	77.18562	Normal
14-12-2020	17: 54: 19	32	6.4	330	10.1	3300	3226	G	3.38	28.66984	77.18463	Normal
14-12-2020	17: 55: 0	32	6.5	390	30.3	3900	3795	G	3.3	28.66977	77.18362	Normal
14-12-2020	17: 55: 0	32	6.6	330	20.2	3300	3264	G	3.38	28.66910	77.18300	Normal
14-12-2020	17: 55: 30	32	6.7	390	10.1	3900	3858	G	3.38	28.66833	77.18263	Speed Breaker
14-12-2020	17: 55: 30	32	6.8	330	30.3	3300	3248	G	3.3	28.66751	77.18227	Normal
14-12-2020	17: 56: 5	32	6.9	300	20.2	3000	2951	G	3.3	28.66665	77.18184	Normal
14-12-2020	17: 56: 5	32	7	380	10.1	3800	3773	G	3.39	28.66579	77.18143	Normal
14-12-2020	17: 56: 5	32	7.1	330	30.3	3300	3264	G	3.3	28.66498	77.18104	Normal
14-12-2020	17: 56: 40	32	7.2	390	30.3	3900	3847	G	3.38	28.66407	77.18064	Normal
14-12-2020	17: 58: 25	32	7.3	370	30.3	3700	3683	G	3.03	28.66352	77.18013	Normal
14-12-2020	17: 59: 1	32	7.4	350	30.3	3500	3464	G	3.89	28.66366	77.17918	Normal
14-12-2020	17: 59: 36	32	7.5	380	30.3	3800	3752	G	3.33	28.66381	77.17810	Normal
14-12-2020	18: 0: 0	32	7.6	380	10.1	3800	3738	G	3.33	28.66396	77.17717	Speed Breaker
14-12-2020	18: 0: 11	32	7.7	380	10.1	3800	3698	G	3.33	28.66426	77.17616	Normal
14-12-2020	18: 1: 0	32	7.8	340	10.1	3400	3372	G	3.7	28.66471	77.17525	Normal
14-12-2020	18: 2: 0	32	7.9	300	20.2	3000	2834	G	3.33	28.66515	77.17438	Normal
14-12-2020	18: 2: 32	32	8	330	30.3	3300	3254	G	3.37	28.66562	77.17359	Normal
14-12-2020	18: 2: 32	32	8.1	300	20.2	3000	2947	G	3.33	28.66596	77.17263	Normal
14-12-2020	18: 3: 7	32	8.2	330	20.2	3300	3215	G	3.33	28.66608	77.17200	Normal
14-12-2020	18: 3: 43	32	8.3	330	30.3	3300	3205	G	3.33	28.66617	77.17067	Normal
14-12-2020	18: 4: 0	32	8.4	380	10.1	3800	3787	G	3.07	28.66651	77.16975	Speed Breaker
14-12-2020	18: 4: 18	32	8.5	330	20.2	3300	3225	G	3.37	28.66692	77.16879	Normal
14-12-2020	18: 4: 18	32	8.6	300	20.2	3000	2956	G	3.33	28.66732	77.16790	Normal
14-12-2020	18: 4: 18	32	8.7	300	30.3	3000	2895	G	3.38	28.66771	77.16697	Normal
14-12-2020	18: 5: 0	32	8.8	300	20.2	3000	2967	G	3.38	28.66810	77.16611	Normal
14-12-2020	18: 5: 0	32	8.9	390	20.2	3900	3888	G	3.38	28.66855	77.16515	Normal
14-12-2020	18: 5: 0	32	9	370	20.2	3700	3630	G	3.09	28.66895	77.16426	Normal
14-12-2020	18: 5: 29	32	9.1	300	20.2	3000	2967	G	3.38	28.66934	77.16333	Normal

Sharma
14.12.2020
J-E

Junior Engineer

Prifam
14.12.2020

Asstt. Engineer
Rural Works Department
Works Division, Banka-I

S. S. S.
14.12.20

Executive Engineer
Rural Works Department
Works Division, Banka-I

Lab Job number :32

Date :14-12-2020

Customer :Anil Kumar Singh

Sahebganj RCD Road (Pachrukhi more) to Paisa

Sr.no	Location of test(in km)	Corrected U.I value(mm/km)	Road catagory
1	0.1	3141	G
2	0.2	3226	G
3	0.3	3220	G
4	0.4	3320	G
5	0.5	3394	G
6	0.6	3383	G
7	0.7	3641	G
8	0.8	3614	G
9	0.9	3147	G
10	1	3899	G
11	1.1	2978	G
12	1.2	3394	G
13	1.3	3562	G
14	1.4	3720	G
15	1.5	3147	G
16	1.6	3305	G
17	1.7	3394	G
18	1.8	3327	G
19	1.9	3226	G
20	2	3899	G
21	2.1	3888	G
22	2.2	3126	G
23	2.3	3562	G
24	2.4	3147	G
25	2.5	3641	G
26	2.6	3226	G
27	2.7	3147	G
28	2.8	3720	G
29	2.9	3136	G
30	3	3869	G
31	3.1	3147	G
32	3.2	3068	G
33	3.3	3018	G
34	3.4	3147	G
35	3.5	2978	G
36	3.6	3641	G
37	3.7	3641	G
38	3.8	3473	G
39	3.9	3136	G
40	4	3641	G
41	4.1	3720	G
42	4.2	3641	G
43	4.3	3126	G
44	4.4	3641	G
45	4.5	3562	G
46	4.6	3879	G
47	4.7	3136	G
48	4.8	3562	G
49	4.9	3568	G

50	5	3484	G
51	5.1	3247	G
52	5.2	2978	G
53	5.3	3641	G
54	5.4	3638	G
55	5.5	3215	G
56	5.6	3375	G
57	5.7	3335	G
58	5.8	3562	G
59	5.9	3484	G
60	6	3464	G
61	6.1	3482	G
62	6.2	2958	G
63	6.3	3720	G
64	6.4	3226	G
65	6.5	3795	G
66	6.6	3264	G
67	6.7	3858	G
68	6.8	3248	G
69	6.9	2951	G
70	7	3773	G
71	7.1	3264	G
72	7.2	3847	G
73	7.3	3683	G
74	7.4	3464	G
75	7.5	3752	G
76	7.6	3738	G
77	7.7	3698	G
78	7.8	3372	G
79	7.9	2834	G
80	8	3254	G
81	8.1	2947	G
82	8.2	3215	G
83	8.3	3205	G
84	8.4	3787	G
85	8.5	3225	G
86	8.6	2956	G
87	8.7	2895	G
88	8.8	2967	G
89	8.9	3888	G
90	9	3630	G
91	9.1	2967	G

Skumar
14.12.2020
J.E.

Junior Engineer

Prifam
14.12.2020

Asstt. Engineer
Rural Works Department
Works Division, Banka-I

S. S. S.
14.12.20

Executive Engineer
Rural Works Department
Works Division, Banka-I

Name of Customer : Anil Kumar Singh
Name of Work/ Road : Belhar Sahebganj RCD Road (F
Lab Job number : 32
Date : 14-12-2020
Section No. : 32


Test Date : 14-12-2020 Road Name : pad (Pachrukhi more) to Paisa
Machine No : 407 Road Type : (R) RURAL ROAD
Start S No : Side : Interval
Start E No :
Weather : UIV Range : 1834 To 5000 1000 mm/km
Start Location : Dist Range : 0 To 9.2 0.1 * 1000 m
End Location : Equation : $Y = 0 * X^2 + 0.789 * X + 100.5$

Print

Generate Report and Graph

Redraw Graph

Map View



Skumar
14.12.2020
J.E.

Prifam
14.12.2020

S. L. D. S.
14.12.20



Skumar
14.12.2020
J.E.

Prifam
14.12.2020

Sulidas
14.12.20