PDF Compressor Free Version Report for Flood Damage Work

D	_	•		e.
407	-	1	ρ	•
\sim	ч			

1,	Name of PIUs	RND	MORKS	noienia	· Gropalganj-2
----	--------------	-----	-------	---------	----------------

2. Name of Block/Road - Sidhwalia NH28 to Mohammad pur vaishay toli

A. For Road

1. Damage Location/Chainage 2. Damage Length

3. Nature of Damage + Road washout & partially wout

4. Details of Restoration Works

i. ' Material being used in Restoration works: Brick bats

ii. . Equipments/Tools being used in Restoration works: JCB, Tractor with Folly

iii. Procedure taken up in Restoration works:

Restored Length iv.

: 110 M

B. For Bridge

1. Damage Location/Chainage

2. Damage Length

3. Nature of Damage

4. Details of Restoration Works

Material being used in Restoration works: i.

Equipments/Tools being used in Restoration works: ii.

Procedure taken up in Restoration works: iii.

Restored Length iv.

(Name of Inspector)



ग्रामीण कार्य विभाग

Rural Works Department, Govt of Bihar

FLOOD DAMAGED REPAIR (F.D.R)

STATE :- BIHAR DISTRICT :- GOPALGANJ BLOCK :- SIDHWALIA

NH28 to Mohammadpur Vaishay Toli

ESTIMATED COST RS 1407650.00

SUBMITTED BY: EXECUTIVE ENGINEER RWD (W) DIVISON -GOPALGANJ - 2 **PDF Compressor Free Version**

Report.

Name of work

: -NH28 to Mohammadpur Vaishay Toli

Estimated Cost

:- Rs 1407650.00

Total length of road :- 0.8

Description :- The present estimate has been framed under the supervision of Assistant engineer in accordance with the order of Executive Engineer, RWD, WD Gopalganj-2 , letter no - 1574 dated 18-08-2020. The part of above mentioned road has been damaged due to heavy rain/flood. And due to this damage the transportation has been obstructed . The immediate motorable work is necessary in public interest . Villagers will be benefitted by the completion of this motorable work.

In the estimate there has been a provision of repairing the damaged part of the road & making motorable by filling brickbats. There has also been a provision of filling sands in the empty cement packets, and afterward putting those sand bags along the borders of road . This provision has a purpose to put a check on the erosion of embankment along the road .

In this estimate the rate of raw materials and labour wages has been prepared after the analysis of new rate. This estimate is as per the specifications. The estimate is devoted to technical and administrative acceptance.

PDF Condetailed Estimate For Motorable Work in road from NH28 to Mohammadpur Vaishay Toli damaged due to Heavy rain / Flood for Year . 2020-2021

Sr.	Items	no.	L (M.)	W M.)	Dan		The control		
	Providing brick bats billed in ditches including all cost of Labour & Material with all complete job.		2 (11.)	** 141.)	D (M.)	Qty.	unit	rate	Amount
	CH- 0 M	1	5.00	2.00	0.60	Telescon .			
_	CH-10 M	1	13.00		0.60	6.00	M^3		
	CH-100 M	+		3.50	0.60	27.30	M^3		
	CH-200 M	- k	34.00	3.00	0.90	91.80	M^3		
		I	27.00	4.00	1.00	108.00	M^3		
	CH- 250 M		1						
	Ditch	1	31.00	5.00	1.00	155.00	M ³		
	Embankment	1	31.00		S-19/19/01		-		
			31.00	4.00	1.50	186.00	M^3	241211	1384792-
	Add 1% contigency	+				574.10	M^3	24 27.65	1393713.87
	- Paris Paris I							138482	13937.14
		-						Total	1407651.00
		_		223				Say	1407650.00

Suy K. 13. 986 len

Minety Eight Thousand of 814 17 und ved) only

Superintending Enginee RWD Work, Circle-Siwan