

कार्यपालक अभियंता का कार्यालय

ग्रामीण कार्य विभाग, कार्य प्रमंडल बेतिया।

पत्रांक:- 252 / बेतिया दिनांक:- 22/01/21 /

प्रेषक,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल, बेतिया

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार राज्य ग्रामीण पथ विकास अभिकरण,
बिहार, पटना।

विषय:- MR(3054) New Maintenance Policy 2018 योजना अन्तर्गत निर्माण कार्य की राशि की अधियाचना के संबंध में।


महाशय,

उपर्युक्त विषय के संबंध में कहना है कि MR(3054) New Maintenance Policy 2018 योजना अन्तर्गत भुगतान हेतु अधियाचना विहित प्रपत्र में तैयार कर आवश्यक अग्रेतर कार्रवाई हेतु समर्पित किया जाता है। अधियाचना प्रपत्र के साथ उपयोगिता प्रमाण पत्र भी संलग्न है।

अतः निवेदन है कि अधियाचित राशि विमुक्त करने की कृपा की जाय ताकि कराये गये कार्य का भुगतान किया जा सके।

अनु०- यथोक्त।


विश्वासभाजन


कार्यपालक अभियंता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, बेतिया

ज्ञापांक- 252

दिनांक- 22/01/21

प्रतिलिपि:- नोडल पदाधिकारी, MR(3054) New Maintenance Policy 2018, ग्रामीण कार्य विभाग, बिहार पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित।


कार्यपालक अभियंता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, बेतिया

22/01/21

Requisition Format for Scheme Head - MR(3054) under Bihar Rural Road Maintenance Policy- 2018 (Initial Rectification and surface Renewal)

Name of Division :- Bettiah

Name of Circle :- Bettiah

Sl. No	Package No.	Name of Road	Project ID as per MIS	Administrative Sanction Letter No & Date	Administrative Approval (AA)		Agreement Amount (in Lac)		Agreement No. & Date	Date of Completion (as per Agreement)	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in km)	Amount (in Lakh)	Initial Rectification with surface Renewal (in Lakh)	5 Years Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20 BETTIAH-07	Bettiah Aaraj Panch Rd Nawka Tola to Lillapatti	31808801002	It 2067, 04.07.2019	8.000	247.512	149.65317	72.63069	119 MBD/3054MR-0 N/2019-20	11.11.202		3232.86	25mm	5%	74.000000	74.000000	75.65000	

- 1 Signed Hard Copy and Soft Copy (in excel) of Recorded IRI is enclosed.
- 2 Up-to-date Physical Progress has been uploaded in MIS.

DIV. ACCOUNTS OFFICER
R.W.D. Works Division, Bettiah

22.01.2021

Executive Engineer
R.W.D. Works Division, Bettiah
24/01/21

FORM GFR 19-A

(See Government of India's decision (I) below rule- 150)

Form of Utilization certificate up to the month of Dec-2020

PIU:- E.E RWD(W)DIV-Bettiah

SL. NO.	Name of Schemes	Sanction No.& Date with Amount (In Lacs)	Amount received (In Lacs)	Particulars
1	2	3	4	5
1	MR (3054) New Maintenance Policy 2018	Lt- 29, Dated-06.05.2020	141.7000	Certified that out of Rs.3413.787 Lacs of grants-in-aid sanctioned during the years December 2020 in favour of Executive Engineer , R. W. D. Works Division, Bettiah a sum of Rs. 3035.60960 Lacs has been utilized for the purpose of MR(3054) Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 378.1774 Lac remaining unutilized at the end of the period under report.
		Lt- 35, Dated-21.05.2020	23.9100	
		Lt- 37, Dated-27.05.2020	66.7800	
		Lt- 42, Dated-04.06.2020	136.1000	
		Lt- 45, Dated-18.06.2020	261.5630	
		Lt- 47, Dated-24.06.2020	55.0000	
		Lt- 61, Dated-26.08.2020	436.1700	
		Lt- 65, Dated-09.09.2020	106.0000	
		Lt- 66, Dated-15.09.2020	143.0000	
		Lt- 69, Dated-24.09.2020	251.8500	
		Lt- 72, Dated-07.10.2020	155.4800	
		Lt- 77, Dated-14.10.2020	218.8200	
		Lt- 78, Dated-29.10.2020	566.6500	
		Lt- 80, Dated-05.11.2020	204.0700	
		Lt-82, Dated-13.11.2020	311.6900	
		Lt-84, Dated-26.11.2020	105.9400	
		Lt-86, Dated-11.12.2020	229.0640	
		TOTAL	3413.78700	

2. Certified that I have satisfied myself that the conditions on which the grant-in-aid was sanctioned have been duly fulfilled, are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kinds of checks exercised:-

- Works has been supervised by Executive Engineer / Superintending Engineer.
- Periodic as inspection has been conducted by Executive Engineer / Superintending Engineer.
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer
- All other codal formalities have been observed.

3. Physical Progress achieved:-

- Construction of Road Works.
- Construction of CD Works.

22.01.2021
DIV ACCOUNTS OFFICER
R.W.D. Works Division, Bettiah


21/1/21
EXECUTIVE ENGINEER
R.W.D. Works Division, Bettiah

Test Date :	22/05/2020	Road Name :	400 Feet Road a 700 to L. Export
Machine No :	402	Road Type :	(F) RURAL ROAD
Start S No :		Side :	
Start E No :		Interval :	
Weather :		UV Range :	1476 To 5000 1000 mm/km
Start Location :	At Avera's patch	Dist Range :	0 To 100 1000 m
End Location :	Ulirapath	Elevation :	0 - 2 - 0.847 - X + 213.5

Redraw Graph

Map View

File C:\Users\BHRD0429\Desktop\23112020\Bethrah Averaj Pitch Rd Nawka Tola to Lallapatti.xlsx	Section No	17
Name of Customer	Audi super Engicon pvt ltd	Name at Work/ Road
		Bethrah Averaj Pitch Rd Nawka Tola to



23.12.20

23.12.20 Engle

Road Name - Bettiah Areraj RD nawka tola to Lillapatti

Date	Time	Section	No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	TEGORY ROAD	Latitude	Longitude	Event
22/12/20	19:53:27		37	0.1	290	20.2	2900	2834 G		26.71304	84.56141	Normal
22/12/20	19:53:27		37	0.1	380	30.3	3800	3642 G		26.71293	84.5604	Normal
22/12/20	19:54:3		37	0.1	330	30.3	3300	3193 G		26.71232	84.5598	Normal
22/12/20	19:54:3		37	0.1	310	30.3	3100	3014 G		26.71142	84.55966	Normal
22/12/20	19:54:38		37	0.1	370	30.3	3700	3552 G		26.71059	84.5599	Normal
22/12/20	19:55:0		37	0.1	320	20.2	3200	3103 G		26.70982	84.55936	Curve
22/12/20	19:55:13		37	0.1	340	20.2	3400	3283 G		26.70935	84.55857	Normal
22/12/20	19:55:13		37	0.1	360	30.3	3600	3462 G		26.70856	84.55813	Normal
22/12/20	19:56:0		37	0.1	300	20.2	3000	2924 G		26.7079	84.55744	Normal
22/12/20	19:56:0		37	0.1	260	20.2	2600	2565 G		26.70715	84.55695	Curve
22/12/20	19:56:24		37	0.1	370	20.2	3700	3552 G		26.70719	84.55603	Normal
22/12/20	19:56:24		37	0.1	340	20.2	3400	3283 G		26.70763	84.55524	Normal
22/12/20	19:57:0		37	0.1	320	30.3	3200	3103 G		26.70798	84.55453	Normal
22/12/20	19:57:34		37	0.1	370	30.3	3700	3552 G		26.70819	84.55372	Normal
22/12/20	19:58:0		37	0.1	340	20.2	3400	3283 G		26.70863	84.55288	Bridge
22/12/20	19:58:10		37	0.1	320	30.3	3200	3103 G		26.70918	84.55219	Normal
22/12/20	19:58:10		37	0.1	250	20.2	2500	2476 G		26.70956	84.55128	Normal
22/12/20	19:58:45		37	0.1	300	20.2	3000	3373 G		26.71006	84.55049	Normal
22/12/20	19:59:0		37	0.1	300	20.2	3000	2924 G		26.71133	84.54907	Curve
22/12/20	19:59:20		37	0.1	290	10.1	2900	2834 G		26.71129	84.54816	Normal
22/12/20	19:59:56		37	0.1	350	20.2	3500	3373 G		26.71153	84.54719	Normal
22/12/20	20:0:0		37	0.1	360	30.3	3600	3462 G		26.71177	84.54623	Normal
22/12/20	20:0:0		37	0.1	270	20.2	2700	2655 G		26.71193	84.54524	Normal
22/12/20	20:0:31		37	0.1	360	30.3	3600	3462 G		26.71207	84.54428	Normal
22/12/20	20:1:0		37	0.1	370	30.3	3700	3552 G		26.71233	84.543	Normal
22/12/20	20:1:6		37	0.1	290	10.1	2900	2834 G		26.71227	84.54234	Normal
22/12/20	20:2:0		37	0.1	310	20.2	3100	3014 G		26.71212	84.54163	Normal
22/12/20	20:2:17		37	0.1	290	20.2	2900	2834 G		26.71289	84.54128	Normal
22/12/20	20:2:52		37	0.1	300	20.2	3000	2924 G		26.71371	84.54091	Normal
22/12/20	20:3:0		37	0.1	320	20.2	3200	3103 G		26.71461	84.54077	Normal
22/12/20	20:3:27		37	0.1	370	30.3	3700	3552 G		26.71549	84.54098	Normal
22/12/20	20:3:27		37	0.1	340	30.3	3400	3283 G		26.71621	84.54155	Normal
22/12/20	20:3:27		37	0.1	340	30.3	3400	3283 G		26.71696	84.54214	Normal

Total IRI
Average 3232.863

(R) RURAL ROAD
Good Average Poor
<4000 4001-5000 >5001

$$Y = 0 * X^2 + 0.897 * X + 233.5$$

$$X = 6667$$

$$Y = 6213$$

23/12/20

23/12/20

22/12/20	20:3:27	37	0.1	340	20.2	3400	3283 G		26.71777	84.54254	Normal
22/12/20	20:4:3	37	0.1	310	20.2	3100	3014 G		26.7184	84.54184	Curve
22/12/20	20:4:3	37	0.1	330	20.2	3300	3193 G		26.71905	84.5412	Normal
22/12/20	20:4:38	37	0.1	330	20.2	3300	3193 G		26.71961	84.54044	Normal
22/12/20	20:5:0	37	0.1	260	20.2	2600	2565 G		26.7204	84.53992	Normal
22/12/20	20:5:13	37	0.1	380	20.2	3800	3642 G		26.72102	84.53918	Normal
22/12/20	20:5:13	37	0.1	320	20.2	3200	3103 G		26.72183	84.53919	Curve
22/12/20	20:5:48	37	0.1	280	10.1	2800	2745 G		26.72225	84.53835	Normal
22/12/20	20:6:0	37	0.1	250	20.2	2500	2476 G		26.72261	84.53741	Normal
22/12/20	20:6:24	37	0.1	340	20.2	3400	3283 G		26.7228	84.53645	Normal
22/12/20	20:6:24	37	0.1	270	20.2	2700	2655 G		26.72314	84.53552	Normal
22/12/20	20:7:0	37	0.1	340	30.3	3400	3283 G		26.7234	84.53461	Normal
22/12/20	20:7:0	37	0.1	350	30.3	3500	3373 G		26.72373	84.53367	Normal
22/12/20	20:7:34	37	0.1	310	20.2	3100	3014 G		26.72353	84.53285	Normal
22/12/20	20:7:34	37	0.1	320	20.2	3200	3103 G		26.72297	84.53209	Normal
22/12/20	20:8:0	37	0.1	300	30.3	3000	2924 G		26.72278	84.53116	Normal
22/12/20	20:8:9	37	0.1	350	30.3	3500	3373 G		26.72268	84.53013	Normal
22/12/20	20:8:9	37	0.1	360	30.3	3600	3462 G		26.72258	84.52914	Normal
22/12/20	20:8:9	37	0.1	310	30.3	3100	3014 G		26.72255	84.52816	Normal
22/12/20	20:8:45	37	0.1	300	30.3	3000	2924 G		26.72249	84.52717	Speed Breaker
22/12/20	20:9:0	37	0.1	300	30.3	3000	2924 G		26.72242	84.52616	Normal
22/12/20	20:9:0	37	0.1	310	30.3	3100	3014 G		26.72239	84.5252	Normal
22/12/20	20:9:20	37	0.1	360	20.2	3600	3462 G		26.7223	84.52419	Normal
22/12/20	20:9:20	37	0.1	340	20.2	3400	3283 G		26.72245	84.52323	Normal
22/12/20	20:10:0	37	0.1	320	20.2	3200	3103 G		26.72216	84.52236	Normal
22/12/20	20:10:0	37	0.1	370	30.3	3700	3552 G		26.7223	84.52143	Curve
22/12/20	20:10:31	37	0.1	310	20.2	3100	3014 G		26.72208	84.52051	Normal
22/12/20	20:10:31	37	0.1	260	20.2	2600	2565 G		26.72192	84.51956	Normal
22/12/20	20:11:6	37	0.1	320	20.2	3200	3103 G		26.72224	84.51865	Normal
22/12/20	20:11:6	37	0.1	350	20.2	3500	3373 G		26.72266	84.51779	Normal
22/12/20	20:11:41	37	0.1	250	20.2	2500	2476 G		26.72323	84.517	Normal
22/12/20	20:12:0	37	0.1	330	20.2	3300	3193 G		26.72311	84.51613	Normal
22/12/20	20:12:16	37	0.1	250	20.2	2500	2476 G		26.72257	84.51537	Normal
22/12/20	20:12:16	37	0.1	290	20.2	2900	2834 G		26.7218	84.5149	Normal
22/12/20	20:12:52	37	0.1	340	20.2	3400	3283 G		26.72128	84.51416	Normal
22/12/20	20:13:0	37	0.1	280	20.2	2800	2745 G		26.7207	84.51404	Normal
22/12/20	20:13:27	37	0.1	360	20.2	3600	3462 G		26.7204	84.51497	Normal

23.12.20

23.12.20

22/12/20	20:13:27	37	0.1	320	30.3	3200	3103 G		26.71978	84.51571	Normal
22/12/20	20:14:2	37	0.1	350	20.2	3500	3373 G		26.7193	84.51658	Normal
22/12/20	20:14:2	37	0.1	350	30.3	3500	3373 G		26.71853	84.51677	Normal
22/12/20	20:14:38	37	0.1	320	20.2	3200	3103 G		26.71763	84.51677	Normal
22/12/20	20:15:0	37	0.1	320	20.2	3200	3103 G		26.71692	84.51732	Normal
22/12/20	20:15:13	37	0.1	370	30.3	3700	3552 G		26.71618	84.51793	Normal
22/12/20	20:15:13	37	0.1	320	20.2	3200	3103 G		26.71546	84.51843	Normal
22/12/20	20:15:48	37	0.1	340	20.2	3400	3283 G		26.71487	84.51918	Normal
22/12/20	20:16:0	37	0.059	220	20.2	3729	3578 G		26.71462	84.51978	Normal

Reano

Ampt
03.12.20