



Inspection Report For Flood Damage Work
Date :
1 Name of Pius: Gopalganj - 2
2 Name of Block/Road : Baikerth pus / Dikann Dukanti Pailway station to
A ForRoad Safiyabad Min Noning 706
1 Damage Location / Chainage . 100000 to 150000 , 250000 to 300000
2 Damage Length: 3 5 6 m
3 Nature of Damage: Heavy Rein / Flood
4 Details of Restroration Works:
i. Material being used in Restoration Works: Poricle Bats
ii Equipments / Tools being used in Restoration Works: De B, Franks, Troli, Boleks, Shawel
iii Procedure taken up in Restoration Works: 💛 🛂
iv Restored Length: 356 m
B For Bridge
1 Damage Location / Chainage:
2 Damage Length:
3 Nature of Damage:
4 Details of Restroration Works:
Material being used in Restoration Works :
ii Equipments / Tools being used in Restoration Works :
iii Procedure taken up in Restoration Works:
iv Restored Length
13/9/200 P 11/9/20

Ex signiturEngineer (Name to Liver Street)

Hathua

65/





ग्रामीण कार्य विभाग

Rural Works Department, Govt. of Bihar

FLOOD DAMAGED REPAIR (F.D.R.)

STATE :- BIHAR

DISTRICT :- GOPALGANJ

BLOCK :- BAIKUNTHPUR

Dihawa Dubauli Railway Station To Safiyabad Via Noniya Tola

ESTIMATED COST - RS.

-2048700.00 Ps 1915 700 200

SUBMITTED BY :-EXECUTIVE ENGINEER

RWD (W) DIVISION
GOPALGANJ-2

Report

Name of Work

:- Motorable work of Dihawa Dubauli Railway Station To Safiyabad Via Noniya Tola

Estimated Cost

:- -2048700.00 PA 1915700 -00

Total length of Road

- 4.000 km

Description :- The present estimate has been farmed under the supervision of Assistant engineer in accordance with the order of Executive Engineer, RWD, WD Gopalganj-2, letter No. - 1574 dated 18-08-2020. The part of above mentioned road has been damaged due to heavy rain/flood. And due to this damage the transporation has been obstructed. The immediate motorable work is necessary in public interest. Villagers will be benefitted by the completion of this motorable work.

In the estimate there has been a provision of repairing the damaged part of the road & making it motorable by filling brickbats. In the context of post flood scenario there is still the flow of water which prevails through the damaged part of the road. Hence there has been a provision of laying 2 Nos of R.C.C. NP3 1000 MM Dia hume pipe.

In this estimate the rate of raw materials and labour wages has been prepared after the analysis of new rate. This estimate is as per the specifications. The estimate is devoted to technical and administrative acceptance.

1919 2020 J.E.

A.E.

F 19/9/20

Detailed Estimate For Motorable Work in Road from Dihawa Dubauli Railway
Station To Safiyabad Via Noniya Tola damaged due to Heavy rain/flood for year 2020-

Sr.	Items	NIA		2021	1				
1	Providing brick bats billed in ditches including all cost of labour & material with all complete job.	No.	L (M.)	W (M.)	D (M.)	Qty.	Unit	Rate	Amount
	CH - 1000 M to 1500 M	1	12:00	-2.10	0.50	9,75 -12.60	M3		
		3	30.00	5.00	0.40	-180.00			
		1	- 29.00	5.00	0.80	-116.00	M3		
		3	30.00	5.00	0.90	405.00	МЗ		
		1	30.00	1.00	0.95	28.50	МЗ		
		1	13.00	1.40	0.50	9,10	M3		
	CH - 2500 M to 3000 M	1	13.00	1.50	0.90	17.55	МЗ		
		1	7.00	2.00	0.65	9.10	МЗ		
		1	8.00	1.00	0.50	4.00	M3		
		1	6.00	1.20	0,60	4.32	МЗ		
		1	8.00	2.00	0.25	4.00	МЗ		
		1	11.00	1.30	0.60	8.58	M3		
		1	9.00	1.05	0.55	5.20	МЗ		
		1	4.00	0.50	0.40	0.80	МЗ		
		1	6.00	1.20	0.30	2.16	МЗ		
		1	3.00	1.60	0.65	3.12	M3		
		1	7.00	1.55	0.50	5.43	M3		
		1	10.00	1.10	0.40	4.40	M3		=======================================
-	Less for H.P.	1.58	1.23	1.23	0.60	1.43	М3	2412-11	184326
_						-818.42		2427.65	1986833.12
2	Providing & laying 1000 MM Dia NP3 Hume Pipe in single row -do-do- complete job.	4	2,50			10.00	M	1744-90 4159:56	1855/38. 97445 41595:60 1876767 1886734.3
-	X	Carl III							-2028428.72
	144 10/ Continency		101-2-22					18768=0	18767.97 -20284.29
	Add 1 % Contigency							Total	19/570/-(-2048713.00
								Say	- 2048700. 00

(1912020 191912020 13.03.2020 AF 019/9/2

E.E.