

## GOVERNMENT OF BIHAR FDR (2020-21)



Length- 2.00Km
Block- Dhaka

Submitted By
Executive Engineer
R.W.D. (W) Division Dhaka

### F.D.R (2020-21)

तकनीकी प्रतिवेदन

पथ का नाम :- सगही से िकश्काही रोड

प्रखंड का नाम :- दाकां

पथ की लम्बाई:- 2.00 किन भी

शीर्ष:- उ०.५५.

प्राक्कलित राशि:- र . 6,92,100 > 00

अनुरक्षण अवधि :- \_ \_

प्रस्तुत प्राक्कलन सिंग हो से अदिवृष्टि वाढ से क्षित्र प्रथाशों में यातायात पुर्नस्थापन हेतु तैयार किया गया है जिसकी प्राक्कलित राशि मो०...६, 92,19.9.9.9 रू० है। प्रस्तुत प्राक्कलन सचिव ग्रामीण कार्य विभाग बिहार पटना के पत्रांक:—2254, दिनांक:—30.06.2020 के निर्देशानुसार तैयार किया गया है। पथ में अतिवृष्टि / वाढ के कारण क्षतिग्रस्त पथाशों में Brick Bats से भरने का प्रावधान किया गया है। प्राक्कलन में दिये गये दर वर्तमान अनूसूचित दर के अनुरूप है।

कनीय अभियंता ग्रामीण कार्य विभाग कार्य प्रशाखा, ढाका। सहाय अभियंता
ग्रामीण कार्य विभाग
कार्य अवर प्रमंडल, ढाका

कार्यपालक अभियंता ग्रमीण कार्य विभाग कार्य प्रमण्डल, ढाका

## mate for Restoration work of Road from Saphi to Jitkahi Road for the year 2020-21 in Dhaka Block.

Length:- 2.00 Km

SL No.	Name of Item	)		Unit	Quantity M <sup>3</sup>	Rate Rs.	Amount Rs.
1	Labour for laying dry graded jhama under Bricks pitching in slope or apramming etc	oron includir s per approv	ig light	M <sup>3</sup>	337.00	2053.84	6,92,144.00
-					Total	Rs.	6,92,144.00
						Say Rs.	6,92,100.00

_	7.9.2020	
	J.E.	

9109/2020 A.E. 07|09|2020 E.E.

Post Fac to	T.A.T. is accorded for Rs. 6,92,100 = 0	
	one hundred	
	Que.	250
	S.E. (R. works	W.D.) Circle
	Motif	nari

# mate for Restoration work of Road from Saphi to Jitkahi Road for the year 2020-21 in Dhaka Block.

Length:- 2.00 Km

SL No.	Name of Iter	n		Unit	Quantity M <sup>3</sup>	Rate Rs.	Amount Rs.
1	Labour for laying dry graded jham under Bricks pitching in slope or a ramming etc	pron includir	ng light	M <sup>3</sup>	337.00	2053.84	6,92,144.00
-					Total	Rs.	6,92,144.00
					THE REAL	Say Rs.	6,92,100.00

_	7.9.2020	
	J.E.	

9/09/1010 A.E. 07/09/2020 E.E.

Post Facto	T.A.IT8 is accorded for Rs. 6,92,10	nety Two
	one hundred	_
		Quan 7.
		S.E. (R.W.D.)
	A cold broads reserved discontinues of the school of the s	Motihari

#### BRICK BATS PITCHING MANUAL MEANS

6.6.1 WRD Bihar	Labour for laying dry graded Jhama Kho Pitching in slope or apron including li- design, specification and direction of E/I.	ght ramm			
	Unit :- Per Cum				
	Taking Output = 2.832 Cum				
	Unskilled Mazdoor	Nos.	3	287.00	861.00
	Add 6% Overhead Charges				51.66
	Rate for 2.832 Cum				912.66
	Rate per Cum (Rs.) -				-383.15
1.4 RCD	Cost of Haulage Excluding Loading and U	nloading			
	Haulage of materials by Tractor excluding		ding, unloading	and stackin	g.
	Unit = t.km				
	Taking output 3.60 tonnes load and lead :	10 km = 36	.0 t.km		
	(i) Surfaced Road	3			
	Speed with load: 15 km / hour.				
	Speed while Returning empty :25 km / ho	ur.			
	a) Machinery.				
	Tractor 3.6 tonne capacity				
	Time taken for onward haulage with load	hour	0.667	549.10	366.25
	Time taken for empty return trip.	hour	0.400	549.10	219.64
	b) Overhead charges @ 0.06 on (a)				35.15
	cost for 36 t km = a+b+c				621.04
	Rate per t.km = $(a+b+c)/36$		•		17.25
	Say Rs				17.25
	(ii) Unsurfaced Graveled Road				
	Speed with load: 12 km / hour	N ES			
	Speed for empty return trip :20 km / hou	r			
	a) Machinery				
	Tractor 3.6 tonnes capacity				
	Time taken for onward haulage with load	hour	0.833	549.10	457.40
	Time taken for empty return trip hour 0.5	hour	0.500	549.10	274.55
	b) Overhead charges @ 0.06 on (a)				43.92
	Cost for 36 t .km = a+b+c 840:34				775.87
	Rate per t.Km = $(a+b+c)/36$ 23.34				21.55
	Say Rs				21.55

322,27

1 RCD	Loading and Unloading of Stone Boulder/ Placing Tractor at loading point, loading	Stoneaggr	egates/Sand /K	ankor/Noor		
	I de loading point, loading	with frontle	ader, dumping	turning for	return trin	
	The standard and retain the		and the state of t	turning for	return trip,	
	Unit = cum					
	Taking output = 2.25 cum					
	Time required for					
	i) Positioning of Tractor at loading point					
			1 Min			
	ii) Loading by front end loader 1 cum					
	bucket capacity @ 25 cum per hour		5 Min			
	iii) Maneuvering, reversing, dumping and					
	turning for return		0 Min			
	iv) Waiting time, unforeseen					
	contingencies etc		0 Min			
	Total		6 Min			
	a) Labour					
	Mate -	day	0.03	305.00	9.15	
	Mazdoor for loading and unloading	day	0.72	287.00	206.64	
	b) Machinery					
	Tractor 3.60 tonnes capacity	hour	0.1	549.10	54.91	
	Front end-loader 1 cum bucket capacity					
	@ 25 cum/hour	hour	0.083	1403.00	116.45	
	c) Overhead charges @ 0.06 on (a+b)				23.23	
	Cost for 2.25 cum = a+b+c+d				410.38	
	Rate per cum = (a+b+c+d)/ 2.25				182.39	
lote:-	Unloading will be done manually.					
_	S. Line Co. Brief Boto (with OU)					
1.	Suplying for Brick Bats (with OH )	Per Cum		1017.00	1017.00	
Α.	Basic Rate of Brick Bats	Per Cuili	6%		61.02	
_	Add overhed Charges		070		1078.02	
	Total -				1078.02	
	Surface Lead	KM	7			
	Unsurface Lead	KM	1			
	Factor (3.6/2.25)	Cum	1.60			
n	Carriage (with OH)					
В.	Carriage (with OH)	30			-410.07	327,2
	$(1.6 \times 2 \times 17.25) + (1.6 \times 1 \times 21.55) + 182$					*
C.	Ramming as per WRD SOR 6.6.1 (with				-383.15	322
	ОН)					172=
					1871.24	175
	Total (A+B+C) -				_18.71	
	Add 1% Labour Cess (A+B+C)				224.55	297-
	Add 12% GST (A+B+C)	o Foo		1 101.70	101.70	
	Add 10% cost of Material for Seigniorag	e ree		De	2216.20	1000
	Total Cost per Cum			Rs	8	2053
			Del le	-	-140	
	J.E.	20	BM + 26 07/09/20 A.E		57109 2020	
	0.20	The second secon	- 1001 11A	VV	1 1 1	

## Inspection Report for Flood Damage Works:-

#### Date:-

- 1. Name of PIUs:- Executive Engineer. R.W.D. (W) Div. Dhaka
- 2. Name of Block:- Dhaka
- 3. Name of Road: Saphi to Titkahi Road.

### (A)For Road

- 1. Damage Location Chainage:-
- 2. Damage Length:- 250 M
- 3. Name of Damage: Road damaged due to Flood
- 4. Details of Restoration Work:-
  - (i) Material being used in Restoration works:- Brick bats
  - (ii) Equipments Tools being used in restoration works:-
  - (iii) Procedure take up in restoration works:- Departmental
  - (iv) Restored Length:- 250 M

Executive Engineer R.W.D. (W) Div.