

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, त्रिवेणीगंज।

पत्रांक 24825 / त्रिवेणीगंज,
प्रेषक,

दिनांक 25/1/2021 /

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, त्रिवेणीगंज।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह- सचिव,
ग्रामीण कार्य विभाग,
बिहार, पटना।

विषय :- MR-3054 (New Maintenance Policy-2018) योजनान्तर्गत राशि विमुक्ति हेतु
अधियाचना समर्पित करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि MR-3054 (New Maintenance Policy-2018) योजनान्तर्गत अधियाचना इस पत्र के साथ संलग्न विहित प्रपत्र में तैयार कर समर्पित की जा रही है।

अतः अनुरोध है कि आवंटन उपलब्ध कराने की कृपा की जाय।

विश्वासभाजन

23/1/21

कार्यपालक अभियंता
ग्रामीण कार्य विभाग

कार्य प्रमंडल, त्रिवेणीगंज।

23/1/21

Rural Works Department

Requisition Form for Scheme Head- MR (3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Division :- Triveniganj																		
S. No	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA)	Agreement Amount (in Lacs)	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of previous estimated in the scope	Previous Total Allocated Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Regulation against work done (in Lakh)	Remarks				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1		Construction of road from Piliwaha Chowk to Dabra Svarnkar tola sub tola via media tola		Letter No- 654 & Dated-	2.780	11811000	76.38217	33.36932				45.82930	45.82930	30.55267	On-going			
2	MR-N/2020-21- Triveniganj/ 09	LD76-Gurli LG22 to das tola Gurli		Letter No- 654 & Dated-	2.890	122.65570	83.0626	30.37238	11/MED/ MR-3054/ 2020-21	10.09.2020	On-going	2759	25	8.01	49.83756	49.83756	33.22504	On-going
3		MMGSY Road to Piliwaha (WR Road)			3.600	130.89800	81.7592	39.69551				49.05552	49.05552	32.70368	On-going			
4		LD44-Bhila to Jarala Hat			5.200	226.45420	147.11871	63.89492				73.55936	73.55936	73.55935	On-going			
5		Triveniganj Meta ground to Murlijan Branch Canal			2.00	153.48600	120.00551	20.55181				60.00275	60.00275	60.00276	On-going			
6	MR-N/2020-21- Triveniganj/ 10	Baghel to Fasiyakothi World bank Road via mobharampur, Bhura to Auraha via Bhaironatti		Letter No- 654 & Dated-	6.44	251.18430	161.16303	71.81109	12/MED/ MR-3054/ 2020-21	09.09.2021	On-going	2551	25	8.01	80.58151	80.58151	80.58152	On-going
7					8.06	288.60050	178.23182	85.47841				2782			89.11591	89.11591	89.11591	On-going
Total					30.970	1291.38879	847.72384	345.17344				447.98191	447.98191	399.74113				

Executive Engineer
R.W.D. (W.D.) Triveniganj

59/11/21

FORM GER - 19 - A

(See Government of India's Decision (i) below Rule - 150)
Form of Utilization Certificate up to 23.01.2021

(Programming Fund)

Sl. N.	Name of Scheme	Sanction No. & Date with Amount (in Lac.)	Total Amount Received (in Lac.)	Particulars
1.	2	3	4	5
1.	Construction of Rural Road under MR-3054 (Bihar Rural Road Maintenance Policy)	Total Allotment received vide Secretary-cum-Empowered Officer BRRDA, Additional CEO, Patna. Letter No-05 Dated-12.01.2021	Rs- 447.98191	Certified that out of Rs- 447.98191 lac deposited in sum of Rs-0.00 lac has been utilized for the purpose of schemes for which it was sanctioned, Balance Rs. 447.98191
2.	Certified that I have satisfied myself that the condition on which the grants in aid sanctioned have been duly fulfilled / are being fulfilled and that I have Exercised the following Checks to see that the money was actually utilized for the purpose for which it was sanctioned. i) Works have been supervised by Executive Engineer / Superintending Engineer. ii) Periodical inspection has been conducted by A.E. / Executive Engineer / Superintending Engineer. iii) Construction materials have been tested. iv) Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer / Executive Engineer. v) All other Codal formalities have been observed.			

Executive Engineer

RWD Works Division, Triveniganj

29/1/21

Stereo Analyzer


Name of Customer: SHRI KRISHNA SINGH
Name of Work/Road: H/W BANK VIA MAHRAMPUR
Lab Job number:
Date: 05-12-2020
Section No. 59

Test Date: 05-12-2020 Road Name: BEGHALI TO FASIAKOTHI
Machine No: 395 Road Type: (R) RURAL ROAD
Start S No: Side: Interval
Start E No:
Weather: UV Range: 941 To 4000 1000 mm/km
Start Location: BEGHALI TO Dist Range: 0 To 6.6 0.1 *1000 m
End Location: FASIAKOTHI Equation: $Y = 0.0002 * X^2 + 0.009 * X + 328.94$

Print Generate Report and Graph

Redraw Graph

Map View



At
5.2.20
21E

UV
05-12-2020
AE

AE

ROAD NAME - BEGHALI TO FASIAKOTHI WORLD BANK ROAD VIA MAHRAMPUR CONTRACTOR NAME - SHRI KRISHNA SINGH

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI CATEGORY mm/km	ROAD	Latitude	Longitude	Event
5/12/20	18:34:0	59	0.1	310	0	3100	3087 G		26.10198	86.89949	Normal
5/12/20	18:40:16	59	0.1	290	31.2	2900	2909 G		26.10209	86.89951	Curve
5/12/20	18:41:0	59	0.1	270	30.3	2700	2731 G		26.1023	86.89865	Normal
5/12/20	18:41:0	59	0.1	300	32.5	3000	2998 G		26.10235	86.89766	Normal
5/12/20	18:41:26	59	0.1	220	31.2	2200	2286 G		26.10295	86.89742	Normal
5/12/20	18:41:26	59	0.1	260	32.5	2600	2642 G		26.10376	86.89779	Normal
5/12/20	18:41:26	59	0.1	230	30.3	2300	2375 G		26.10469	86.89781	Curve
5/12/20	18:42:2	59	0.1	300	30.3	3000	2998 G		26.10517	86.89719	Normal
5/12/20	18:42:2	59	0.1	210	30.3	2100	2197 G		26.10561	86.89712	Normal
5/12/20	19:33:18	59	0.1	250	31.2	2500	2553 G		26.19464	86.87039	Normal
5/12/20	19:33:18	59	0.1	290	32.5	2900	2909 G		26.19475	86.86938	Normal
5/12/20	19:34:0	59	0.1	310	31.2	3100	3087 G		26.19491	86.86838	Normal
5/12/20	19:34:0	59	0.1	300	32.5	3000	2998 G		26.19504	86.86746	Normal
5/12/20	19:34:27	59	0.1	310	30.3	3100	3087 G		26.19519	86.86641	Normal
5/12/20	19:34:27	59	0.1	290	31.2	2900	2909 G		26.19557	86.86554	Normal
5/12/20	19:34:27	59	0.1	170	32.5	1700	1841 G		26.19605	86.86466	Normal
5/12/20	19:35:2	59	0.1	230	31.2	2300	2375 G		26.19644	86.86375	Normal
5/12/20	19:35:2	59	0.1	250	30.3	2500	2553 G		26.19671	86.86278	Normal
5/12/20	19:35:38	59	0.1	230	31.2	2300	2375 G		26.19686	86.86178	Normal
5/12/20	19:36:0	59	0.1	310	32.5	3100	3087 G		26.19707	86.86082	Normal
5/12/20	19:36:48	59	0.1	300	31.2	3000	2998 G		26.19689	86.86005	Normal
5/12/20	19:37:0	59	0.1	300	30.3	3000	2998 G		26.19706	86.85909	Normal
5/12/20	19:37:24	59	0.1	240	31.2	2400	2464 G		26.19721	86.85811	Normal
5/12/20	19:37:24	59	0.1	210	32.5	2100	2197 G		26.19739	86.85712	Normal
5/12/20	19:38:0	59	0.1	260	30.3	2600	2642 G		26.19775	86.85625	Normal
5/12/20	19:38:0	59	0.1	240	30.3	2400	2464 G		26.19803	86.8553	Normal
5/12/20	19:38:34	59	0.1	310	31.2	3100	3087 G		26.19804	86.85429	Normal
5/12/20	19:38:34	59	0.1	250	32.5	2500	2553 G		26.19819	86.85335	Normal
5/12/20	19:39:0	59	0.1	290	30.3	2900	2909 G		26.19841	86.85234	Normal
5/12/20	19:39:9	59	0.1	210	30.3	2100	2197 G		26.19861	86.85135	Normal
5/12/20	19:39:9	59	0.1	240	30.3	2400	2464 G		26.19873	86.85032	Normal
5/12/20	19:39:9	59	0.1	250	31.2	2500	2553 G		26.19877	86.84936	Normal
5/12/20	19:39:45	59	0.1	230	32.5	2300	2375 G		26.1988	86.84833	Normal
5/12/20	19:40:20	59	0.1	280	31.2	2800	2820 G		26.199	86.84731	Normal
5/12/20	19:40:20	59	0.1	290	32.5	2900	2909 G		26.19897	86.84636	Normal

$$Y = 0 * X^2 + 0.89 * X + 328.94$$

$$X = 2600$$

$$Y = 2642$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

for Helms

AS 5/12/20
05.12.2020
AE

5/12/20	19:40:20	59	0.1	310	30.3	3100	3087 G	26.19901	86.84534 Normal
5/12/20	19:41:0	59	0.1	220	31.2	2200	2266 G	26.19918	86.84632 Curve
5/12/20	19:41:0	59	0.1	270	30.3	2700	2731 G	26.19854	86.84374 Curve
5/12/20	19:41:31	59	0.1	310	31.2	3100	3087 G	26.19787	86.8433 Curve
5/12/20	19:42:6	59	0.1	260	32.5	2600	2642 G	26.19792	86.84236 Normal
5/12/20	19:42:6	59	0.1	220	31.2	2200	2266 G	26.19815	86.84141 Normal
5/12/20	19:42:6	59	0.1	260	30.3	2600	2642 G	26.19844	86.84042 Normal
5/12/20	19:42:41	59	0.1	230	30.3	2300	2375 G	26.1987	86.83949 Normal
5/12/20	19:42:41	59	0.1	200	31.2	2000	2108 G	26.19896	86.83855 Normal
5/12/20	19:43:0	59	0.1	170	32.5	1700	1841 G	26.1993	86.83763 Normal
5/12/20	19:43:0	59	0.1	190	31.2	1900	2019 G	26.19953	86.83662 Normal
5/12/20	19:43:16	59	0.1	300	30.3	3000	2998 G	26.19975	86.83564 Normal
5/12/20	19:43:16	59	0.1	300	32.5	3000	2998 G	26.19989	86.83468 Normal
5/12/20	19:43:16	59	0.1	210	30.3	2100	2197 G	26.20008	86.83362 Normal
5/12/20	19:44:0	59	0.1	170	31.2	1700	1841 G	26.19999	86.83273 Normal
5/12/20	19:44:0	59	0.1	190	30.3	1900	2019 G	26.19963	86.83178 Normal
5/12/20	19:44:27	59	0.1	270	31.2	2700	2731 G	26.19934	86.83084 Normal
5/12/20	19:44:27	59	0.1	230	32.5	2300	2375 G	26.19903	86.82992 Normal
5/12/20	19:45:2	59	0.1	230	30.3	2300	2375 G	26.19868	86.82901 Curve
5/12/20	19:45:2	59	0.1	300	30.3	3000	2998 G	26.19795	86.82842 Curve
5/12/20	19:45:37	59	0.1	240	31.2	2400	2464 G	26.19793	86.82758 Normal
5/12/20	19:46:0	59	0.1	260	32.5	2600	2642 G	26.19823	86.82653 Normal
5/12/20	19:46:13	59	0.1	320	30.3	3200	3176 G	26.19776	86.82584 Curve
5/12/20	19:46:48	59	0.1	190	30.3	1900	2019 G	26.19705	86.82519 Curve
5/12/20	19:47:0	59	0.1	220	31.2	2200	2286 G	26.19631	86.82461 Normal
5/12/20	19:49:9	59	0.1	190	32.5	1900	2019 G	26.19554	86.82411 Normal
5/12/20	19:49:9	59	0.1	270	31.2	2700	2731 G	26.1947	86.82365 Normal
5/12/20	19:50:0	59	0.1	270	31.2	2700	2731 G	26.194	86.82306 Normal
5/12/20	19:50:20	59	0.1	320	30.3	3200	3176 G	26.19322	86.82256 Normal
5/12/20	19:51:0	59	0.1	230	31.2	2300	2375 G	26.19243	86.82207 Normal
Total				165800					

11/5/2020
 05:12:16


dm
 T & M

Name of Customer:	SHRI KRISHNA SINGH		
Name of Work/Road:	AAURAH VIA BHAIROPATTI		
Lab Job number:			
Date:	05-12-2020		
Section No.	51		
Test Date:	05-12-2020	Road Name:	AAURAH VIA BHAIROPATTI
Machine No:	395	Road Type:	(R) RURAL ROAD
Start S No:		Side:	
Start E No:		Interval:	
Weather:		UV Range:	1019 To 4000 1000 mm/km
Start Location:	BHURA	Dist Range:	0 To 0.3 0.1 * 1000 m
End Location:	AAURAH	Equation:	$Y = 0 * X^2 + 0.89 * X + 328.94$

Print Generate Report and Graph

Redraw Graph

Map View



Am
Tg/12/20

UV
05.12.2020
AE

Am
Tg/12/20

ROAD NAME - BHURA TO AURAHA VIA BHAIROPATTI CONTRACTOR NAME - SHRI KRISHNA SINGH

Date	Time	Section No.	Length in km	Bumps in mm	Rate	Speed	OR mm/km	IRI CATEGORY	Latitude	ongitude	Event
5/12/20	20:16:0	61	0.1	310	0	3100	3087 G	26.19743	86.84414	Normal	
5/12/20	20:16:28	61	0.1	300	31.2	3000	2998 G	26.19663	86.84419	Normal	
5/12/20	20:16:28	61	0.1	260	30.3	2600	2642 G	26.1958	86.84375	Normal	
5/12/20	20:17:3	61	0.1	310	32.5	3100	3087 G	26.19496	86.84338	Normal	
5/12/20	20:17:3	61	0.1	290	31.2	2900	2909 G	26.19416	86.84298	Normal	
5/12/20	20:17:38	61	0.1	270	31.2	2700	2731 G	26.19335	86.84259	Normal	
5/12/20	20:18:0	61	0.1	300	31.2	3000	2998 G	26.19248	86.84217	Normal	
5/12/20	20:18:14	61	0.1	310	30.3	3100	3087 G	26.19167	86.8418	Normal	
5/12/20	20:18:14	61	0.1	280	31.2	2800	2820 G	26.1909	86.84152	Normal	
5/12/20	20:18:49	61	0.1	320	32.5	3200	3176 G	26.18995	86.84143	Normal	
5/12/20	20:19:0	61	0.1	280	30.3	2800	2820 G	26.18908	86.84157	Normal	
5/12/20	20:19:0	61	0.1	300	30.3	3000	2998 G	26.18811	86.84173	Normal	
5/12/20	20:19:24	61	0.1	240	31.2	2400	2464 G	26.1873	86.84194	Normal	
5/12/20	20:19:24	61	0.1	290	30.3	2900	2909 G	26.18648	86.84221	Curve	
5/12/20	20:19:24	61	0.1	210	31.2	2100	2197 G	26.1864	86.84219	Curve	
5/12/20	20:19:24	61	0.1	270	32.5	2700	2731 G	26.18637	86.84219	Normal	
5/12/20	20:19:24	61	0.1	270	30.3	2700	2731 G	26.18634	86.84217	Normal	
5/12/20	20:32:19	61	0.1	310	31.2	3100	3087 G	26.18585	86.84209	Normal	
5/12/20	20:33:0	61	0.1	240	32.5	2400	2464 G	26.18494	86.84205	Normal	
5/12/20	20:33:0	61	0.1	290	31.2	2900	2909 G	26.18418	86.84237	Normal	
5/12/20	20:33:0	61	0.1	300	30.3	3000	2998 G	26.18329	86.84241	Normal	
5/12/20	20:33:30	61	0.1	250	30.3	2500	2553 G	26.18236	86.84242	Normal	
5/12/20	20:33:30	61	0.1	280	32.5	2800	2820 G	26.18148	86.84227	Curve	
5/12/20	20:33:30	61	0.1	310	30.3	3100	3087 G	26.18061	86.84246	Curve	
5/12/20	20:34:5	61	0.1	290	31.2	2900	2909 G	26.17984	86.84207	Curve	
5/12/20	20:34:5	61	0.1	280	32.5	2800	2820 G	26.17913	86.84172	Normal	
5/12/20	20:34:41	61	0.1	300	30.3	3000	2998 G	26.17827	86.84133	Normal	
5/12/20	20:34:41	61	0.1	310	30.3	3100	3087 G	26.1776	86.84062	Normal	
5/12/20	20:35:0	61	0.1	300	31.2	3000	2998 G	26.17724	86.83973	Normal	
5/12/20	20:35:16	61	0.1	270	30.3	2700	2731 G	26.17678	86.83882	Normal	

$$Y = 0 * X^2 + 0.89 * X + 328.94$$

$$X = 2600$$

$$Y = 2642$$

(R) RURAL ROAD
Good Average Poor
<4000 4001-5000 >5001

ph
5/12/20
05.12.20
15/12/20

5/12/20	20:35:16	61	0.1	310	30.3	3100	3087 G	26.17637	86.838 Normal
5/12/20	20:35:16	61	0.1	300	31.2	3000	2998 G	26.1758	86.83719 Normal
5/12/20	20:35:51	61	0.1	270	30.3	2700	2731 G	26.17553	86.8362 Normal
5/12/20	20:36:0	61	0.1	290	30.3	2900	2909 G	26.17539	86.83525 Normal
5/12/20	20:36:0	61	0.1	250	32.5	2500	2553 G	26.17549	86.83423 Normal
5/12/20	20:36:0	61	0.1	260	31.2	2600	2642 G	26.1758	86.83333 Normal
5/12/20	20:36:26	61	0.1	250	30.3	2500	2553 G	26.1761	86.83229 Normal
5/12/20	20:36:26	61	0.1	300	31.2	3000	2998 G	26.17646	86.83148 Normal
5/12/20	20:37:2	61	0.1	270	30.3	2700	2731 G	26.17696	86.83064 Curve
5/12/20	20:37:2	61	0.1	290	32.5	2900	2909 G	26.17725	86.82995 Curve
5/12/20	20:37:37	61	0.1	320	30.3	3200	3176 G	26.17642	86.82968 Curve
5/12/20	20:37:37	61	0.1	310	30.3	3100	3087 G	26.17567	86.82901 Normal
5/12/20	20:38:12	61	0.1	250	31.2	2500	2553 G	26.17498	86.8285 Speed Breaker
5/12/20	20:38:12	61	0.1	290	30.3	2900	2909 G	26.17414	86.82842 Normal
5/12/20	20:38:12	61	0.1	310	30.3	3100	3087 G	26.17328	86.82835 Normal
5/12/20	20:38:48	61	0.1	260	30.3	2600	2642 G	26.17235	86.82857 Normal
5/12/20	20:39:0	61	0.1	300	30.3	3000	2998 G	26.17152	86.82886 Normal
5/12/20	20:39:0	61	0.1	270	30.3	2700	2731 G	26.17064	86.82902 Curve
5/12/20	20:39:23	61	0.1	300	30.3	3000	2998 G	26.16982	86.82859 Normal
5/12/20	20:39:23	61	0.1	310	30.3	3100	3087 G	26.16899	86.82818 Normal
5/12/20	20:39:23	61	0.1	250	30.3	2500	2553 G	26.16849	86.82731 Curve
5/12/20	20:40:0	61	0.1	280	30.3	2800	2820 G	26.1677	86.82712 Normal
5/12/20	20:40:0	61	0.1	230	30.3	2300	2375 G	26.16675	86.82705 Normal
5/12/20	20:40:0	61	0.1	290	30.3	2900	2909 G	26.16587	86.82694 Normal
5/12/20	20:40:0	61	0.1	220	31.2	2200	2286 G	26.16494	86.827 Normal
5/12/20	20:40:33	61	0.1	260	32.5	2600	2642 G	26.16396	86.82714 Curve
5/12/20	20:40:33	61	0.1	300	30.3	3000	2998 G	26.16319	86.8267 Normal
5/12/20	20:41:9	61	0.1	220	31.2	2200	2286 G	26.16231	86.8263 Normal
5/12/20	20:41:9	61	0.1	290	30.3	2900	2909 G	26.16149	86.82611 Normal
5/12/20	20:41:9	61	0.1	210	30.3	2100	2197 G	26.1605	86.82609 Curve
5/12/20	20:41:44	61	0.1	250	32.5	2500	2553 G	26.16023	86.82697 Normal
5/12/20	20:42:0	61	0.1	210	30.3	2100	2197 G	26.16001	86.82803 Normal
5/12/20	20:42:0	61	0.1	260	31.2	2600	2642 G	26.16	86.8281 Normal

DIV 9
05.12.2020
AE

pm
12/12/20

5/12/20	20:42:0	61	0.1	220	32.5	2200	2286 G	26.15998	86.82816	Normal
5/12/20	20:42:0	61	0.1	190	31.2	1900	2019 G	26.15997	86.82823	Normal
5/12/20	20:42:19	61	0.1	250	30.3	2500	2553 G	26.15985	86.82875	Normal
5/12/20	20:42:19	61	0.1	230	31.2	2300	2375 G	26.15975	86.82976	Normal
5/12/20	20:42:19	61	0.1	290	32.5	2900	2909 G	26.16012	86.83064	Curve
5/12/20	20:43:0	61	0.1	310	30.3	3100	3087 G	26.16032	86.83158	Normal
5/12/20	20:43:30	61	0.1	300	31.2	3000	2998 G	26.16023	86.83251	Normal
5/12/20	20:43:30	61	0.1	280	30.3	2800	2820 G	26.16011	86.83352	Normal
5/12/20	20:44:0	61	0.1	280	30.3	2800	2820 G	26.16006	86.83451	Normal
5/12/20	20:44:5	61	0.1	310	31.2	3100	3087 G	26.16037	86.83534	Curve
5/12/20	20:44:5	61	0.1	300	30.3	3000	2998 G	26.16029	86.83625	Normal
5/12/20	20:44:5	61	0.1	270	31.2	2700	2731 G	26.16053	86.83704	Curve
5/12/20	20:44:5	61	0.1	300	30.3	3000	2998 G	26.16059	86.83801	Curve
5/12/20	20:44:40	61	0.1	310	32.5	3100	3087 G	26.16056	86.83906	Normal
5/12/20	20:45:0	61	0.1	270	30.3	2700	2731 G	26.16044	86.84005	Curve
5/12/20	20:45:16	61	0.1	290	31.2	2900	2909 G	26.15972	86.84012	Normal
5/12/20	20:45:16	61	0.1	260	30.3	2600	2642 G	26.15875	86.84002	Normal
5/12/20	20:45:51	61	0.1	220	31.2	2200	2286 G	26.15788	86.8404	Normal
5/12/20	20:46:0	61	0.1	250	30.3	2500	2553 G	26.15703	86.84039	Normal

Ph
5/12/20

5/12/20
06:12:20
AE-

dm
78/12/20

Sieve Analyzer


Name of Customer: SHRI KRISHNA SINGH
Name of Work/Road: MURUGANU BRANCH CANAL
Lab Job number:
Date: 05/12/2020
Section No: 57

Test Date: 05-12-2020 Road Name: MURUGANU BRANCH CANAL
Machine No: 355 Road Type: (R) RURAL ROAD
Start S No: Side: Interval
Start E No: Weather: UIV Range: 1019 To 4000 1000 mm/km
Start Location: MELA ROAD Dist Range: 0 To 22 0.1 * 1000 m
End Location: ANCH CANAL Equation: $Y = 0 * X^2 + 0.09 * X + 328.94$

Print Generate Report and Graph

Redraw Graph

Map View



M
5/12/20
22

UIV-D
05.12.2020
AE

Am
5/12/20

ROAD NAME - TRIVENIGANJ MELA GROUND TO MURLIGANJ BRANCH CANEL CONTRACTOR NAME - SHRI KRISHNA SINGH

Date	Time	Section	Length	Bumps	Speed	OR	IRI, TEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD		
5/12/20	18: 28: 0	57	0.1	290	0	2900	2909 G	26.11721	86.89584	Normal
5/12/20	18: 28: 21	57	0.1	270	31.2	2700	2731 G	26.11642	86.89537	Normal
5/12/20	18: 28: 21	57	0.1	300	30.3	3000	2998 G	26.11571	86.89593	Normal
5/12/20	18: 29: 0	57	0.1	290	32.5	2900	2909 G	26.11477	86.89606	Normal
5/12/20	18: 29: 0	57	0.1	230	30.3	2300	2375 G	26.11391	86.89618	Curve
5/12/20	18: 29: 32	57	0.1	240	31.2	2400	2464 G	26.11334	86.8967	Normal
5/12/20	18: 30: 0	57	0.1	210	32.5	2100	2197 G	26.11238	86.89655	Normal
5/12/20	18: 30: 7	57	0.1	230	30.3	2300	2375 G	26.11153	86.89638	Normal
5/12/20	18: 30: 42	57	0.1	280	31.2	2800	2820 G	26.11064	86.89636	Normal
5/12/20	18: 31: 0	57	0.1	290	30.3	2900	2909 G	26.10972	86.8964	Normal
5/12/20	18: 31: 17	57	0.1	310	31.2	3100	3087 G	26.10881	86.89645	Normal
5/12/20	18: 31: 53	57	0.1	300	32.5	3000	2998 G	26.10822	86.8971	Normal
5/12/20	18: 32: 0	57	0.1	290	30.3	2900	2909 G	26.10735	86.89715	Normal
5/12/20	18: 32: 27	57	0.1	300	30.3	3000	2998 G	26.10653	86.89704	Normal
5/12/20	18: 32: 27	57	0.1	320	32.5	3200	3176 G	26.10557	86.89714	Normal
5/12/20	18: 32: 27	57	0.1	230	30.3	2300	2375 G	26.10473	86.89749	Curve
5/12/20	18: 33: 2	57	0.1	260	31.2	2600	2642 G	26.10412	86.89795	Curve
5/12/20	18: 33: 2	57	0.1	290	30.3	2900	2909 G	26.10326	86.89769	Normal
5/12/20	18: 33: 2	57	0.1	300	30.3	3000	2998 G	26.10245	86.89726	Curve
5/12/20	18: 33: 38	57	0.1	240	30.3	2400	2464 G	26.10227	86.89822	Curve
5/12/20	18: 33: 38	57	0.1	190	30.3	1900	2019 G	26.10226	86.89928	Normal
56600										
$Y = 0 * X^2 + 0.89 * X + 328.94$										
$X = 2600$										
$Y = 2642$										
(R) RURAL ROAD										
Good Average Poor										
<4000 4001-5000 >5001										

$$Y = 0 * X^2 + 0.89 * X + 328.94$$

$$X = 2600$$

$$Y = 2642$$

(R) RURAL ROAD

Good Average Poor

<4000 4001-5000 >5001

SPR
VLS
05.12.2020
TS/14/20