

कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, पूर्णियाँ

पत्रांक २१७अनु०

प्रेषक,

कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, पूर्णियाँ ।

सेवा में,

नोडल पदाधिकारी, MR(3054),
ग्रामीण कार्य विभाग,
बिहार, पटना ।

पूर्णियाँ / दिनांक २७/१/२०२१

विषय : शीर्ष MR (3054) मरम्मति एवं सम्पोषण योजना मद में राशि आवंटित करने के संबंध में ।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि शीर्ष MR (3054) मरम्मति एवं सम्पोषण योजना मद में इस प्रमंडल राशि की आवश्यकता है ।

अतः अनुरोध है कि अधियाचित राशि आवंटित करने की जाय ।

अनु० – यथोक्त ।

अधियाचना की प्रति (मूल में)

विश्वासभाजन

२७/०१/२१

कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, पूर्णियाँ

२७/१/२१

Requisition Format for Scheme Head - MR (3054) under Rural Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division : RWD, Works Division, Purna

Sl. No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (In Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Amount (In Lakh)	Up-to-date Expenditure as per MIS (In Lakh)	Requisition against work done (In Lakh)	Remarks
					Length (in Km)	Amount of (In Lakh)	Initial Rectification with Surface Renewal (In Lakh)	5 Year Routine Maintenance (In Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20, Purna/1	Tertibari REO Road to Mathour Karmapur	NEA2 20001 900	L.N.-3106 Dated 19-07-2019	5.850	195.59000	121.22135	61.03343	269MBD/2019-20	24.12.20	---	3.501	25	5.09	60.61068	60.61068	60.61067	Comp
Total					5.850	195.59000	121.22135	61.03343							60.61068	60.61068	60.61067	

1. Signed Hard Copy and Soft Copy (in excel) of recorded IRI in enclosed.
2. Up-to-date Physical Progress has been uploaded in MIS

Divisional Accounts Officer
RWD, Works Division, Purna

Executive Engineer
RWD, Works Division, Purna

27/11/21

Name of Customer :PREM KUMAR

Name of Work/ Road :TETRI BARI REO ROAD TO MAHTHOR KAMALPUR

Sr.no	Location of Corrected U.I test(in km) value(mm/km)	Road category
-------	---	---------------

340	0.1	2568 G
341	0.2	2457 G
342	0.3	2457 G
343	0.4	2679 G
344	0.5	3343 G
345	0.6	2235 G
346	0.7	3011 G
347	0.8	2568 G
348	0.9	2900 G
349	1	2568 G
350	1.1	2346 G
351	1.2	3011 G
352	1.3	3233 G
353	1.4	2789 G
354	1.5	2900 G
355	1.6	3233 G
356	1.7	3233 G
357	1.8	3233 G
358	1.9	2568 G
359	2	2346 G
360	2.1	3233 G
361	2.2	3233 G
362	2.3	3454 G
363	2.4	3565 G
364	2.5	2457 G
365	2.6	2568 G
366	2.7	2789 G
367	2.8	2789 G
368	2.9	2789 G
369	3	3454 G
370	3.1	3122 G
371	3.2	3122 G
372	3.3	2568 G
373	3.4	3565 G
374	3.5	2679 G
375	3.6	3233 G
376	3.7	3233 G
377	3.8	3676 G
378	3.9	3233 G
379	4	3454 G
380	4.1	3565 G
381	4.2	2789 G
382	4.3	2789 G
383	4.4	3011 G
384	4.5	2789 G
385	4.6	3787 G
386	4.7	2789 G
387	4.8	3343 G
388	4.9	3233 G
389	5	3233 G
390	5.1	2679 G
391	5.2	2679 G
392	5.3	3011 G
393	5.4	3897 G
394	5.5	3343 G
395	5.6	3897 G
396	5.7	2789 G

2000 20/12/20
ME

20/12/20
ME

20/12/20

Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	UUV	TEGORY ROAD	IRI	Latitude	Longitude	Event
29/12/20 10:3:20	S 0.1	250	0	2500	2568 G	3.5	25.90561	87.49002	Normal	
29/12/20 10:4:0	S 0.1	240	10.1	2400	2457 G	3.37	25.90544	87.48906	Normal	$Y = 0.7 \times X^2 + 1.108 \times X - 1$
29/12/20 10:4:30	S 0.1	240	20.2	2400	2457 G	3.37	25.90473	87.48859	Normal	$X = 3900$
29/12/20 10:4:30	S 0.1	260	20.2	2600	2679 G	3.64	25.90391	87.48816	Culvert	$Y = 4113$
29/12/20 10:5:6	S 0.1	320	20.2	3200	3343 G	4.43	25.90372	87.48736	Culvert	
29/12/20 10:5:6	S 0.1	220	20.2	2200	2235 G	3.09	25.90371	87.48633	Normal	
29/12/20 10:5:6	S 0.1	290	10.1	2900	3011 G	4.04	25.90299	87.48591	Speed Break (R) RURAL ROAD	
29/12/20 10:5:41	S 0.1	250	20.2	2500	2568 G	3.5	25.9022	87.48606	Curve	Good Average Poor
29/12/20 10:6:0	S 0.1	280	20.2	2800	2900 G	3.9	25.90135	87.48596	Normal	<4000 4001-5000 >5001
29/12/20 10:6:0	S 0.1	250	20.2	2500	2568 G	3.5	25.90074	87.48522	Normal	
29/12/20 10:6:16	S 0.1	230	20.2	2300	2346 G	3.23	25.9001	87.48461	Curve	
29/12/20 10:6:16	S 0.1	290	20.2	2900	3011 G	4.04	25.89923	87.48424	Curve	
29/12/20 10:6:51	S 0.1	310	20.2	3100	3233 G	4.3	25.89948	87.48333	Normal	
29/12/20 10:7:0	S 0.1	270	30.3	2700	2789 G	3.77	25.89974	87.48232	Normal	
29/12/20 10:7:0	S 0.1	280	20.2	2800	2900 G	3.9	25.89996	87.48138	Speed Breaker	
29/12/20 10:7:27	S 0.1	310	20.2	3100	3233 G	4.3	25.8999	87.48032	Speed Breaker	
29/12/20 10:8:2	S 0.1	310	20.2	3100	3233 G	5.21	25.89946	87.47955	Speed Breaker	
29/12/20 10:8:37	S 0.1	310	20.2	3100	3233 G	4.3	25.89886	87.47886	Normal	
29/12/20 10:8:0	S 0.1	250	20.2	2500	2568 G	3.5	25.89816	87.47822	Curve	
29/12/20 10:9:12	S 0.1	230	20.2	2300	2346 G	3.23	25.89847	87.47731	Normal	
29/12/20 10:9:12	S 0.1	310	20.2	3100	3233 G	4.3	25.89783	87.47658	Speed Breaker	
29/12/20 10:9:48	S 0.1	310	20.2	3100	3233 G	5.21	25.89743	87.47576	Speed Breaker	
29/12/20 10:10:0	S 0.1	330	10.1	3300	3454 G	4.56	25.89675	87.475	Speed Breaker	
29/12/20 10:10:23	S 0.1	340	10.1	3400	3565 G	4.69	25.89597	87.47465	Speed Breaker	
29/12/20 10:11:0	S 0.1	240	30.3	2400	2457 G	3.37	25.8951	87.47441	Normal	
29/12/20 10:11:0	S 0.1	250	30.3	2500	2568 G	3.5	25.89424	87.47416	Normal	
29/12/20 10:11:0	S 0.1	270	20.2	2700	2789 G	3.77	25.89331	87.47377	Speed Breaker	
29/12/20 10:11:34	S 0.1	270	20.2	2700	2789 G	3.77	25.89251	87.47342	Normal	
29/12/20 10:12:0	S 0.1	270	20.2	2700	2789 G	3.77	25.8917	87.47342	Normal	
29/12/20 10:12:9	S 0.1	330	20.2	3300	3454 G	4.56	25.89098	87.47285	Normal	
29/12/20 10:12:9	S 0.1	300	20.2	3000	3122 G	4.17	25.8901	87.47254	Normal	
29/12/20 10:12:44	S 0.1	300	20.2	3000	3122 G	4.17	25.88988	87.4716	Normal	
29/12/20 10:13:0	S 0.1	250	20.2	2500	2568 G	3.5	25.88927	87.47089	Normal	
29/12/20 10:13:0	S 0.1	340	10.1	3400	3565 G	4.69	25.88841	87.47049	Speed Breaker	
29/12/20 10:13:19	S 0.1	260	20.2	2600	2679 G	3.64	25.88758	87.47015	Normal	
29/12/20 10:13:19	S 0.1	310	20.2	3100	3233 G	4.3	25.88675	87.46973	Speed Breaker	
29/12/20 10:14:0	S 0.1	310	20.2	3100	3233 G	5.72	25.88585	87.46949	Speed Breaker	
29/12/20 10:15:0	S 0.1	350	20.2	3500	3676 G	4.82	25.88508	87.46906	Normal	
29/12/20 10:15:5	S 0.1	310	20.2	3100	3233 G	6.1	25.88417	87.46897	Speed Breaker	
29/12/20 10:15:41	S 0.1	330	10.1	3300	3454 G	4.56	25.88326	87.46896	Normal	
29/12/20 10:16:16	S 0.1	340	10.1	3400	3565 G	4.69	25.88239	87.46899	Speed Breaker	
29/12/20 10:16:16	S 0.1	270	30.3	2700	2789 G	3.77	25.88152	87.46877	Normal	
29/12/20 10:17:0	S 0.1	270	10.1	2700	2789 G	3.77	25.88058	87.46867	Speed Breaker	
29/12/20 10:17:0	S 0.1	290	20.2	2900	3011 G	4.04	25.87973	87.46847	Normal	
29/12/20 10:17:26	S 0.1	270	20.2	2700	2789 G	3.77	25.87879	87.46816	Speed Breaker	
29/12/20 10:17:26	S 0.1	360	10.1	3600	3787 G	4.95	25.87799	87.46803	Speed Breaker	
29/12/20 10:18:2	S 0.1	270	20.2	2700	2789 G	3.77	25.87707	87.46793	Normal	
29/12/20 10:18:37	S 0.1	320	20.2	3200	3343 G	4.43	25.87615	87.46781	Normal	
29/12/20 10:18:37	S 0.1	310	20.2	3100	3233 G	5.21	25.87525	87.46766	Speed Breaker	
29/12/20 10:19:12	S 0.1	260	20.2	2600	2679 G	4.3	25.87439	87.4679	Normal	
29/12/20 10:19:12	S 0.1	260	30.3	2600	2679 G	3.64	25.87358	87.46835	Normal	
29/12/20 10:19:48	S 0.1	290	20.2	2900	3011 G	3.64	25.87282	87.46889	Normal	
29/12/20 10:20:0	S 0.1	370	10.1	3700	3897 G	4.04	25.87206	87.46941	Speed Breaker	
29/12/20 10:20:23	S 0.1	320	10.1	3200	3343 G	5.08	25.87121	87.46949	Speed Breaker	
29/12/20 10:21:0	S 0.1	370	10.1	3700	3897 G	4.43	25.87036	87.46973	Normal	
29/12/20 10:21:33	S 0.1	270	30.3	2700	2789 G	5.08	25.86953	87.47015	Speed Breaker	
29/12/20 10:22:9	S 0.1	270	30.3	2700	2789 G	3.77	25.86887	87.47072	Normal	


Rees Sykes
29/12/20
20

High
29/12/20
20

M/E
29/12/20

File : I:\29121041.Xls, Section No. 5, Eqn : $Y = 0 \cdot X^2 + 1.108 \cdot X - 201.8$

Name of Customer : PREM KUMAR, Name of Work/Road : TETRI BARI REO ROAD TO MAHTHOR KAMALPUR, Lab



(Signature)
29/12/20

(Signature)
29/12/20

(Signature)
29/12/20