



ग्रामीण कार्य विभाग

Rural Works Department, Govt of Bihar

PLAN HEAD- FDR(2245) YEAR 2020-21

DISTRICT :- East Champaran

BLOCK :- Patahi Tetaria

Estimate for Repair of Road breaches
(Damaged by Flood) for Motoribility in
SAIRAIYA TO SAGHARI.

ESTIMATED COST - 4.57 Lacs

SUBMITTED BY:
EXECUTIVE ENGINEER,
RWD WORKS DIVISION,
PAKRIDAYAL

Technical Report

F.D.R.(2020-21)

Name of Road: Saghari To Hasanpur. Sairaiya To Saghari

Length of Road:- 1.500 K.M

Name of Block:- Tetaria

Project Head:- P.M.G.S.Y.

Package No:-

Estimated Cost: 10.90 Laes 4.57 Lacs

This estimate has been prepared for temporary restoration of the above road damaged due to heavy rain/ Flood - 2020 under instruction of Rural Works Department vide letter no- 2789 dated. 21.08.2020. Brick Bats/ Local Sand Bag / Humepipe / Bamboo Pile / Soil has been provided as per need of the above damaged road. This road is under maintenance / out of maintenance.

All items of this estimate has been taken from approved current schedule rate of works circle Motihari. This estimate is submitted for technical approval /Sanction.

IE

SALON 9/12/20 A.E

R.W.D.(w) Div. Pakridayal.

Name of Work:-

Estimate for Repair of Road breaches (Damaged by Flood) for Motoribility in SAIRAIYA TO SAGHARI.

Head - 2245 Length- 1.500 K.M			SAGHARI,							
SI No.	Item No.	Name of Item	unit	No	Length	Width	Height	Ė	Rate	Amount
1		Labour for laying dry graded Jhama Khoa or stone filter under Brick Pitching or Boulder Pitching in slope or apron including light ramming etc. all complete as per approved design, specification and direction of E/L	cum				206.14	THE REAL PROPERTY.	466847.466	

TOTAL (in Re.) -456847.47

Say Re

457000.00

2147=40 44266

Junior Engineer, Rural Works Department, Works Section, Tetaria Assistant Engineer,
Rural Works Department,
Works Sub Division, Tetaria

Executive Engineer, Rural Works Department, Works Division, Pakridayal

Post Fast TAITS is accorded for Rs. 4,42,700 = accorded fo

S.E. (R.W.D.)
works Circle
Motihari

Name of Work:-

Estimate for Repair of Road breaches (Damaged by Flood) for Motoribility in SAIRAIYA TO SAGHARI.

		Appendix - I Measurement for surfacing the Breach with Brick Bats						
Sl. No.	Chainage	Length (M)	Avg. Width In Meter	Avg. Depth In Meter	Quantity (Cum)			
1.00	1.00-1.300	11.000	4.320	3.000	142.560			
2.00	1.300 -1.400	8.500	3.400	2.200	63.580			
	^			Total	206.140			

Junior Engineer Rural Works Department, Works Section, Tetaria

Asistant Engineer Rural Works Department, Works Sub Division, Tetaria

Executive Engineer, Rura! Works Department, Works Division, Pakridayal

BRICK BATS PITCHING MANUAL MEANS

6.6.1 WRD Bihar	Labour for laying dry graded Jhama Khoa or stone filter under Brick Pitching or Boulder Pitching in slope or apron including light ramming etc. all complete as per approved design,							
	Unit :- Per Cum							
	Taking Output = 2.832 Cum							
	Unskilled Mazdoor							
	Add 6% Overhead Charges	Nos.	3	287.00	861.00			
	Rate for 2.832 Cum				51.66			
					912.66			
	Rate per Cum (Rs.) -				383.15			
1.4 RCD	Cost of Haulage Excluding Loading and Unloading							
	Haulage of materials by Tractor excluding cost of loading, unloading and stacking.							
	Unit = t.km							
	Taking output 3.60 tonnes load and lead 1	0 km = 36	.0 t.km	Page 1				
	(i) Surfaced Road							
	Speed with load : 15 km / hour.							
	Speed while Returning empty :25 km / hou	ır.						
	a) Machinery.							
	Tractor 3.6 tonne capacity							
	Time taken for onward haulage with load	hour	0.667	549.10	366.25			
	Time taken for empty return trip.	hour	0.400	549.10	219.64			
	b) Overhead charges @ 0.06 on (a)				35.15			
	cost for 36 t km = a+b+c				621.04			
	Rate per t.km = $(a+b+c)/36$				17.25			
28	Say Rs				17.25			
	(ii) Unsurfaced Graveled Road							
	Speed with load: 12 km / hour		al resident services					
	Speed for empty return trip :20 km / hour							
	a) Machinery							
	Tractor 3.6 tonnes capacity							
	Time taken for onward haulage with load I	hour	0.833	549.10	457.40			
	Time taken for empty return trip hour 0.50	hour	0.500	549.10	274.55			
	b) Overhead charges @ 0.06 on (a)			A STORY OF THE	43.92			
	Cost for 36 t .km = a+b+c 840.34				775.87			
	Rate per t.Km = $(a+b+c)/36 23.34$			- Int				
	Say Rs				21.55 21.55			
					21.55			

RCD LC	pading and Unloading of Stone Boulder/ lacing Tractor at loading point, loading				
PI	lacing Tractor at loading point, loading xcludingfor haulage and return trip	Stoneaggre	gates/Sand /Kar	ker/Moorum	
ex	xcludingfor haulage and return trip	with frontlo	ader, dumping,	turning for r	eturn trip,
U	nit = cum				
T	aking output = 2.25 cum				
Т	ime required for				
	Positioning of Tractor at loading point				NEW YEAR
ii	i) Loading by front end loader 1 cum		1 Min		
lt	oucket capacity @ 25 cum per hour				
The second secon			5 Min		
1	ii) Maneuvering, reversing, dumping and				
	turning for return		0 Min		
	iv) Waiting time, unforeseen				
	contingencies etc		0 Min		
	Total		6 Min		
	a) Labour				9.15
	Mate	day	0.03	305.00	206.64
	Mazdoor for loading and unloading	day	0.72	287.00	200.04
	b) Machinery			540.40	54.91
	Tractor 3.60 tonnes capacity	hour	0.1	549.10	54.51
	Front end-loader 1 cum bucket capacity			1 102 00	116.45
	@ 25 cum/hour	hour	0.083	1403.00	23.23
	c) Overhead charges @ 0.06 on (a+b)				410.38
	Cost for 2.25 cum = a+b+c+d				182.39
	Rate per cum = (a+b+c+d)/ 2.25				102.55
Note:-	Unloading will be done manually.				
1.	Suplying for Brick Bats (with OH)				
Α.	Basic Rate of Brick Bats	Per Cum		1017.00	1017.00
	Add overhed Charges		6%		61.03
	Total -				1078.0
	Surface Lead	KM	7		
	Unsurface Lead	KM	1		
	Factor (3.6/2.25)	Cum	1.60		
В.	Carriage (with OH)				
J.	$(1.6 \times 7 \times 17.25) + (1.6 \times 1 \times 21.55) + 182.$	39			410.
C.	Cost of Labour for Pitching and Light				
	Ramming as per WRD SOR 6.6.1 (with OH	1)			383
	Total (A+B+C) -				1871
	Add 1% Labour Cess (A+B+C)				18
	Add 12% GST (A+B+C)				
	Add 10% cost of Material for Seigniorage	Fee		1 101.70	224 101
	Total Cost per Cum				
				Rs	2216

